



TEMPLIN

Air coils



www.st-templin.com



more than 66 years
quality in motion



PA air coils

general specifications:

black, made of polyamide PA12

DIN 73378/74323/74324

working length from 3,0 m to 9,5 m

16-32 turns

plastic antikink or steel antikink spring

various fitting-types available

PA12 air coil with plastic antikink, tube colour black

coupling nut M 18x1,5 with an inner coil-Ø of about 90 mm



working length	turns	antikink colour	ST No. without fitting	ST No. with fitting M 16x1,5	ST No. with fitting M 22x1,5
3,0 m	16	red	02.030.7128.650	02.030.7128.680	02.030.7128.690
		yellow	02.030.7128.600	02.030.7128.660	02.030.7128.670
3,5 m	18	red	02.030.7128.550	02.030.7128.580	02.030.7128.590
		yellow	02.030.7128.500	02.030.7128.560	02.030.7128.570
4,0 m	20	red	02.030.7128.050	02.030.7128.710	02.030.7128.770
		yellow	02.030.7128.100	02.030.7128.720	02.030.7128.780
		black	02.030.7128.200	02.030.7128.700	02.030.7128.760
4,5 m	22	red	02.030.7128.250	02.030.7128.810	02.030.7128.870
		yellow	02.030.7128.300	02.030.7128.820	02.030.7128.880
		black	02.030.7128.400	02.030.7128.800	02.030.7128.860

PA12 air coil with steel spring antikink, tube colour red or yellow

coupling nut M 18x1,5 with an inner coil-Ø of about 115 mm



working length	turns	tube colour	ST No. with fitting M 22x1,5
9,5 m	32	red	02.030.7126.150
9,5 m	32	yellow	02.030.7126.250



more than 66 years
quality in motion



PU air coils

general specifications:

red, yellow or black, made of PUR

according to DIN 74323/73378

working length from 3,5 m to 4,5 m



22 - 26 turns

plastic antikink or steel spring antikink

various fitting-types available

PU air coil with plastic antikink

coupling nut M 18x1,5 with an inner coil-Ø of about 55 mm



working length	turns	tube colour	ST No. without fitting	ST No. with fitting M 16x1,5
3,5 m	22	red	02.030.7148.951	02.030.7149.351
3,5 m	22	yellow	02.030.7148.851	02.030.7149.451
3,5 m	22	black	02.030.7148.751	02.030.7149.651
4,5 m	26	red		02.030.7149.354
4,5 m	26	yellow		02.030.7149.454
4,5 m	26	black		02.030.7149.654



PU air coil with steel spring antikink

coupling nut M 18x1,5 with an inner coil-Ø of about 55 mm

working length	turns	tube colour	ST No. without fitting	ST No. with fitting M 16x1,5
3,5 m	22	red	02.030.7149.353	02.030.7149.352
3,5 m	22	yellow	02.030.7149.453	02.030.7149.452
3,5 m	22	black		02.030.7149.652
4,5 m	26	red		02.030.7149.355
4,5 m	26	yellow		02.030.7149.455
4,5 m	26	black		02.030.7149.655



more than 66 years
quality in motion



PA duo air coils

general specifications:

black, made of polyamide PA12

DIN 73378/74323/74324

working length 4,0 m

24 turns

with plastic antikink

coupling nut M 18x1,5 with an inner coil-Ø of about 70 mm



working length	tube colour	antikink colour	ST No. without fitting
4,0 m	black	yellow / red	02.030.7129.050

PU duo air coils

general specifications:

black, red or yellow, made of PUR



according to DIN 74323/73378

working length from 3,5 m to 4,0 m

24 turns

with plastic antikink

coupling nut M 18x1,5 with an inner coil-Ø of about 55 mm



working length	tube colour	antikink colour	ST No. with fitting M 16x1,5
3,5 m	yellow / red	yellow / red	02.030.7129.069
4,0 m	yellow / red	yellow / red	02.030.7129.150
4,0 m	black	yellow / red	02.030.7129.089

Special configurations are available on request.

ST-Templin GmbH

Domänenweg 1

31863 Copenbrügge

Servicehotline: +49 5156 - 96100 - Fax: + 49 5156 - 961196

info@st-templin.com - www.st-templin.com