

Mercedes Benz

Spare parts for trucks

Qualität – made by
dph Germany



Dichtungspartner Hamburg

Important notes

1. This catalogue replaces all previous issues.
2. The catalogue is protected by copyright.
The duplication of it or any part of it is prohibited.
3. The supply of dph components strictly adhere to our sales and delivery agreement and are subject to our conditions of payment.
4. We reserve the right to modify our components as necessary.
5. The original equipment part numbers, as well as SLP, Elring-No., etc. indicated in the catalogue only serve as a cross-reference comparison with dph numbers. They must not appear on any advice notes or invoices.
6. All original part numbers of engine or vehicle manufacturers in this catalogue are mentioned for comparison reasons only and should not be used in contacts with vehicle owners.
7. Every effort has been made to ensure that the information in this catalogue is correct at the time of printing, but dph cannot accept any responsibility for errors which may occur.

Dichtungspartner Hamburg GmbH

Ferdinand-Harten-Straße 15
D-22949 Ammersbek
Germany

P.O. Box 651144
D-22371 Hamburg
Germany

Phone ++49 (0)40-66 86 13-0
Fax ++49 (0)40-66 86 13-90

E-mail service@dph.de
www.dph.de

Qualität – made by dph Germany



High quality guarantees growing success



We have always supplied our customers with high quality seals for the following sectors: Automobile, hydraulic seals, mountings and other fields all at reasonable prices and quick delivery. We can count many well-known companies throughout the world as satisfied customers.

Four strategies guarantee our success:

- First rate products with top class quality assured
- Short delivery times due to our own stock levels
- Flexibility in the procurement of all parts
- Attractive pricing policy









Fully automated electronic quality checks and manufacturing to DIN standards guarantee continuous high quality products. To your advantage and always at very fair prices.

Perfect manufacturing and continuous quality assurance

Together we are strong – this is the maxim in our group. High quality is not achieved just as a result of monitoring but of production technique. Therefore, Dichtungspartner Hamburg receives the bulk of its products from OEM suppliers and from suppliers whose quality management is certified in accordance with DIN/ISO 9000/9001.

Despite this, we still think it is necessary to check the finished products thoroughly once more within our group according to DIN/ISO 9001. Our high-grade measuring instruments are checking the radial force of oil seals, the tensile strength of elastomers, the compression set and the surface quality by means of computer-based cameras and many more. The results of the checks are registered and filed. It is good to have confidence but qualification is better!

Contents

 OEM numbers, reference list	6 – 10
 Engine gaskets and gasket sets	11 – 41
Cylinder head gaskets & sets, cylinder liner sealing rings & kits, complete gasket sets, valve cover gaskets, oil pan gaskets & kits, manifold gaskets, valve stem seals, conversion gasket sets, repair kits compressor	
 Engine parts, fuel, exhaust and cooling system parts	42 – 60
Oil seals, washers, o-rings, gaskets, valve guides, valves	
 Clutch, gearbox	61 – 63
Servo cylinders, repair kits, o-rings, oil seals	
 Brake parts	64 – 68
Diaphragms, washers, oil seals	
 Front and rear axle parts	69 – 79
Repair kits ABS, oil seals	
 Overview of most popular oil seal types	81
 Standard terms and conditions	82 – 83

OEM numbers, reference list

OEM number	page	description
000 053 35 58	24	Valve stem seal
000 094 25 80	52	O-ring/seal ring – engine
000 094 26 80	52	O-ring/seal ring – engine
000 184 31 80	49	O-ring/seal ring – engine/fuel/oil filter
000 184 65 80	46	O-ring/seal ring – engine/fuel/oil filter
000 184 65 80	51	O-ring/seal ring – engine/fuel/oil filter
000 267 17 15	62	Transmission
000 290 06 67	61	Repair kit clutch servo
000 290 32 67	61	Repair kit clutch servo
000 295 00 18	61	Clutch servo cylinder
000 421 20 86	64	Diaphragm/brake part
000 421 29 86	64	Diaphragm/brake part
000 423 12 86	64	Diaphragm/brake part
000 431 07 28	65	Diaphragm/brake part
000 477 23 80	48	O-ring/seal ring – engine/fuel/oil filter
000 477 31 80	48	O-ring/seal ring – engine/fuel/oil filter
000 477 33 80	51	O-ring/seal ring – engine
000 477 35 80	48	O-ring/seal ring – engine/fuel/oil filter
000 586 18 26	62	Transmission
000 997 00 40	51	O-ring/seal ring – engine
000 997 11 47	62	Transmission oil seal
000 997 40 46	70	Oil seal rear axle
000 997 53 48	44	O-ring/seal ring
000 997 54 46	70	Oil seal rear axle
000 997 64 47	73	Oil seal for front axle
000 997 74 46	69	Oil seal rear axle
000 997 96 41	67	Oil seal crankshaft
001 295 67 07	61	Clutch servo cylinder
001 997 05 47	74	Oil seal for front axle
001 997 06 46	73	Oil seal for front axle
001 997 41 41	68	Oil seal crankshaft
002 997 18 47	74	Oil seal for front axle
002 997 19 47	74	Oil seal for front axle
002 997 20 47	74	Oil seal for front axle
002 997 32 47	71	Oil seal rear axle
002 997 40 46	70	Oil seal rear axle
002 997 64 46	73	Oil seal for front axle
003 997 00 40	63	Transmission oil seal
003 997 07 47	59	Oil seal crankshaft
003 997 13 47	59	Oil seal crankshaft
003 997 45 46	73	Oil seal for front axle
003 997 45 47	67	Oil seal crankshaft
003 997 48 46	72	Oil seal rear axle
003 997 66 47	72	Oil seal rear axle
003 997 67 46	67	Oil seal crankshaft
003 997 98 46	63	Transmission oil seal
004 997 17 47	74	Oil seal for front axle
004 997 18 47	74	Oil seal for front axle
004 997 59 47	74	Oil seal for front axle
004 997 77 45	69	Oil seal rear axle
004 997 93 47	67	Oil seal crankshaft
005 997 03 46	70	Oil seal rear axle
005 997 44 46	70	Oil seal rear axle
005 997 45 47	74	Oil seal for front axle
005 997 51 46	59	Oil seal crankshaft

OEM number	page	description
005 997 84 47	72	Oil seal rear axle
006 997 05 46	70	Oil seal rear axle
006 997 13 46	74	Oil seal for front axle
006 997 16 47	59	Oil seal crankshaft
006 997 21 47	70	Oil seal rear axle
006 997 23 47	59	Oil seal crankshaft
006 997 25 48	47	O-ring/seal ring – engine/fuel/oil filter
006 997 31 47	74	Oil seal for front axle
006 997 48 48	52	O-ring/seal ring – engine
006 997 49 46	62	Transmission oil seal
006 997 49 48	51	O-ring/seal ring – engine
006 997 85 47	66	Oil seal crankshaft
006 997 93 46	69	Oil seal rear axle
007 997 04 46	70	Oil seal rear axle
007 997 34 48	51	O-ring/seal ring – engine
007 997 36 46	73	Oil seal for front axle
007603 006101	45	Sealing washer, copper/variou
007603 006106	45	Sealing washer, copper/variou
007603 008100	45	Sealing washer, copper/variou
007603 008101	45	Sealing washer, copper/variou
007603 008103	45	Sealing washer, copper/variou
007603 008105	45	Sealing washer, copper/variou
007603 008109	45	Sealing washer, copper/variou
007603 010103	45	Sealing washer, copper/variou
007603 012110	45	Sealing washer, copper/variou
007603 012111	45	Sealing washer, copper/variou
007603 012113	45	Sealing washer, copper/variou
007603 014102	45	Sealing washer, copper/variou
007603 014106	44	Washer – engine
007603 016102	46	Sealing washer, copper/variou
007603 016103	45	Sealing washer, copper/variou
007603 016105	45	Sealing washer, copper/variou
007603 016401	45	Sealing washer, copper/variou
007603 017102	45	Sealing washer, copper/variou
007603 018100	46	Sealing washer, copper/variou
007603 018101	45	Sealing washer, copper/variou
007603 020100	46	Sealing washer, copper/variou
007603 020103	45	Sealing washer, copper/variou
007603 022100	46	Sealing washer, copper/variou
007603 022102	45	Sealing washer, copper/variou
007603 022104	46	Sealing washer, copper/variou
007603 024105	46	Sealing washer, copper/variou
007603 024106	65	Washer/rear axle
007603 026100	46	Sealing washer, copper/variou
007603 026101	44	Washer – engine
007603 026104	44	Washer – engine
007603 026106	46	Sealing washer, copper/variou
007603 026109	42	Washer – engine
007603 026305	44	Washer – engine
007603 027101	46	Sealing washer, copper/variou
007603 045100	65	Washer/rear axle
007603 22103	45	Sealing washer, copper/variou
008 997 60 46	69	Oil seal rear axle
008 997 61 45	51	O-ring/seal ring – engine
008 997 61 46	70	Oil seal rear axle

OEM number	page	description
008 997 62 46	69	Oil seal rear axle
008 997 70 45	50	O-ring/seal ring – engine/fuel/oil filter
008 997 73 46	62	Transmission oil seal
009 997 00 46	72	Oil seal rear axle
009 997 03 46	70	Oil seal rear axle
009 997 34 47	59	Oil seal crankshaft
009 997 51 46	67	Oil seal crankshaft
009 997 67 47	75	Oil seal front & rear axle
009 997 77 47	65	Oil seal crankshaft
009 997 77 47	66	Oil seal crankshaft
009 997 88 48	24	Cylinder liner sealing ring
009 997 94 47	66	Oil seal crankshaft
010 997 00 46	72	Oil seal rear axle
010 997 30 46	74	Oil seal for front axle
010 997 31 46	75	Oil seal for front axle
010 997 78 47	69	Oil seal rear axle
010 997 79 47	69	Oil seal rear axle
010 997 81 47	70	Oil seal rear axle
010 997 84 47	69	Oil seal rear axle
011 997 00 46	72	Oil seal rear axle
011 997 01 46	71	Oil seal rear axle
011 997 12 46	71	Oil seal rear axle
011 997 13 46	59	Oil seal crankshaft
011 997 16 46	72	Oil seal rear axle
011 997 17 46	75	Oil seal for front axle
011 997 18 46	74	Oil seal for front axle
011 997 18 46	74	Oil seal for front axle
011 997 22 46	62	Transmission oil seal
011 997 23 46	72	Oil seal rear axle
011 997 26 46	75	Oil seal front & rear axle
011 997 31 46	71	Oil seal rear axle
011 997 36 46	75	Oil seal front & rear axle
011 997 44 46	72	Oil seal rear axle
011 997 52 47	71	Oil seal rear axle
011 997 54 46	74	Oil seal for front axle
011 997 57 47	67	Oil seal crankshaft
011 997 71 47	73	Oil seal for front axle
011 997 72 47	73	Oil seal for front axle
012 997 12 48	24	Cylinder liner sealing ring
012 997 19 47	74	Oil seal for front axle
012 997 20 47	75	Oil seal for front axle
012 997 71 48	24	Cylinder liner sealing ring
012 997 74 47	59	Oil seal crankshaft
012 997 91 47	73	Oil seal for front axle
013 997 14 47	60	Oil seal crankshaft
013 997 59 47	71	Oil seal rear axle
013 997 94 47	71	Oil seal rear axle
013 997 96 48	51	O-ring/seal ring – engine
014 997 13 47	60	Oil seal crankshaft
014 997 16 47	68	Oil seal crankshaft
014 997 46 47	59	Oil seal crankshaft
014 997 46 48	60	Oil seal crankshaft
015 997 49 47	71	Oil seal rear axle
015 997 56 47	70	Oil seal rear axle
015 997 90 48	25	Cylinder liner sealing ring

OEM number	page	description
015 997 91 48	25	Cylinder liner sealing ring
015 997 93 47	70	Oil seal rear axle
016 997 08 47	60	Oil seal crankshaft
016 997 56 47	72	Oil seal rear axle
016 997 82 48	44	O-ring/seal ring
018 997 33 47	74	Oil seal for front axle
020 997 05 47	71	Oil seal rear axle
021 997 69 47	74	Oil seal for front axle
022 997 34 47	73	Oil seal for front axle
024 997 48 47	75	Oil seal trailer
0634 314 018	63	Transmission seal ring
0634 314 019	63	Transmission seal ring
0634 314 020	63	Transmission seal ring
0750 112 066	63	Transmission seal ring
1295 298 915	76	Gasket set for steering
1295 298 917	76	Gasket set for steering
303 997 06 47	69	Oil seal rear axle
304 997 04 47	72	Oil seal rear axle
304 997 11 47	72	Oil seal rear axle
304 997 17 47	72	Oil seal rear axle
312 053 02 30	58	Valve guide
314 010 02 80	35	Oil pan gasket kit
314 010 02 80	35	Oil pan gasket kit
314 010 60 20	14	Cylinder head gasket set
314 016 03 21	29	Valve cover gasket
314 016 07 20	11	Cylinder head gasket
314 142 03 80	36	Manifold gasket
315 030 00 80	59	Oil seal crankshaft
317 333 11 64	73	Gasket for front axle
317 997 00 47	72	Oil seal rear axle
327 016 08 20	12	Cylinder head gasket
335 997 00 47	72	Oil seal rear axle
345 142 00 80	37	Manifold gasket
346 016 02 21	30	Valve cover gasket
346 016 03 20	12	Cylinder head gasket
346 017 01 60	57	Gasket/engine
346 017 02 60	51	O-ring/seal ring – engine
346 141 01 80	36	Manifold gasket
346 142 00 60	37	Manifold gasket
346 334 00 80S	78	Repair kit for ABS rear axle
346 356 01 27	75	Gasket for rear axle
346 997 04 45	51	O-ring/seal ring – engine
352 010 04 80	36	Oil pan gasket kit
352 010 08 80	35	Oil pan gasket kit
352 010 12 80	36	Oil pan gasket kit
352 010 12 80 (kork)	36	Oil pan gasket kit
352 010 26 21	17	Cylinder head gasket set
352 010 27 21	17	Cylinder head gasket set
352 015 01 60	53	Gasket
352 015 05 22	29	Valve cover gasket
352 016 07 20	14	Cylinder head gasket
352 016 09 21	29	Valve cover gasket
352 053 02 96	20	Valve stem seal
352 053 16 30	58	Valve guide
352 053 22 29	58	Valve guide

OEM number	page	description
352 053 37 30	58	Valve guide
352 076 02 80	56	Gasket/engine
352 078 00 80	44	Washer – engine
352 142 04 80	37	Manifold gasket
352 997 05 40	56	Gasket/engine
353 010 48 08	19	Conversion gasket set
355 010 00 27	35	Oil pan gasket kit
355 010 12 20	14	Cylinder head gasket set
355 010 55 08	17	Conversion gasket set
355 016 00 21	30	Valve cover gasket
355 016 04 20	12	Cylinder head gasket
355 141 02 80	36	Manifold gasket
355 142 01 80	37	Manifold gasket
355 142 04 80	37	Manifold gasket
355 188 00 80	57	Gasket/engine
355 203 00 80	57	Gasket/engine
355 356 01 73 S	79	Repair kit for ABS front axle
355 586 03 90	28	Full set
355 997 00 49	57	Gasket/engine
357 333 00 64	44	Washer – engine
360 010 03 44	27	Gasket set compl. engine overhaul incl...
360 010 33 20	14	Cylinder head gasket set
360 014 03 22	33	Oil pan gasket
360 016 02 21	29	Valve cover gasket
360 053 00 30	58	Valve guide
360 053 00 29	59	Valve guide
360 586 18 46	75	Gasket for rear axle
360 997 92 45	51	O-ring/seal ring – engine
364 010 01 80	33	Oil pan gasket
364 010 01 80	36	Oil pan gasket kit
364 010 22 08	19	Conversion gasket set
364 010 40 20	15	Cylinder head gasket set
364 016 00 21	30	Valve cover gasket
364 016 01 21	30	Valve cover gasket
364 184 03 80	33	Valve cover gasket
366 010 44 08	17	Conversion gasket set
366 010 61 20	15	Cylinder head gasket set
366 015 00 60	30	Valve cover gasket
366 015 00 60	53	Gasket
366 016 00 21	30	Valve cover gasket
366 016 03 21	30	Valve cover gasket
366 016 06 20	11	Cylinder head gasket
366 053 01 58	21	Valve stem seal
366 141 05 80	37	Manifold gasket
366 141 07 81	37	Manifold gasket
366 142 04 80	37	Manifold gasket
366 188 08 80	57	Gasket/engine
366 586 54 46	76	Gasket set for steering
383 350 00 68	78	Repair kit for ABS rear axle
385 350 00 68	78	Repair kit for ABS rear axle
385 350 02 68	79	Repair kit for ABS rear axle
387 460 26 01	76	Gasket set for steering
387 586 03 46	76	Gasket set for steering
402 130 02 20	41	Repair kit compressor
403 015 01 60	32	Valve cover gasket




OEM number	page	description
403 016 00 61	57	Gasket/engine
403 016 01 21	32	Valve cover gasket
403 016 03 21	31	Valve cover gasket
403 053 01 96	22	Valve stem seal
403 074 00 59	56	Gasket/engine
403 142 03 80	38	Manifold gasket
403 997 01 46	60	Oil seal crankshaft
405 014 02 22	34	Oil pan gasket kit
407 010 23 08	18	Conversion gasket set
407 131 05 80	57	Gasket/engine
421 010 04 08	18	Conversion gasket set
422 010 06 08	18	Conversion gasket set
422 053 01 96	23	Valve stem seal
422 053 04 30	58	Valve guide
422 142 00 80	41	Manifold gasket
422 144 02 80	51	O-ring/seal ring – engine
422 997 00 40	51	O-ring/seal ring – engine
423 010 03 20	16	Cylinder head gasket set
423 010 08 80	16	Cylinder head gasket set
423 010 48 33	53	Gasket set
423 011 02 59	24	Cylinder liner sealing ring
423 050 00 26	58	Valve
423 050 04 28	58	Valve
441 014 00 22	33	Oil pan gasket
442 011 00 59	54	Gasket/engine
442 011 00 80	54	Gasket/engine
442 011 02 59	54	Gasket/engine
442 014 02 22	34	Oil pan gasket kit
442 015 00 60	32	Valve cover gasket
442 016 01 21	31	Valve cover gasket
442 016 03 20	12	Cylinder head gasket
442 016 04 20	12	Cylinder head gasket
442 016 06 21	31	Valve cover gasket
442 018 00 80	56	Gasket/engine
442 074 00 59	56	Gasket/engine
442 098 09 80	54	Gasket/engine
442 098 10 80	54	Gasket/engine
442 131 00 80	54	Gasket/engine
442 131 01 80	55	Gasket/engine
442 131 09 80	55	Gasket/engine
442 141 04 80	55	Gasket/engine
442 141 07 80	40	Manifold gasket
442 141 09 80	55	Gasket/engine
442 141 17 80	39	Manifold gasket
442 184 04 80	55	Gasket/engine
442 184 05 80	55	Gasket/engine
442 187 00 80	55	Gasket/engine
442 187 01 80	56	Gasket/engine
442 188 05 80	56	Gasket/engine
442 201 10 80	56	Gasket/engine
442 492 00 80	52	Gaske t
443 014 00 22	34	Oil pan gasket kit
444 010 01 20	15	Cylinder head gasket set
447 014 00 22	34	Oil pan gasket kit
457 010 62 20	17	Cylinder head gasket set

Engine gaskets and gasket sets

Cylinder head gasket

dph-no.	OEM-no.	application
98588 / 98589	314 016 07 20/ 314 016 07 20 graphite	 <p>OM 314 up to engine 492711 from engine 492712 All engine types 40-63kW Diesel cyl. 97dia.</p> <p>MB Trac 65, 70 / 440 MB Trac 700, 800, 900 / 440 40-63kW Diesel cyl. 97dia.</p> <p>OM 364 906/907/912/918/919/921 OM 364 A 950/952/957/958</p> <p>OM 364 LA 981/986 63-100kW Diesel cyl. 97,5 dia.</p> <p>MB Trac 700, 800, 900 / 440 50-66kW Diesel cyl. 97,5 dia.</p> <p>MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 up to engine 492711 MB 314: 956/957 OM 314 A up to engine 492711 MB 314: 970 48-63 kW Diesel cyl. 97 dia.</p> <p>MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 from engine 492712 MB: 314: 956/957 OM 314 from engine 492712 MB 314: 970 48-63kW Diesel cy. 97 dia</p> <p>MB Trac 700, 800, 900 / 440 OM 364: 908, 909 OM 364: 951 50-66kW Diesel cyl. 97,5 dia.</p>
81134	366 016 06 20	 <p>OM 322 910-919/970/971 Diesel cyl. 97 dia.</p> <p>OM 352 up to engine 760548 OM 352 A from engine 760548 352 all, 353 all 74-96 kW, Diesel cyl. 97 dia. 96-127kW, Diesel dyl. 97 dia. OM 352 A up to engine 760548 OM 352 A from engine 760549</p> <p>OM 362 LA 906/909/910 141kW Diesel cyl. 97 dia.</p> <p>OM 366 M.B. 356: 901/902/904/905/908/910/ 911/913 M.B. 366: 905-907/909/910/914/917/919/930/ 932/933/936/938/940 OM 366 A M.B. 356: 940/943/944/946/948/ 951/953 MB. 366: 941-943/945/946/951-953/957/962/ 965/967-971/973 OM 366 LA M.B. 356: 984/987 M.B. 366: 980/981/983/988/990/993/995-997 95-150kW Diesel cyl. 97,5</p> <p>OM 366 M.B. 346: 903/909 M.B. 366: 918/931/937 OM 366 A M.B. 356: 941/945/947/952 M.B. 366: 944/966/974/976/978/979 OM 366LA M.B. 356: 985/986/990/992/994/995 M.B. 366: 992/994 95-150kW Diesel cyl. 97,5 OM 366 LA M.B. 356: 979/983/989/991/996/999 M.B. 366: 901/999 155-155kW Diesel cyl. 97,5 dia.</p> <p>MB Trac 1000 / 441 1100 / 442, 443 OM 352 up to engine 760548 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p> <p>MB Trac 1000 / 441 1100 / 442, 443 OM 352 from engine 760549 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p> <p>MB Trac 1000 / 441, 162 1100 / 441, 163 1300 / 443, 163 1400 / 443, 164 1600 / 443, 166 OM 366 M.B. 366: 908/912 OM 366 A M.B. 366: 954/958/977 74-115kW Diesel cyl. 97,5 dia.</p> <p>Unimog U900, U1000, U1150, U1200, U1250, U1350, U1400, U1450, U1550, U1600, U1650, U1700, U1750, U2100, U2150</p>



Cylinder head gasket

dph-no.	OEM-no.	application
98554	327 016 08 20	OM 327 914-917/919/921-946 Diesel cyl. 115 dia 2 pcs required
96520 110017	346 016 03 20 with silicone 346 016 03 20 without silicone	 OM 346 Up to engine 027399 910-919/940-947/951-953 154kW Diesel 128 cyl. Dia. 6 pcs required
96521	355 016 04 20	 2 pcs required OM 346 All engine types 154kW Diesel cyl. 128 OM 355, OM 355A/LA All engine types 136-207kW Diesel cyl. 128 di
84756 109284	442 016 03 20 / 442 016 04 20 new type	 OM 401 M.B. 401: 900/901/905-909/912-916/918/919/ 921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia 6 pcs required OM 401 A 917 6 cyl. V-motor 188kW Diesel cyl. 125 dia. 6 pcs required OM 401 LA Euro I 970/972-974/977-981 6 cyl. V-motor 213-230kW Diesel cyl. 125 dia 6 pcs required OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia 10 pcs. Required OM 404, OM 404 A 900/901 12 cyl. V-motor Diesel cyl. 125 dia. 12 pcs required OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia. 6 pcs required
		OM 409 901 5 cyl. Diesel in-line engine cyl. 125 dia. 5 pcs required OM 421 900/905-908/910 OM 421 A/LA 901/951 6 cyl. V-motor 159-184kW Diesel cyl. 128 dia. 6 pcs required OM 423 900/905-909 OM 423 A/LA 901/950 10 cyl. V-motor 261-368kW Diesel cyl. 128 dia 10 pcs required OM 424, OM 424 A/LA 900/901 12 cyl. V-motor Diesel cyl. 128 dia. 12 pcs required OM 427, OM 427 H 900/901/905/910/911 OM 427A / LA OM 427 HA 902/903/950/951/952 6 cylinder in-line engine 150-206kW Diesel cyl. 128 dia. 6 pcs required OM 441 900/905-909/911-921/923-937 150-165kW OM 441 Euro I 900/922/932/933 151kW 6 cyl. V-motor Diesel cyl. 128/130 dia. 6 pcs required



Cylinder head gasket

dph-no.	OEM-no.	application
		<p>OM 441 A / OM 441 LA 901/950/951/953/960-962/985 200-250kW OM 441 A Euro I, OM 441 LA Euro I 901/980-983/986-990/992/994 250kW 6 cyl. V-motor Diesel cyl. 128/130 dia. 6 pcs required</p> <p>OM 442 900/905-911/914-930/932-935/939 191-218kW OM 442 Euro I 900/931 195kW 8 cyl. V-motor Diesel cyl. 128/130 dia. 8 pcs required</p> <p>OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/978/980/ 982/983/985/989/992-994 269-362kW OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia. 8 pcs required</p> <p>OM 442 900/905 271kW OM 443A, OM 443 LA 901/940/980 340-412kW OM 443 LA Euro I 901-504 10 cyl. V-motor Diesel cyl. 128 dia. 10 pcs required</p>
		<p>OM 444 A / OM 444 LA 901 12 cyl. V-motor Diesel cyl. 128 dia. 12 pcs required</p> <p>OM 447 900 OM 447 Euro I 900-004 OM 447 H 901/905-908, 910-913 150-184kW OM 447 H Euro I 901-04/914 157kW OM 447 A, OM 447 LA 902 OM 447 A Euro I, OM 447 LA Euro I 902-404/902-504 OM 447 HA, OM 447 HLA 903/950-953 206kW</p> <p>OM 447 HA Euro I / OM 447 HLA Euro I 903-604/903-704/956/957/959/981/ 982/984/986 184-220kW 6 cyl. In-line engine Diesel cyl. 128 dia. 6 pcs required</p> <p>OM 449 HLA 155-184 kW, 5 cyl. Diesel dia. 128</p> <p>OM 449 A/LA 184-235 kW, 5 cyl. Diesel dia. 128</p>
95489	422 016 04 20 version copper	 <p>OM 421 900/905-908/910 OM 421 A/LA 901/951 6 cyl. V-motor 159-184kW Diesel cyl. 128 dia. 6 pcs required</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor, 8 pcs required 184/206kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923</p>
		<p>OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia. 8 pcs required</p> <p>OM 423 900/905-909 OM 423 A/LA 901/950 10 cyl. V-motor 261-368kW Diesel cyl. 128 dia 10 pcs required</p> <p>OM 424, OM 424 A/LA 900/901 12 cyl. V-motor Diesel cyl. 128 dia. 12 pcs required</p> <p>OM 427, OM 427 H 900/901/905/910/911 OM 427A / LA OM 427 HA 902/903/950/951/952 6 cylinder in-line engine 150-206kW Diesel cyl. 128 dia. 6 pcs required</p>
98608	541 016 04 20	
109803	541 016 11 20	
		<p>OM 501 LA / OM 501 LA IMO Actros M.B: 521: 940 M.B: 541: 920-928 M.B: 941: 910/920/929/930/940/960/970/990 6 cyl. V-motor Diesel 230-315kW 6 pcs required OM 502 LA Actros 8 cyl. V-engine 350-420 kw Diesel 8 pcs required</p>




Cylinder head gasket

dph-no.	OEM-no.	application
98591	352 016 07 20	 OM 352
98592	352 016 07 20 graphite	 OM 352


Cylinder head gasket set

dph-no.	OEM-no.	application
94614	314 010 60 20	 <p>OM 314 Up to engine -492711 From engine 492711 All engine types 40-63kW Diesel cyl. 97dia.</p> <p>MB Trac 65, 70 / 440 MB Trac 700, 800, 900 / 440 40-63kW Diesel cyl. 97dia.</p> <p>MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 up to engine 492711 MB 314: 956/957 OM 314 A up to engine 492711 MB 314: 970 48-63 kW Diesel cyl. 97 dia.</p> <p>MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 from engine 492712 MB: 314: 956/957 OM 314 from engine 492712 MB 314: 970 48-63kW Diesel cy. 97 dia</p>
97284 / 94734	355 010 12 20 + 352 053 02 96 (24 pcs required)	 <p>OM 346 All engine types 154kW Diesel cyl. 128</p> <p>OM 355, OM 355A/LA All engine types 136-207kW Diesel cyl. 128 dia</p>
95823	360 010 33 20	<p>OM 360 910/914-918/930/931/933/935-944/946/948-952/ 960-973/975/979/980/981/983 125-141kW Diesel cyl. 115 dia.</p> <p>OM 360 A 154kW Diesel cyl. 115 dia.</p> <p>OM 360 H 911/912/934/947/954-956/959/974/976-978 horizontal engine 125/141kW Diesel cyl. 115 dia.</p>




Cylinder head gasket set

dph-no.	OEM-no.	application
94615	364 010 40 20	 <p>OM 364 LA 981/986/ 63-100 kW Diesel cyl. 97,5 dia</p> <p>MB Trac 700, 800, 900 / 440 OM 364: 908, 909 OM 364: 951 50-66kW Diesel cyl. 97,5 dia.</p> <p>OM 364 906/907/912/918/921 OM 364 A 950/952/957/958</p>
94613	366 010 61 20	 <p>OM 366 A M.B. 356: 941/945/947/952 M.B. 366: 944/966/974/976/978/979 OM 366LA M.B. 356: 985/986/990/992/994/995 M.B. 366: 992/994 95-150kW Diesel cyl. 97,5</p> <p>MB Trac 1000 /441,162 1100 /441,163 1300 /443,163 1400 /443,164 1600 /443,166 OM 366 M.B. 366: 908/912 OM 366 A M.B. 366: 954/958/977 74-115kW Diesel cyl. 97,5 dia.</p> <p>OM 366 M.B. 356: 901/902/904/905/908/910/911/913 M.B. 366: 905-907/909/910/914/917/919/930/ 932/933/936/938/940 OM 366 A M.B. 356: 940/943/944/946/948/951/953 M.B. 366: 941-943/945/946/951-953/957/962/ 965/967-971/973 OM 366 LA M.B. 356: 984/987 M.B. 366: 980/981/983/988/990/993/995-997 95-150kW Diesel cyl. 97,5 OM 366 M.B. 346: 903/909 M.B. 366: 918/931/937</p> <p>Unimog U900, U1000, U1150, U1200, U1250, U1350, U1400, U1450, U1550, U1600, U1650, U1700, U1750, U2100, U2150</p>
81418 95800	444 010 01 20 444 010 01 20 with cyl. head gasket in CU	 <p>OM 402 LA Euro I 970-973/975 8 cyl. V-motor 280kW Diesel cyl. 125 dia</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia. From engine 002608</p> <p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/ 921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia from engine 001207 OM 401 A 917 6 cyl. V-motor 188kW Diesel cyl. 125 dia. OM 401 LA Euro I 970/972-974/977-981 6 cyl. V-motor 213-230kW Diesel cyl. 125 dia</p> <p>OM 402 900/901/905-907/910-914/916/917/919/921/ 923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia. From engine 013688</p> <p>OM 404, OM 404 A 900/901 12 cyl. V-motor Diesel cyl. 125 dia.</p> <p>OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/ 951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia. From engine 002810 M.B. 407: 900/905/ 907-911/951/955</p> <p>OM 409 901 5 cyl. Diesel in-line engine cyl. 125 dia.</p> <p>OM 421 900/905-908/910 OM 421 A/LA 901/951 6 cyl. V-motor 159-184kW Diesel cyl. 128 dia.</p>



Cylinder head gasket set

dph-no.	OEM-no.	application
		<p>OM 422 900/905-915/917-923 8 cyl. V-motor 184/206kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923</p> <p>OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia.</p> <p>OM 423 900/905-909</p> <p>OM 423 A/LA 901/950 10 cyl. V-motor 261-368kW Diesel cyl. 128 dia</p> <p>OM 424, OM 424 A/LA 900/901 12 cyl. V-motor Diesel cyl. 128 dia.</p> <p>OM 441 900/905-909/911-921/923-937 150-165kW</p> <p>OM 441 Euro I 900/922/932/933 151kW 6 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 441 A / OM 441 LA 901/950/951/953/960-962/985 200-250kW</p> <p>OM 441 A Euro I, OM 441 LA Euro I 901/980-983/986-990/992/994 250kW 6 cyl. V-motor Diesel cyl. 128/130 dia.</p>
		<p>OM 442 900/905-911/914-930/932-935/939 191-218kW</p> <p>OM 442 Euro I 900/931 195kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/978/980/982/ 983/985/989/992-994 269-362kW</p> <p>OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 442 900/905 271kW</p> <p>OM 443A, OM 443 LA 901/940/980 340-412kW</p> <p>OM 443 LA Euro I 901-504 10 cyl. V-motor Diesel cyl. 128 dia.</p> <p>OM 444 A / OM 444 LA 901 12 cyl. V-motor Diesel cyl. 128 dia.</p> <p>OM 449 A/LA 184-235 kW, 5 cyl. Diesel dia. 128</p>
81830 84271	423 010 03 20 423 010 08 80	 <p>Without valve stem seals Same application as dph 81418</p>
98607	541 010 11 20	 <p>OM 501 LA / OM 501 LA IMO Actros M.B: 521: 940 M.B: 541: 920-928 M.B: 941: 910/920/929/930/940/960/970/990 6 cyl. V-motor Diesel 230-315kW, 6 pcs required</p> <p>OM 502 LA Actros 8 cyl. V-engine 350-420 kw Diesel, 8 pcs required</p>
109922	541 010 25 20	 <p>Actros</p>




Cylinder head gasket set

dph-no.	OEM-no.	application
80277	352 010 26 21 / 352 010 27 21	 <p>MB Trac 1000 /441 1100 /442, 443 OM 352 up to engine 760548 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p> <p>OM 352 from engine 760549 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p>
110321	541 010 52 20	 <p>Actros MB 541</p>
110322	457 010 62 20	 <p>Actros MB 457</p>

Conversion gasket set

dph-no.	OEM-no.	application
97285	355 010 55 08	 <p>OM 355, OM 355A/LA All engine types 136-207kW Diesel cyl. 128 di</p>
94610	366 010 44 08	 <p>OM 366 M.B. 356: 901/902/904/905/908/910/911/913 M.B. 366: 905-907/909/910/914/917/919/930/ 932/933/936/938/940</p> <p>OM 366 A M.B. 356: 940/943/944/946/948/951/953 M.B. 366: 941-943/945/946/951-953/957/962/ 965/967-971/973</p> <p>OM 366 LA M.B. 356: 984/987 M.B. 366: 980/981/983/988/990/993/995-997 95-150kW Diesel cyl. 97,5</p> <p>OM 366 M.B. 346: 903/909 M.B. 366: 918/931/937</p> <p>OM 366 A M.B. 356: 941/945/947/952 M.B. 366: 944/966/974/976/978/979</p> <p>OM 366LA M.B. 356: 985/986/990/992/994/995 M.B. 366: 992/994 95-150kW Diesel cyl. 97,5 OM 366 LA M.B. 356: 979/983/989/991/996/999 M.B. 366: 901/999 155-177kW Diesel cyl. 97,5 dia.</p> <p>MB Trac 1000 /441,162 1100 /441,163 1300 /443,163 1400 /443,164 1600 /443,166 OM 366 M.B. 366: 908/912 OM 366 A M.B. 366: 954/958/977 74-115kW Diesel cyl. 97,5 dia.</p> <p>Unimog U900, U1000, U1150, U1200, U1250, U1350, U1400, U1450, U1550, U1600, U1650, U1700, U1750, U2100, U2150</p>

Conversion gasket set

dph-no.	OEM-no.	application	
98337	421 010 04 08	 <p>OM 401 M.B.: 900/901/905-909/912-916/918/919/921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia</p> <p>OM 401 A 917 6 cyl. V-motor 188kW Diesel cyl. 125 dia.</p> <p>OM 401 LA Euro I 970/972-974/977-981 6 cyl. V-motor</p>	<p>213-230kW Diesel cyl. 125 dia</p> <p>OM 421 900/905-908/910 OM 421 A/LA 901/951 6 cyl. V-motor 159-184kW Diesel cyl. 128 dia.</p> <p>OM 441 900/905-909/911-921/923-937 150-165kW OM 441 Euro I 900/922/932/933 151kW 6 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 441 A / OM 441 LA 901/950/951/953/960-962/985 200-250kW OM 441 A Euro I, OM 441 LA Euro I 901/980-983/986-990/992/994 250kW 6 cyl. V-motor Diesel cyl. 128/130 dia.</p>
94584	422 010 06 08	 <p>OM 402 900/901/905-907/910-914/916/917/919/921/923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia.</p> <p>OM 402 LA Euro I 970-973/975 8 cyl. V-motor 280kW Diesel cyl. 125 dia</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor 184/206kW Diesel cyl. 128 dia.</p>	<p>OM 422 900/905-915/917-923 OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia.</p> <p>OM 442 900/905-911/914-930/932-935/939 191-218kW OM 442 Euro I 900/931 195kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/978/980/982/983/985/989/992-994 269-362kW OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p>
94609	407 010 23 08		<p>OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia.</p>
98699	541 010 02 05	<p>OM 501 LA / OM 501 LA IMO Actros M.B.: 521: 940 M.B.: 541: 920-928 M.B.: 941: 910/920/929/930/940/960/970/990 6 cyl. V-motor Diesel 230-315kW MB: 521: 940 MB: 541: 928 MB: 941: 910/920/929/940/960/970/990</p>	<p>MB 541: 920/922/923/925 Up to engine 0120090</p> <p>OM 502 LA Actros 8 cyl. V-engine 350-420 kw Diesel 8 pcs required up to engine 012090</p>

Conversion gasket set

dph-no.	OEM-no.	application
98701	541 010 05 05	OM 501 LA / OM 501 LA IMO Actros M.B: 521: 940 M.B: 541: 920-928 M.B: 941: 910/920/929/930/940/960/970/990 6 cyl. V-motor Diesel 230-315kW MB: 541: 921/924/926/927 MB: 541: 920/922/923/925 From engine 012091
94611	364 010 22 08	 <p> MB Trac 65, 70 / 440 MB Trac 700, 800, 900 / 440 40-63kW Diesel cyl. 97dia. </p> <p> MB Trac 700, 800, 900 / 440 50-66kW Diesel cyl. 97,5 dia. </p> <p> MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 from engine 492712 MB: 314: 956/957 OM 314 from engine 492712 MB 314: 970 48-63kW Diesel cy. 97 dia </p> <p> MB Trac 700, 800, 900 / 440 OM 364: 908, 909 OM 364: 951 50-66kW Diesel cyl. 97,5 dia. </p> <p> OM 314 up to engine 492711 from engine 492712 All engine types 40-63kW Diesel cyl. 97dia. </p> <p> OM 364 906/907/912/918/919/921 OM 364 A 950/952/957/958 OM 364 LA 981/986 63-100kW Diesel cyl. 97,5 dia. </p>
94612	353 010 48 08	 <p> OM 352 Up to engine 760548 352 all, 353 all; 74-96kW OM 352 A Up to engine 760549 352 all, 353 all; 96-127kW Diesel cyl. 97 dia OM 362 LA 906/909/910 141kW Diesel cyl. 97 dia. </p>

Valve stem seal

dph-no.	OEM-no.	application
94734	352 053 02 96	 <p>Size: 8,10 x 14,69 x 19,19 mm</p> <p>OM 314 –motor 492711 All engine types 40-63kW Diesel cyl. 97dia. 4 pcs. Required up to engine 467999</p> <p>OM 346 Up to engine 027399 910-919/940-947/951-953 154kW Diesel 128 cyl. Dia. All engine types OM 346 24 pcs required (input/output)</p> <p>OM 352 up to engine 760548 OM 352 from engine 760548 (up to engine 794938) 352 all, 353 all 74-96 kW Diesel cyl. 97 dia. OM 352 A up to engine 760548 OM 352 A from engine 760549 (up to engine 794938) 352 all, 353 all 96-127kW Diesel cyl. 97 dia. 6 pcs required</p> <p>OM 355, OM 355A/LA All engine types 136-207kW Diesel cyl. 128 dia input/output 24 pcs required</p> <p>OM 362 LA 906/909/910 141kW Diesel cyl. 97 dia. Up to engine 794938 6 pcs required</p> <p>MB Trac 65, 70 /440 MB Trac 700, 800, 900 /440 40-63kW Diesel cyl. 97dia. Up to engine 467999 4 pcs required</p> <p>MB Trac 65, 70 /440 700, 800, 900 /440 OM 314 up to engine 492711 MB 314: 956/957 OM 314 A up to engine 492711 MB 314: 970 48-64 kW Diesel cyl. 97 dia. 4 pcs required / input up to engine 467999</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 up to engine 760548 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia. 6 pcs required</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 from engine 760549 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia. 6 pcs required, up to engine 794938</p>

Valve stem seal

dph-no.	OEM-no.	application
82483	366 053 0158	<p>OM 314 Up to engine -492711 From engine 492711 All engine types 40-63kW Diesel cyl. 97dia. 4 pcs required up to engine 468000</p> <p>OM 352 from engine 760548 (from engine 794938) 352 all, 353 all, 6 pcs 74-96kW Diesel cyl. 97 dia OM 352 A from engine 760549 (from engine 794939) 352 all, 353 all, 6 pcs. 96-127kW, Diesel cyl. 97 dia</p> <p>OM 362 LA 906/909/910 141kW Diesel cyl. 97 dia. From engine 794939 6 pcs required</p> <p>OM 364 906/907/912/918/919/921 OM 364 A 950/952/957/958 OM 364 LA 981/986 63-100kW Diesel cyl. 97,5 dia. 4 pcs required</p> <p>OM 366 M.B. 356: 901/902/904/905/908/910/911/913 M.B. 366: 905-907/909/910/914/917/919/930/ 932/933/936/938/940 OM 366 A M.B. 356: 940/943/944/946/948/951/953 M.B. 366: 941-943/945/946/951-953/957/962/ 965/967-971/973 OM 366 LA M.B. 356: 984/987 M.B. 366: 980/981/983/988/990/993/995-997 95-150kW Diesel cyl. 97,5 OM 366 M.B. 346: 903/909 M.B. 366: 918/931/937 OM 366 A M.B. 356: 941/945/947/952 M.B. 366: 944/966/974/976/978/979 OM 366LA M.B. 356: 985/986/990/992/994/995 M.B.: 366: 992/994 95-150kW Diesel cyl. 97,5</p> <p>OM 366 LA M.B. 356: 979/983/989/991/996/999 M.B. 366: 901/999 6 pcs required</p>
		<p>MB Trac 65, 70 /440 MB Trac 700, 800, 900 /440 40-63kW Diesel cyl. 97dia. from engine 468000 4 pcs required</p> <p>MB Trac 65, 70 /440 700, 800, 900 /440 OM 314 up to engine 492711 MB 314: 956/957 OM 314 A up to engine 492711 MB 314: 970 48-64 kW Diesel cyl. 97 dia. 4 pcs required / output from engine 468000</p> <p>MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 from engine 492712 MB: 314: 956/957 OM 314 from engine 492712 MB 314: 970 48-63kW Diesel cy. 97 dia 4 pcs required</p> <p>MB Trac 700, 800, 900 / 440 OM 364: 908, 909 OM 364: 951 50-66kW Diesel cyl. 97,5 dia. 4 pcs required</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 from engine 760549 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia. 6 pcs required, from engine 794939</p> <p>MB Trac 1000 /441,162 1100 /441,163 1300 /443,163 1400 /443,164 1600 /443,166 OM 366 M.B. 366: 908/912 OM 366 A M.B.: 366: 954/958/977 74-115kW Diesel cyl. 97,5 dia.</p> <p>Unimog U900, U1000, U1150, U1200, U1250, U1350, U1400, U1450, U1550, U1600, U1650, U1700, U1750, U2100, U2150 6 pcs required</p>

Valve stem seal

dph-no.	OEM-no.	application
94733	403 053 01 96	 <p>Material: ACM</p> <p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/921-928 6 cyl. V-motor, 12 pcs. required 129-144kW Diesel cyl. 125 dia from engine 001207</p> <p>OM 401 A 917 6 cyl. V-motor, 12 pcs. required 188kW Diesel cyl. 125 dia.</p> <p>OM 401 LA Euro I 970/972-974/977-981 6 cyl. V-motor, 12 pcs required 213-230kW Diesel cyl. 125 dia</p> <p>OM 402 900/901/905-907/910-914/916/917/919/921/923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia 16 pcs required</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia 20 pcs. Required</p> <p>OM 404, OM 404 A 900/901 12 cyl. V-motor Diesel cyl. 125 dia. 24 pcs required</p> <p>OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia. 12 pcs required</p> <p>OM 409 901 5 cyl. Diesel in-line engine cyl. 125 dia. 10 pcs required</p> <p>OM 421 900/905-908/910 OM 421 A/LA 901/951 6 cyl. V-motor 159-184kW Diesel cyl. 128 dia. 12 pcs required</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor 184/206kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923 OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia. 16 pcs required</p> <p>OM 423 900/905-909 OM 423 A/LA 901/950 10 cyl. V-motor 261-368kW Diesel cyl. 128 dia 20 pcs required</p> <p>OM 424, OM 424 A/LA 900/901 12 cyl. V-motor Diesel cyl. 128 dia. 24 pcs required</p> <p>OM 427, OM 427 H 900/901/905/910/911 OM 427A / LA OM 427 HA 902/903/950/951/952 6 cylinder in-line engine 150-206kW Diesel cyl. 128 dia. 12 pcs required</p>





Valve stem seal

dph-no.	OEM-no.	application
98473	422 053 01 96	 <p>Material: FPM</p> <p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/921-928 6 cyl. V-motor, 12 pcs required 129-144kW Diesel cyl. 125 dia</p> <p>OM 401 A 917 6 cyl. V-motor, 12 pcs required 188kW Diesel cyl. 125 dia.</p> <p>OM 402 900/901/905-907/910-914/916/917/919/921/923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia from engine 013688, 16 pcs. Required</p> <p>OM 402 LA Euro I 970-973/975 8 cyl. V-motor 280kW Diesel cyl. 125 dia. 16 pcs required</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia, 20 pcs. Required</p> <p>OM 404, OM 404 A 900/901 12 cyl. V-motor Diesel cyl. 125 dia., 24 pcs required</p> <p>OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia., 12 pcs required</p> <p>OM 409 901 5 cyl. Diesel in-line engine cyl. 125 dia., 10 pcs required</p> <p>OM 421 900/905-908/910 OM 421 A/LA 901/951 6 cyl. V-motor 159-184kW Diesel cyl. 128 dia., 12 pcs required</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor 184/206kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923</p> <p>OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia., 16 pcs required</p> <p>OM 423 900/905-909</p> <p>OM 423 A/LA 901/950 10 cyl. V-motor 261-368kW Diesel cyl. 128 dia, 20 pcs required</p> <p>OM 424, OM 424 A/LA 900/901 12 cyl. V-motor Diesel cyl. 128 dia. , 24 pcs required</p> <p>OM 427, OM 427 H 900/901/905/910/911</p> <p>OM 427A / LA OM 427 HA 902/903/950/951/952 6 cylinder in-line engine 150-206kW Diesel cyl. 128 dia. 12 pcs required</p> <p>OM 441 900/905-909/911-921/923-937 150-165kW</p> <p>OM 441 Euro I 900/922/932/933 151kW 6 cyl. V-motor Diesel cyl. 128/130 dia. 12 pcs required</p> <p>OM 441 A / OM 441 LA 901/950/951/953/960-962/985 200-250kW</p> <p>OM 441 A Euro I, OM 441 LA Euro I 901/980-983/986-990/992/994 250kW 6 cyl. V-motor Diesel cyl. 128/130 dia. 12 pcs required</p> <p>OM 442 900/905-911/914-930/932-935/939 191-218kW</p> <p>OM 442 Euro I 900/931 195kW 8 cyl. V-motor Diesel cyl. 128/130 dia. 16 pcs required</p> <p>OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/978/980/982/983/985/989/992-994 269-362kW</p> <p>OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia. 16 pcs required</p> <p>OM 442 900/905 271kW</p> <p>OM 443A, OM 443 LA 901/940/980 340-412kW</p> <p>OM 443 LA Euro I 901-504 10 cyl. V-motor Diesel cyl. 128 dia. 20 pcs required</p> <p>OM 444 A / OM 444 LA 901 12 cyl. V-motor Diesel cyl. 128 dia. 24 pcs required</p> <p>OM 447 900 OM 447 Euro I 900-004</p> <p>OM 447 H 901/905-908, 910-913 150-184kW</p> <p>OM 447 H Euro I 901-04/914 157kW</p> <p>OM 447 A, OM 447 LA 902 OM 447 A Euro I, OM 447 LA Euro I 902-404/902-504</p> <p>OM 447 HA, OM 447 HLA 903/950-953 206kW OM 447 HA Euro I / OM 447 HLA Euro I 903-604/903-704/956/957/959/981/982/984/986 184-220kW 6 cyl. In-line engine Diesel cyl. 128 dia. 12 pcs required</p> <p>OM 449 HLA 155-184 kW, 5 cyl. Diesel dia. 128 10 pcs. required</p> <p>OM 449 A/LA 184-235 kW, 5 cyl. Diesel dia. 128 10 pcs. Required</p>



Valve stem seal

dph-no.	OEM-no.	application
35865	000 053 35 58	 <p>Input/output</p> <p>OM 501 LA / OM 501 LA IMO Actros M.B: 521: 940 M.B: 541: 920-928</p>
		<p>M.B: 941: 910/920/929/930/940/960/970/990 6 cyl. V-motor Diesel 230-315kW 24 pcs required</p> <p>OM 502 LA Actros 8 cyl. V-engine 350-420 kw Diesel 32 pcs required</p> <p>OM 457LA 265/280 kW, 6 cyl. Diesel 24 pcs required</p>



Cylinder liner sealing ring

dph-no.	OEM-no.	application
33288 / 4566	423 011 02 59/ 012 997 12 48	 <p>Size : 144 x 3,8 FPM 75 black</p> <p>OM 423 V-engine 10 cyl. (261-368kW)</p>
104089	541 997 09 45	 <p>OM 501 LA / OM 501 LA IMO Actros M.B: 521: 940 M.B: 541: 920-928</p>
4565	009 997 88 48	 <p>OM 401, OM 401A – 6 cyl (129-188kW) OM 402 – 8 cyl.(147-188kW) OM 403 – 10 cyl. (184-261kW) OM 404, OM 404A – 12 cyl. V-engine OM 407, OM 407A/LA/H/HA – 6 cyl. (132-206kW)</p>
4568	012 997 71 48	 <p>OM 401, OM 401A – 6 cyl (129-188kW) OM 402 – 8 cyl.(147-188kW) OM 403 – 10 cyl. (184-261kW) OM 404, OM 404A – 12 cyl. V-engine OM 407, OM 407A/LA/H/HA – 6 cyl. (132-206kW)</p>




Cylinder liner sealing ring

dph-no.	OEM-no.	application
34899	015 997 90 48	 <p>OM 401, OM 401A – 6 cyl (129-188kW) OM 402 – 8 cyl.(147-188kW) OM 403 – 10 cyl. (184-261kW) OM 404, OM 404A – 12 cyl. V-engine</p> <p>OM 407, OM 407A/LA/H/HA – 6 cyl. (132-206kW) OM 421A, OM 421 V-engine – 6 cyl. (159-184kW) OM 422, OM 422A/A V-engine – 8 cyl. (184-276kW) OM 423, OM 423A/LA V-engine – 10 cyl. (261-368kW) OM 424, OM 424A/LA V-engine – 12 cyl. OM 427, OM 427 A/LA/H/HA – 6 cyl. (105-206kW) OM 441, Om 441 Euro I, OM 442 Euro I V-engine – 8 cyl. (191-218 kW) OM 444, Om 444A/LA V-engine, 12 cyl. OM 447, OM 447A/LA/H/HA/HLA, Om 447 Eurol, Aeuro I, Heurol, HLA Euro I, HLA Euro II –6 cyl. (150-220kW)</p>
34900	015 997 91 48	 <p>OM 401, OM 401A – 6 cyl (129-188kW) OM 402 – 8 cyl.(147-188kW) OM 403 – 10 cyl. (184-261kW) OM 404, OM 404A – 12 cyl. V-engine</p> <p>OM 407, OM 407A/LA/H/HA – 6 cyl. (132-206kW) OM 421A, OM 421 V-engine – 6 cyl. (159-184kW) OM 422, OM 422A/A V-engine – 8 cyl. (184-276kW) OM 423, OM 423A/LA V-engine – 10 cyl. (261-368kW) OM 424, OM 424A/LA V-engine – 12 cyl. OM 427, OM 427 A/LA/H/HA – 6 cyl. (105-206kW) OM 441, Om 441 Euro I, OM 442 Euro I V-engine – 8 cyl. (191-218 kW) OM 444, Om 444A/LA V-engine, 12 cyl. OM 447, OM 447A/LA/H/HA/HLA, Om 447 Eurol, Aeuro I, Heurol, HLA Euro I, HLA Euro II –6 cyl. (150-220kW)</p>



Cylinder liner sealing ring kit

dph-no.	OEM-no.	application
50845	DB 125	 <p>Contents: 2 pcs. 009 997 8848 size: 144x 3,8 green FPM 75 2 pcs. 012 997 7148 size: 140 x 1,9 green FPM 75</p> <p>OM 401, OM 401A – 6 cyl (129-188kW) OM 402 – 8 cyl.(147-188kW) OM 403 – 10 cyl. (184-261kW) OM 404, OM 404A – 12 cyl. V-engine OM 407, OM 407A/LA/H/HA – 6 cyl. (132-206kW)</p>
50846	DB 128	 <p>Contents: 2 pcs. 015 997 9048 size : 140 x 109 FPM 75 green 2 pcs. 015 997 9148 size : 144 x 3,8 FPM 75 green</p> <p>OM 401, OM 401A – 6 cyl (129-188kW) OM 402 – 8 cyl.(147-188kW) OM 403 – 10 cyl. (184-261kW)</p> <p>OM 404, OM 404A – 12 cyl. V-engine OM 407, OM 407A/LA/H/HA – 6 cyl. (132-206kW) OM 421A, OM 421 V-engine – 6 cyl. (159-184kW) OM 422, OM 422A/A V-engine – 8 cyl. (184-276kW) OM 423, OM 423A/LA V-engine – 10 cyl. (261-368kW) OM 424, OM 424A/LA V-engine – 12 cyl. OM 427, OM 427 A/LA/H/HA – 6 cyl. (105-206kW) OM 441, Om 441 Euro I, OM 442 Euro I V-engine – 8 cyl. (191-218 kW) OM 444, Om 444A/LA V-engine, 12 cyl. OM 447, OM 447A/LA/H/HA/HLA, Om 447 Eurol, Aeuro I, Heurol, HLA Euro I, HLA Euro II –6 cyl. (150-220kW)</p>

Cylinder liner sealing ring kit

dph-no.	OEM-no.	application
94872	DB 128 + Tomback ring	 <p>Contents: 1 pcs 442 011 0059 2 pcs. 015 997 9048 size: 140 x 1,9 FPM green 2 pcs. 015 997 9148 size: 144 x 3,8 FPM green</p> <p>OM 401, OM 401A – 6 cyl (129-188kW) OM 402 – 8 cyl.(147-188kW)</p> <p>OM 403 – 10 cyl. (184-261kW) OM 404, OM 404A – 12 cyl. V-engine OM 407, OM 407A/LA/H/HA – 6 cyl. (132-206kW) OM 421A, OM 421 V-engine – 6 cyl. (159-184kW) OM 422, OM 422A/A V-engine – 8 cyl. (184-276kW) OM 423, OM 423A/LA V-engine – 10 cyl. (261-368kW) OM 424, OM 424A/LA V-engine – 12 cyl. (105-206kW) OM 427, OM 427 A/LA/H/HA – 6 cyl. (191-218 kW) OM 441, Om 441 Euro I, OM 442 Euro I V-engine – 8 cyl. (191-218 kW) OM 444, Om 444A/LA V-engine, 12 cyl. OM 447, OM 447A/LA/H/HA/HLA, Om 447 Euro I, Aeuro I, Heuro I, HLA Euro I, HLA Euro II – 6 cyl. (150-220kW)</p>
98706		 <p>Actros, 1 cylinder</p> <p>Contents: 1 x 541 011 0059 2 x 541 997 0945</p>
109463	457 997 05 45	 <p>OM457LA (Electronic Injection) L1938, LS1938, L2638, LK2638 , L OM457LA (Electronic Injection) available for the trucks L1938, LS1938, L2638, LK2638 and LS2638. S2638.</p> <p>Actros Contents: 1 x 457 011 0259 1 x liner ring 144x154x7 FPM</p>

Gasket set complete engine overhaul excl. cylinder liner rings

dph-no.	OEM-no.	application
96842		 <p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia</p> <p>OM 401 A 917 6 cyl. V-motor 188kW Diesel cyl. 125 dia.</p>
96820		 <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia</p>

Gasket set complete engine overhaul excl. cylinder liner rings

dph-no.	OEM-no.	application
98553		<p>OM 422 900/905-915/917-923</p> <p>OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia.</p>
96519		<p>OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/978/980/982/ 983/985/989/992-994 269-362kW</p> <p>OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p>

Gasket set complete engine overhaul incl. cylinder liner rings

dph-no.	OEM-no.	application
96260		<p>OM 352 A 6 cyl. 150-172 PS (110,5-127kW) loader 352 all, 353 all incl. Oil seals up to motor 760548</p>
97260		<p>OM 352 normal 6 cyl. 100-130 PS (74-96kW) 352 all, 353 all from year 1964</p> <p>incl. Oil seals up to motor 760548</p>
98384	360 010 03 44	<p>OM 360 910/914-918/930/931/933/935-944/946/948-952/ 960-973/975/979/980/981/983 125-141kW Diesel cyl. 115 dia.</p>
95802		<p>OM 402 900/901/905-907/910-914/916/917/919/921/923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia.</p>




Gasket set complete engine overhaul incl. cylinder liner rings

dph-no.	OEM-no.	application
94585		 <p>OM 442 900/905-911/914-930/932-935/939 191-218kW</p> <p>OM 442 Euro I 900/931 195kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/ 978/980/982/983/985/989/992-994 269-362kW</p> <p>OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p>
96633	DB 421	 <p>OM 421 M.B. 421: 900/905-908/910</p> <p>OM 421 A/LA M.B. 421: 901/951 6 cyl. V-motor Diesel 159-184kW cyl. 128 dia.</p>





Full set

dph-no.	OEM-no.	application
96159	355 586 03 90	 <p>Full set, special version OM 355 960, 984 year from 1969 6 cyl. 154,5-191 kW</p>
96634		 <p>Full set</p> <p>OM 366 M.B. 356: 901/902/904/905/908/910/911/913</p> <p>M.B. 366: 905-907/909/910/914/917/ 919/930/932/933/936/938/940</p> <p>OM 366 A M.B. 356: 940/943/944/946/948/951/ 953 M.B. 366: 941-943/945/946/951-953/ 957/962/965/967-971/973</p> <p>OM 366 LA M.B. 356: 984/987 M.B. 366: 980/981/983/988/990/993/ 995-997 95-150kW Diesel cyl. 97,5</p>
96259	OM 314	<p>OM 314 4 cyl. 39-63kW M.B. 314: 910/946-948/949/951/959/961-965 M.B. 314: 900/947/950/954 up to engine 209443 From year 1965</p>

Valve cover gasket


dph-no.	OEM-no.	application
108774	314 016 03 21	 <p>OM 314 Up to engine -492711 From engine 492711 All engine types 40-63kW Diesel cyl. 97dia.</p> <p>MB Trac 65, 70 /440 MB Trac 700, 800, 900 /440 40-63kW Diesel cyl. 97dia. MB Trac 65, 70 /440 700, 800, 900 /440 OM 314 up to engine 492711 MB 314: 956/957 OM 314 A up to engine 492711 MB 314: 970 48-63 kW Diesel cyl. 97 dia. MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 from engine 492712 MB: 314: 956/957 OM 314 from engine 492712 MB 314: 970 48-63kW Diesel cy. 97 dia</p>
108773	352 016 09 21	 <p>OM 322 910- 919/970/971 Diesel cyl. 97 dia.</p> <p>OM 352 up to engine 760548 OM 352 A from engine 760548 352 all, 353 all 74-96 kW, Diesel cyl. 97 dia. 96-127kW, Diesel dyl. 97 dia.</p> <p>OM 352 A up to engine 760548 OM 352 A from engine 760548 906/909/910 141kW Diesel cyl. 97 dia.</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 up to engine 760548 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 from engine 760549 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p>
69209	352 015 05 22	<p>OM 322 910- 919/970/971 Diesel cyl. 97 dia.</p> <p>OM 352 up to engine 760548 OM 352 A up to engine 760548 352 all, 353 all 74-96 kW, Diesel cyl. 97 dia. 96-127 kW, Diesel cyl. 97 dia.</p>
108776	360 016 02 21	 <p>2 pcs. Required</p> <p>OM 327 914-917/919/921-946 Diesel cyl. 115 dia</p> <p>OM 360 910/914-918/930/931/933/935-944/ 946/948-952/960-973/975/979/980/ 981/983 125-141kW Diesel cyl. 115 dia. OM 360 A 154kW Diesel cyl. 115 dia. OM 360 H 911/912/934/947/954-956/959/974/ 976-978 horizontal engine 125/141kW Diesel cyl. 115 dia.</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 up to engine 760548 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p>

Valve cover gasket

dph-no.	OEM-no.	application
61057 / 36606	355 016 00 21 / 346 016 02 21	 <p>OM 346 Up to engine 027399 910-919/940-947/951-953 154kW Diesel 128 cyl. Dia.</p> <p>All engine types 6 pcs required</p>
95087	366 015 00 60	 <p>OM 352 from engine 760548 OM 352 A from engine 760548 352 all, 353 all 96-127kW, Diesel cyl. 97 dia. 74-96 kW, Diesel cyl. 97 dia.</p> <p>OM 362 LA 906/909/910 141kW Diesel cyl. 97 dia.</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 from engine 760549 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p> <p>MB Trac 1000 /441,162 1100 /441,163 1300 /443,163 1400 /443,164 1600 /443,166 OM 366 M.B. 366: 908/912 OM 366 A M.B. 366: 954/958/977 74-115kW Diesel cyl. 97,5 dia.</p> <p>Unimog U900, U1000, U1150, U1200, U1250, U1350, U1400, U1450, U1550, U1600, U1650, U1700, U1750, U2100, U2150</p>
36776 / 80018	364 016 01 21 / 364 016 00 21	 <p>OM 364 906/907/912/918/919/921 OM 364 A 950/952/957/958 OM 364 LA 981/986 63-100kW Diesel cyl. 97,5 dia. MB Trac 700, 800, 900 / 440 OM 364: 908, 909 OM 364: 951, 50-66kW Diesel cyl. 97,5 dia.</p>
37562	366 016 03 21 / 366 016 00 21	 <p>OM 366 M.B. 356: 901/902/904/905/908/910/911/913 M.B. 366: 905-907/909/910/914/917/919/930/ 932/933/936/938/940 OM 366 A M.B. 356: 940/943/944/946/948/951/953 M.B. 366: 941-943/945/946/951-953/957/962/ 965/967-971/973 OM 366 LA M.B. 356: 984/987 M.B. 366: 980/981/983/988/990/993/995-997 95-150kW Diesel cyl. 97,5 OM 366 M.B. 346: 903/909 M.B. 366: 918/931/937</p> <p>MB Trac 1000 /441,162 1100 /441,163 1300 /443,163 1400 /443,164 1600 /443,166 OM 366 M.B. 366: 908/912 OM 366 A M.B. 366: 954/958/977 74-115kW Diesel cyl. 97,5 dia.</p> <p>Unimog U900, U1000, U1150, U1200, U1250, U1350, U1400, U1450, U1550, U1600, U1650, U1700, U1750, U2100, U2150</p>

Valve cover gasket

dph-no.	OEM-no.	application
---------	---------	-------------

82296/	442 016 06 21/	
59272/	442 016 01 21/	
68587	403 016 03 21	



6 pcs required

OM 401

M.B. 401: 900/901/905-909/912-916/918/919/921-928

6 cyl. V-motor
129-144kW Diesel cyl. 125 dia
from engine 001207

OM 401 A

917
6 cyl. V-motor
188kW Diesel cyl. 125 dia.

OM 401 LA Euro I

970/972-974/977-981
6 cyl. V-motor
213-230kW Diesel cyl. 125 dia

OM 402

900/901/905-907/910-914/916/917/919/921/923-928

8cyl. V-motor
147-188kW Diesel cyl. 125 dia
from engine 013688

8 pcs. Required

OM 402 LA Euro I

970-973/975
8 cyl. V-motor 280kW Diesel cyl. 125 dia.
8 pcs required

OM 403

900/905/906/910/911/915-919/930-935

10 cyl. V-motor
184-261kW Diesel cyl. 125 dia
10 pcs. Required
from engine 022608

OM 404, OM 404 A

900/901
12 cyl. V-motor Diesel cyl. 125 dia.
12 pcs required
up to engine 000234
from engine 000234

OM 407 / OM407 A, LA, H, HA

900/901/905/907-911/913-920/925/951/955
6 cyl. In-line engine
132-206kW Diesel cyl. 125 dia.
From engine 002810, 6 pcs required

OM 409

901
5 cyl. Diesel in-line engine cyl. 125 dia.
6 pcs required

OM 421

900/905-908/910
OM 421 A/LA
901/951
6 cyl. V-motor
159-184kW Diesel cyl. 128 dia.
6 pcs required

OM 422

900/905-915/917-923
8 cyl. V-motor, 8 pcs required
184/206kW Diesel cyl. 128 dia.

OM 422

900/905-915/917-923

OM 422 A/LA

901/951-959-963
8 cyl. V-motor
184-276kW Diesel cyl. 128 dia.
8 pcs. Required

OM 423

900/905-909
OM 423 A/LA
901/950
10 cyl. V-motor
261-368kW Diesel cyl. 128 dia
10 pcs required

OM 424, OM 424 A/LA

900/901
12 cyl. V-motor Diesel cyl. 128 dia.
12 pcs required

OM 427, OM 427 H

900/901/905/910/911
OM 427A / LA
OM 427 HA
902/903/950/951/952
6 cylinder in-line engine
150-206kW Diesel cyl. 128 dia.
6 pcs required

OM 441

900/905-909/911-921/923-937
150-165kW

OM 441 Euro I

900/922/932/933
151kW
6 cyl. V-motor Diesel cyl. 128/130 dia.
6 pcs required

OM 441 A / OM 441 LA

901/950/951/953/960-962/985
200-250kW
OM 441 A Euro I, OM 441 LA Euro I
901/980-983/986-990/992/994
250kW
6 cyl. V-motor Diesel cyl. 128/130 dia.
6 pcs required

OM 442

900/905-911/914-930/932-935/939
191-218kW

OM 442 Euro I

900/931
195kW
8 cyl. V-motor Diesel cyl. 128/130 dia.
8 pcs required

OM 442 A / OM 442 LA

901/941-946/950-955/957-968/976/978/980/982/
983/985/989/992-994
269-362kW

OM 442 A Euro I / OM 442 LA Euro I

940-942/972-973
250-370kW
8 cyl. V-motor Diesel cyl. 128/130 dia.
8 pcs required



Valve cover gasket

dph-no.	OEM-no.	application
		<p>OM 442 900/905 271kW</p> <p>OM 443A, OM 443 LA 901/940/980 340-412kW</p> <p>OM 443 LA Euro I 901-504 10 cyl. V-motor Diesel cyl. 128 dia. 10 pcs required</p> <p>OM 444 A / OM 444 LA 901 12 cyl. V-motor Diesel cyl. 128 dia. 12 pcs required</p> <p>OM 447 900</p> <p>OM 447 Euro I 900-004</p>
		<p>OM 447 H 901/905-908, 910-913 150-184kW</p> <p>OM 447 H Euro I 901-04/914 157kW</p> <p>OM 447 A, OM 447 LA 902</p> <p>OM 447 A Euro I, OM 447 LA Euro I 902-404/902-504</p> <p>OM 447 HA, OM 447 HLA 903/950-953 206kW</p> <p>OM 447 HA Euro I / OM 447 HLA Euro I 903-604/903-704/956/957/959/981/982/984/986 184-220kW</p> <p>6 cyl. In-line engine Diesel cyl. 128 dia. 6 pcs required</p> <p>OM 449 HLA 155-184 kW, 5 cyl. Diesel dia. 128</p> <p>OM 449 A/LA 184-235 kW, 5 cyl. Diesel dia. 128</p>
3991	403 016 01 21	 <p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/ 921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia up to engine 001206 6 pcs required</p>
		<p>OM 402 900/901/905-907/910-914/916/917/ 919/921/923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia up to engine 013687 8 pcs. Required</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia up to engine 022607 10 pcs. Required</p> <p>OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/ 951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia. Up to engine 002809, 6 pcs required</p>
93426 108784 108785	541 016 03 21 541 016 04 21 457 016 01 21	 <p>OM 501 LA / OM 501 LA IMO Actros M.B: 521: 940</p>
		<p>M.B: 541: 920-928 M.B: 941: 910/920/929/930/940/960/ 970/990 6 cyl. V-motor Diesel 230-315kW 6 pcs required</p> <p>OM 502 LA Actros 8 cyl. V-engine 350-420 kw Diesel 8 pcs required</p>
81268 32394	442 015 00 60 403 015 01 60	 <p>New version Old version</p> <p>engine housing OM 401, 402, 421, 422, 423, 424, 443, 444 A / LA OM 403 OM 404 A OM 441 A/LA Euro I+II OM 442 A/LA Euro I+II</p>





Valve cover gasket

dph-no.	OEM-no.	application
97126	364 184 03 80	



Oil pan gasket

dph-no.	OEM-no.	application
98590	364 010 01 80	 <p>OM 314 Up to engine -492711 From engine 492711 All engine types 40-63kW Diesel cyl. 97dia. Plate-iron</p>
82204	360 014 03 22	 <p>OM 327 914-917/919/921-946 Diesel cyl. 115 dia. OM 360 910/914-918/930/931/933/935-944/946/948-952/ 960-973/975/979/980/981/983 125-141kW Diesel cyl. 115 dia. OM 360 A 154kW Diesel cyl. 115 dia</p>
68590	441 014 00 22	 <p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/ 921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia OM 401 A 917 6 cyl. V-motor 188kW Diesel cyl. 125 dia. OM 401 LA Euro I 970/972-974/977-981 6 cyl. V-motor 213-230kW Diesel cyl. 125 dia</p> <p>OM 421 900/905-908/910 OM 421 A/LA 901/951 6 cyl. V-motor 159-184kW Diesel cyl. 128 dia. OM 441 900/905-909/911-921/923-937 150-165kW OM 441 Euro I 900/922/932/933 151kW 6 cyl. V-motor Diesel cyl. 128/130 dia. OM 441 A / OM 441 LA 901/950/951/953/960-962/985 200-250kW OM 441 A Euro I, OM 441 LA Euro I 901/980-983/986-990/992/994 250kW 6 cyl. V-motor Diesel cyl. 128/130 dia.</p>


Oil pan gasket

dph-no.	OEM-no.	application
37622	442 014 02 22	 <p>OM 402 900/901/905-907/910-914/916/917/919/921/923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia</p> <p>OM 402 LA Euro I 970-973/975 8 cyl. V-motor 280kW Diesel cyl. 125 dia.</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor 184/206kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia.</p> <p>OM 442 900/905-911/914-930/932-935/939 191-218kW</p> <p>OM 442 Euro I 900/931 195kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/978/980/982/983/985/989/992-994 269-362kW</p> <p>OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p>
61064	443 014 00 22	 <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia</p> <p>OM 423 900/905-909</p> <p>OM 423 A/LA 901/950 10 cyl. V-motor 261-368kW Diesel cyl. 128 dia</p> <p>OM 442 900/905 271kW</p> <p>OM 443A, OM 443 LA 901/940/980 340-412kW</p> <p>OM 443 LA Euro I 901-504 10 cyl. V-motor Diesel cyl. 128 dia.</p> <p>OM 457LA 265/280 kW, 6 cyl. Diesel</p>
81192	447 014 00 22	 <p>OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia.</p> <p>OM 427, OM 427 H 900/901/905/910/911</p> <p>OM 427A / LA OM 427 HA 902/903/950/951/952 6 cylinder in-line engine 150-206kW Diesel cyl. 128 dia.</p> <p>OM 447 900</p> <p>OM 447 Euro I 900-004</p> <p>OM 447 H 901/905-908, 910-913 150-184kW</p> <p>OM 447 H Euro I 901-04/914 157kW</p> <p>OM 447 A, OM 447 LA 902</p> <p>OM 447 A Euro I, OM 447 LA Euro I 902-404/902-504</p> <p>OM 447 HA, OM 447 HLA 903/950-953 206kW</p> <p>OM 447 HA Euro I / OM 447 HLA Euro I 903-604/903-704/956/957/959/981/ 982/984/986 184-220kW 6 cyl. In-line engine Diesel cyl. 128 dia.</p>
109795	405 014 02 22	 <p>OM 409 5 cyl. dia 125 in-line engine</p> <p>OM 409 HLA 155-184 kW 5 cyl. dia 128 in-line engine</p>



Oil pan gasket kit

dph-no.	OEM-no.	application
5270 59271	314 010 02 80 314 010 02 80 (kork)	 <p>OM 314 Up to engine -492711 From engine 492711 All engine types 40-63kW Diesel cyl. 97dia. Cast-iron</p> <p>MB Trac 65, 70 / 440 MB Trac 700, 800, 900 / 440 40-63kW Diesel cyl. 97dia.</p> <p>MB Trac 700, 800, 900 / 440 50-66kW Diesel cyl. 97,5 dia.</p> <p>MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 up to engine 492711 MB 314: 956/957 OM 314 A up to engine 492711 MB 314: 970 48-63 kW Diesel cyl. 97 dia.</p> <p>MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 from engine 492712 MB: 314: 956/957 OM 314 from engine 492712 MB 314: 970 48-63kW Diesel cy. 97 dia</p> <p>MB Trac 700, 800, 900 / 440 OM 364: 908, 909 OM 364: 951 50-66kW Diesel cyl. 97,5 dia.</p>
70565	352 010 08 80	 <p>OM 322 910-919/970/971 Diesel cyl. 97 dia.</p> <p>OM 366 M.B. 356: 901/902/904/905/908/910/911/913 M.B. 366: 905-907/909/910/914/917/919/930/ 932/933/936/938/940 OM 366 A M.B. 356: 940/943/944/946/948/951/953 MB. 366: 941-943/945/946/951-953/957/962/ 965/967-971/973</p> <p>OM 366 LA M.B. 356: 984/987 M.B. 366: 980/981/983/988/990/993/ 995-997 95-150kW Diesel cyl. 97,5</p> <p>OM 366 LA M.B. 356: 979/983/989/991/996/999 M.B. 366: 901/999</p> <p>OM 352 A up to engine 760548 OM 352 A from engine 760549 352 all, 353 all 96-127kW, Diesel cyl. 97 dia</p> <p>OM 352 up to engine 760548 OM 352 from engine 760548 352 all, 353 all 74-96kW, Diesel cyl. 97 dia</p> <p>OM 362 LA 906/909/910 141kW Diesel cyl. 97 dia.</p>
96160	355 010 00 27	<p>OM 346 Up to engine 027399 910-919/940-947/951-953 154kW Diesel 128 cyl. Dia.</p> <p>All engine types OM 355, OM 355A/LA All engine types 136-207kW Diesel cyl. 128 dia</p>





Oil pan gasket kit

dph-no.	OEM-no.	application	
98590	364 010 01 80		 <p>OM 364 906/907/912/918/919/921 OM 364 A 950/952/957/958 OM 364 LA 981/986 63-100kW Diesel cyl. 97,5 dia.</p>
82961	352 010 04 80	MB Trac	<p>MB Trac 1000 /441,162 1100 /441,163 1300 /443,163 1400 /443,164 1600 /443,166 OM 366 M.B. 366: 908/912 OM 366 A M.B. 366: 954/958/977 74-115kW Diesel cyl. 97,5 dia.</p> <p>Unimog U900, U1000, U1150, U1200, U1250, U1350, U1400, U1450, U1550, U1600, U1650, U1700, U1750, U2100, U2150</p>
59269	352 010 12 80 (kork)	1000 /441 1100 /442, 443	
59268	352 010 12 80	OM 352 up to engine 760548 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.	
		MB Trac 1000 /441 1100 /442, 443 OM 352 from engine 760549 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.	

Manifold gasket

dph-no.	OEM-no.	application	
95082	314 142 03 80		 <p>MB Trac 65, 70 /440 700, 800, 900 /440 OM 314 up to engine 492711 MB 314: 956/957 OM 314 A up to engine 492711 MB 314: 970 48-63 kW Diesel cyl. 97 dia.</p> <p>MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 from engine 492712 MB: 314: 956/957 OM 314 from engine 492712 MB 314: 970 48-63kW Diesel cy. 97 dia</p>
		OM 314 Up to engine -492711 From engine 492711 All engine types 40-63kW Diesel cyl. 97dia.	
		MB Trac 65, 70 /440 MB Trac 700, 800, 900 /440 40-63kW Diesel cyl. 97dia.	
82206 / 36607	355 141 02 80 / 346 141 01 80		 <p>OM 346 Up to engine 027399 910-919/940-947/951-953 154kW Diesel 128 cyl. Dia. All engine types OM 346, 2 pcs required</p> <p>OM 355, OM 355A/LA All engine types 136-207kW Diesel cyl. 128 dia, 2 pcs required</p>

Manifold gasket

dph-no.	OEM-no.	application	
32506	352 142 04 80	 <p>2 pcs required</p> <p>OM 322 910- 919/970/971 Diesel cyl. 97 dia.</p> <p>OM 352 up to engine 760548 OM 352 from engine 769548 352 all, 353 all, 74-96kW, Diesel cyl. 97 dia</p>	<p>OM 352 A up to engine 760548 OM 352 A from engine 760549 352 all, 353 all, 96-127kW, Diesel cyl. 97 dia</p> <p>OM 362 LA 906/909/910 141kW Diesel cyl. 97 dia.</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 up to engine 760548 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 from engine 760549 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p>
		 <p>OM 364 906/907/912/918/919/921 OM 364 A 950/952/957/958 OM 364 LA 981/986 63-100kW Diesel cyl. 97,5 dia. 3 pcs required</p> <p>OM 366 M.B. 356: 901/902/904/905/908/910/911/913 M.B. 366: 905-907/909/910/914/917/919/930/ 932/933/936/938/940 OM 366 A M.B. 356: 940/943/944/946/948/951/953 M.B. 366: 941-943/945/946/951-953/957/962/ 965/967-971/973 OM 366 LA M.B. 356: 984/987 M.B. 366: 980/981/983/988/990/993/995-997 95-150kW Diesel cyl. 97,5</p>	<p>OM 366 M.B. 346: 903/909 M.B. 366: 918/931/937 OM 366 A M.B. 356: 941/945/947/952 M.B. 366: 944/966/974/976/978/979 OM 366LA M.B. 356: 985/986/990/992/994/995 M.B. 366: 992/994 95-150kW Diesel cyl. 97,5 OM 366 LA M.B. 356: 979/983/989/991/996/999 M.B. 366: 901/999 4 pcs required</p> <p>MB Trac 700, 800, 900 / 440 OM 364: 908, 909 OM 364: 951 50-66kW Diesel cyl. 97,5 dia. 3 pcs required</p> <p>MB Trac 1000 /441,162 1100 /441,163 1300 /443,163 1400 /443,164 1600 /443,166 OM 366 M.B. 366: 908/912 OM 366 A M.B. 366: 954/958/977 74-115kW Diesel cyl. 97,5 dia. 4 pcs required</p>
95073	366 142 04 80		<p>OM 364, A, LA, LA Euro II 61-100kW Diesel 97,5 dia cyl.</p> <p>OM 366, A, LA 95-150 kW Diesel 97,5 dia cyl. OM 366A Euro II, OM 366LA Euro II 125/155kW Diesel 97,5 dia. OM 366 A Euro, OM 366 LA Euro II 125/125 kW Diesel 97,5 cyl.</p>
61056	345 142 00 80 355 142 04 80 355 142 01 80		<p>OM 355, OM 355A/LA All engine types 136-207kW Diesel cyl. 128 dia 6 pcs required</p>
36608	346 142 00 60		

Manifold gasket

dph-no.	OEM-no.	application
4211	403 142 03 80	 <p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia</p> <p>OM 401 A 917 6 cyl. V-motor 188kW Diesel cyl. 125 dia.</p> <p>OM 401 LA Euro I 970/972-974/977-981 6 cyl. V-motor 213-230kW Diesel cyl. 125 dia</p> <p>OM 402 900/901/905-907/910-914/916/917/919/921/923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia 8 pcs. Required</p> <p>OM 402 LA Euro I 970-973/975 8 cyl. V-280kW Diesel cyl. 125 dia., 8 pcs required</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia, 10 pcs. Required</p> <p>OM 404, OM 404 A 900/901 12 cyl. V-motor Diesel cyl. 125 dia., 12 pcs required</p> <p>OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia. 6 pcs required 905/907-911/951/955</p> <p>OM 409 901 5 cyl. Diesel in-line engine cyl. 125 dia. , 5 pcs required</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor, 8 pcs required 184/206kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923 OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia. , 8 pcs required</p> <p>OM 423 900/905-909 OM 423 A/LA 901/950 10 cyl. V-motor 261-368kW Diesel cyl. 128 dia 10 pcs required</p> <p>OM 424, OM 424 A/LA 900/901 12 cyl. V-Diesel cyl. 128 dia., 12 pcs required</p> <p>OM 441 900/905-909/911-921/923-937 150-165kW</p> <p>OM 441 Euro I 900/922/932/933 151kW 6 cyl. V-motor Diesel cyl. 128/130 dia. 6 pcs required</p> <p>OM 441 A / OM 441 LA 901/950/951/953/960-962/985 200-250kW</p> <p>OM 441 A Euro I, OM 441 LA Euro I 901/980-983/986-990/992/994 250kW 6 cyl. V-motor Diesel cyl. 128/130 dia. 6 pcs required</p> <p>OM 442 900/905-911/914-930/932-935/939 191-218kW</p> <p>OM 442 Euro I 900/931 195kW 8 cyl. V-motor Diesel cyl. 128/130 dia. 8 pcs required</p> <p>OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/978/980/982/983/985/989/992-994 269-362kW</p> <p>OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia. 8 pcs required</p> <p>OM 443 900/905 271kW</p> <p>OM 443A, OM 443 LA 901/940/980 340-412kW</p> <p>OM 443 LA Euro I 901-504 10 cyl. V-motor Diesel cyl. 128 dia. 10 pcs required</p> <p>OM 444 A / OM 444 LA 901 12 cyl. V-motor Diesel cyl. 128 dia. 12 pcs required</p> <p>OM 447 900</p> <p>OM 447 Euro I 900-004</p> <p>OM 447 H 901/905-908, 910-913 150-184kW</p> <p>OM 447 H Euro I 901-04/914 157kW</p> <p>OM 447 A, OM 447 LA 902</p> <p>OM 447 A Euro I, OM 447 LA Euro I 902-404/902-504</p> <p>OM 447 HA, OM 447 HLA 903/950-953 206kW</p> <p>OM 447 HA Euro I / OM 447 HLA Euro I 903-604/903-704/956/957/959/981/982/984/986 184-220kW 6 cyl. In-line engine Diesel cyl. 128 dia. For: 957/959/984/986, 6 pcs required</p> <p>OM 457LA 265/280 kW, 6 cyl. Diesel , 6 pcs required</p> <p>OM 449 A/LA 184-235 kW, 5 cyl. Diesel dia. 128 5 pcs required</p>

Manifold gasket

dph-no. OEM-no. application

81777 442 141 17 80



OM 401

M.B. 401: 900/901/905-909/912-916/918/919/921-928

6 cyl. V-motor, 6 pcs. required
129-144kW Diesel cyl. 125 dia.

OM 401 A

917

6 cyl. V-motor, 6 pcs. required
188kW Diesel cyl. 125 dia.

OM 401 LA Euro I

970/972-974/977-981

6 cyl. V-motor, 6 pcs. required
213-230kW Diesel cyl. 125 dia.

OM 402

900/901/905-907/910-914/916/917/919/921/923-928

8cyl. V-motor
147-188kW Diesel cyl. 125 dia, 8 pcs. Required

OM 402 LA Euro I

970-973/975

8 cyl. V-280kW Diesel cyl. 125 dia., 8 pcs required

OM 403

900/905/906/910/911/915-919/930-935

10 cyl. V-motor
184-261kW Diesel cyl. 125 dia, 10 pcs. Required

OM 404, OM 404 A

900/901

12 cyl. V-motor Diesel cyl. 125 dia., 12 pcs required

OM 407 / OM407 A, LA, H, HA

900/901/905/907-911/913-920/925/951/955

6 cyl. In-line engine, 6 pcs required
132-206kW Diesel cyl. 125 dia.

OM 409

901

5 cyl. Diesel in-line engine cyl. 125 dia. , 5 pcs required

OM 421

900/905-908/910

OM 421 A/LA

901/951

6 cyl. V-motor
159-184kW Diesel cyl. 128 dia., 6 pcs required

OM 422

900/905-915/917-923

8 cyl. V-motor, 8 pcs required
184/206kW Diesel cyl. 128 dia.

OM 422

900/905-915/917-923

OM 422 A/LA

901/951-959-963

8 cyl. V-motor, 8 pcs required
184-276kW Diesel cyl. 128 dia.

OM 423

900/905-909

OM 423 A/LA

901/950

10 cyl. V-motor
261-368kW Diesel cyl. 128 dia, 10 pcs required

OM 424, OM 424 A/LA

900/901

12 cyl. V-motor Diesel cyl. 128 dia.
12 pcs required

OM 427, OM 427 H

900/901/905/910/911

OM 427A / LA

OM 427 HA

902/903/950/951/952

6 cylinder in-line engine
150-206kW Diesel cyl. 128 dia.
6 pcs required

OM 441

900/905-909/911-921/923-937

150-165kW

OM 441 Euro I

900/922/932/933

151kW

6 cyl. V-motor Diesel cyl. 128/130 dia.

6 pcs required

OM 441 A / OM 441 LA

901/950/951/953/960-962/985

200-250kW

OM 441 A Euro I, OM 441 LA Euro I

901/980-983/986-990/992/994

250kW

6 cyl. V-motor Diesel cyl. 128/130 dia.

6 pcs required

OM 442

900/905-911/914-930/932-935/939

191-218kW

OM 442 Euro I

900/931

195kW

8 cyl. V-motor Diesel cyl. 128/130 dia.

8 pcs required

OM 442 A / OM 442 LA

901/941-946/950-955/957-968/976/978/980/982/

983/985/989/992-994

269-362kW

OM 442 A Euro I / OM 442 LA Euro I

940-942/972-973

250-370kW

8 cyl. V-motor Diesel cyl. 128/130 dia.

8 pcs required

OM 443

900/905

271kW

OM 443A, OM 443 LA

901/940/980

340-412kW

OM 443 LA Euro I

901-504

10 cyl. V-motor Diesel cyl. 128 dia.

10 pcs required

OM 444 A / OM 444 LA

901

12 cyl. V-motor Diesel cyl. 128 dia.

12 pcs required

OM 447

900-004

OM 447 Euro I

900-004

OM 447 H

901/905-908, 910-913


150-184kW

OM 447 H Euro I

901-04/914

157kW


Manifold gasket

dph-no.	OEM-no.	application
		<p>OM 447 A, OM 447 LA 902</p> <p>OM 447 A Euro I, OM 447 LA Euro I 902-404/902-504</p> <p>OM 447 HA, OM 447 HLA 903/950-953 206kW</p>
		<p>OM 447 HA Euro I / OM 447 HLA Euro I 903-604/903-704/956/957/959/981/982/984/986 184-220kW 6 cyl. In-line engine Diesel cyl. 128 dia. 6 pcs required</p> <p>OM 449 HLA 155-184 kW, 5 cyl. Diesel dia. 128</p> <p>OM 449 A/LA 184-235 kW, 5 cyl. Diesel dia. 128</p>
82157	442 141 07 80	 <p>OM 402 900/901/905-907/910-914/916/917/919/921/ 923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia 2 pcs. Required</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia 2 pcs. Required</p> <p>OM 421 900/905-908/910</p> <p>OM 421 A/LA 901/951 6 cyl. V-motor 159-184kW Diesel cyl. 128 dia. 2 pcs required 905/906-908/910</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor, 2 pcs required 184/206kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923</p> <p>OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia. 2 pcs required</p>
		<p>OM 423 900/905-909</p> <p>OM 423 A/LA 901/950 10 cyl. V-motor 261-368kW Diesel cyl. 128 dia 2 pcs required</p> <p>OM 441 900/905-909/911-921/923-937 150-165kW</p> <p>OM 441 Euro I 900/922/932/933 151kW 6 cyl. V-motor Diesel cyl. 128/130 dia. 2 pcs required</p> <p>OM 441 A / OM 441 LA 901/950/951/953/960-962/985 200-250kW</p> <p>OM 441 A Euro I, OM 441 LA Euro I 901/980-983/986-990/992/994 250kW 6 cyl. V-motor Diesel cyl. 128/130 dia. 2 pcs required</p> <p>OM 442 900/905-911/914-930/932-935/939 191-218kW</p> <p>OM 442 Euro I 900/931 195kW 8 cyl. V-motor Diesel cyl. 128/130 dia. 2 pcs required</p> <p>OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/ 978/980/982/983/985/989/992-994 269-362kW</p> <p>OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia. 2 pcs required</p>
98609	541 142 01 80	 <p>OM 501 LA / OM 501 LA IMO Actros M.B: 521: 940 M.B: 541: 920-928 M.B: 941: 910/920/929/930/940/960/970/990 6 cyl. V-motor Diesel 230-315kW, 6 pcs required</p> <p>OM 502 LA Actros 8 cyl. V-engine 350-420 kw Diesel, 8 pcs required</p>

Manifold gasket

dph-no.	OEM-no.	application
98610	541 098 04 80	 <p>OM 501 LA / OM 501 LA IMO Actros M.B: 521: 940 M.B: 541: 920-928 M.B: 941: 910/920/929/930/940/960/970/990 6 cyl. V-motor Diesel 230-315kW 6 pcs required</p>
95816	422 142 00 80	

Repair kit

dph-no.	OEM-no.	application
95867	402 130 02 20 compressor	 <p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/ 921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia from engine 001207</p> <p>OM 401 A 917 6 cyl. V-motor 188kW Diesel cyl. 125 dia.</p> <p>OM 401 LA Euro I 970/972-974/977-981 6 cyl. V-motor 213-230kW Diesel cyl. 125 dia</p> <p>OM 402 900/901/905-907/910-914/916/917/919/921/ 923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia.</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia</p> <p>OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/ 951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia.</p> <p>OM 409 901 5 cyl. Diesel in-line engine cyl. 125 dia.</p> <p>OM 421 900/905-908/910</p> <p>OM 421 A/LA 901/951 6 cyl. V-motor 159-184kW Diesel cyl. 128 dia. 905-907 <468903 908/951, 910 <612006</p> <p>OM 423 900/905-909</p> <p>OM 423 A/LA 901/950 10 cyl. V-motor 261-368kW Diesel cyl. 128 dia 906/909/905/907/908 <468903 950 <592679</p>

Engine parts, fuel, exhaust and cooling system parts

Washer – engine

dph-no.	OEM-no.	application
37246	007603 026109	 <p>Size: 26 x 34 x 2 CU</p> <p>OM 314 Up to engine -492711 From engine 492711 All engine types 40-63kW Diesel cyl. 97dia.</p> <p>OM 352 up to engine 760548 OM 352 from engine 769548 352 all, 353 all, 2 pcs. 74-96kW, Diesel cyl. 97 dia OM 352 A up to engine 760548 OM 352 A from engine 760549 352 all, 353 all, 2 pcs 96-127kW, Diesel cyl. 97 dia</p> <p>OM 362 LA 906/909/910 141kW Diesel cyl. 97 dia.</p> <p>OM 364 906/907/912/918/919/921</p> <p>OM 364 A 950/952/957/958</p> <p>OM 364 LA 981/986 63-100kW Diesel cyl. 97,5 dia.</p> <p>OM 366 M.B. 356: 901/902/904/905/908/910/911/913 M.B. 366: 905-907/909/910/914/917/919/930/ 932/933/936/938/940</p> <p>OM 366 A M.B. 356: 940/943/944/946/948/951/953 M.B. 366: 941-943/945/946/951-953/957/962/ 965/967-971/973</p> <p>OM 366 LA M.B. 356: 984/987 M.B. 366: 980/981/983/988/990/993/995-997 95-150kW Diesel cyl. 97,5</p> <p>OM 366 M.B. 346: 903/909 M.B. 366: 918/931/937</p> <p>OM 366 A M.B. 356: 941/945/947/952 M.B. 366: 944/966/974/976/978/979</p> <p>OM 366LA M.B. 356: 985/986/990/992/994/995 M.B. 366: 992/994 95-150kW Diesel cyl. 97,5</p> <p>OM 366 LA M.B. 356: 979/983/989/991/996/999 M.B. 366: 901/999 155-177kW Diesel cyl. 97,5 dia.</p> <p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia</p> <p>OM 401 A 917 6 cyl. V-motor 188kW Diesel cyl. 125 dia.</p> <p>OM 401 LA Euro I 970/972-974/977-981 6 cyl. V-motor 213-230kW Diesel cyl. 125 dia</p> <p>OM 402 900/901/905-907/910-914/916/917/919/921/923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia</p> <p>OM 402 LA Euro I 970-973/975 8 cyl. V-motor 280kW Diesel cyl. 125 dia.</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia</p> <p>OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia.</p> <p>OM 409 901 5 cyl. Diesel in-line engine cyl. 125 dia.</p> <p>OM 421 900/905-908/910 OM 421 A/LA 901/951 6 cyl. V-motor, 2 pcs required 159-184kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor 184/206kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923</p> <p>OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia.</p> <p>OM 423 900/905-909 OM 423 A/LA 901/950 10 cyl. V-motor 261-368kW Diesel cyl. 128 dia</p> <p>OM 427, OM 427 H 900/901/905/910/911</p> <p>OM 427A / LA, OM 427 HA 902/903/950/951/952 6 cylinder in-line engine 150-206kW Diesel cyl. 128 dia.</p>

Washer – engine

dph-no.	OEM-no.	application
		OM 441 900/905-909/911-921/923-937 150-165kW OM 441 Euro I 900/922/932/933 151kW 6 cyl. V-motor Diesel cyl. 128/130 dia.
		OM 441 A / OM 441 LA 901/950/951/953/960-962/985 200-250kW OM 441 A Euro I, OM 441 LA Euro I 901/980-983/986-990/992/994 250kW 6 cyl. V-motor Diesel cyl. 128/130 dia.
		OM 442 900/905-911/914-930/932-935/939 191-218kW OM 442 Euro I 900/931 195kW 8 cyl. V-motor Diesel cyl. 128/130 dia. OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/978/980/ 982/983/985/989/992-994 269-362kW OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia.
		OM 443 900/905 271kW OM 443A, OM 443 LA 901/940/980 340-412kW OM 443 LA Euro I 901-504 10 cyl. V-motor Diesel cyl. 128 dia.
		OM 447 900 OM 447 Euro I 900-004 OM 447 H 901/905-908, 910-913 150-184kW OM 447 H Euro I 901-04/914 157kW OM 447 A, OM 447 LA 902 OM 447 A Euro I, OM 447 LA Euro I 902-404/902-504 OM 447 HA, OM 447 HLA 903/950-953 206kW
		OM 447 HA Euro I / OM 447 HLA Euro I 903-604/903-704/956/957/959/981/982/984/986 184-220kW 6 cyl. In-line engine Diesel cyl. 128 dia.
		MB Trac 65, 70 /440 MB Trac 700, 800, 900 /440 40-63kW Diesel cyl. 97dia.
		MB Trac 65, 70 /440 700, 800, 900 /440 OM 314 up to engine 492711 MB 314: 956/957 OM 314 A up to engine 492711 MB 314: 970 48-63 kW Diesel cyl. 97 dia. MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 from engine 492712 MB: 314: 956/957 OM 314 from engine 492712 MB 314: 970 48-63kW Diesel cy. 97 dia MB Trac 1000 /441 1100 /442, 443 OM 352 up to engine 760548 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia. MB Trac 1000 /441 1100 /442, 443 OM 352 from engine 760549 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia. MB Trac 1000 /441,162 1100 /441,163 1300 /443,163 1400 /443,164 1600 /443,166 OM 366 M.B. 366: 908/912 OM 366 A M.B: 366: 954/958/977 74-115kW Diesel cyl. 97,5 dia.
		Unimog U900, U1000, U1150, U1200, U1250, U1350, U1400, U1450, U1550, U1600, U1650, U1700, U1750, U2100, U2150 OM 457LA 265/280 kW, 6 cyl. Diesel

Washer – engine

dph-no.	OEM-no.	application
47914	007603 026101	Size: 26 x 32 x 2 CU OM 314 – motor 492711 All engine types 40-63kW Diesel cyl. 97dia.
47919	007603 026305	Size: 26 x 34 x 2,5 OM 352 up to engine, 760548 OM 352 from engine 760548 352 all, 353 all 74-96kW, Diesel cyl. 97 dia
47915	007603 026104	Size: 26 x 31 x 2 CU OM 360 910/914-918/930/931/933/935-944/946/948-952/960-973/975/979/980/981/983 125-141kW Diesel cyl. 115 dia. OM 360 A 154kW Diesel cyl. 115 dia. OM 360 H 911/912/934/947/954-956/959/974/976-978 horizontal engine 125/141kW Diesel cyl. 115 dia.
32948	352 078 00 80	Size: 8 x 12 x 8 CU injection
80569	357 333 00 64	Size: 54 x 80 x 3 NBR 70 Material: rubber NBR
80476	007603 014106	Size: 14 x 20 x 1,5 CU OM 355

O-ring/seal ring

dph-no.	OEM-no.	application
34313	000 997 5348	 <p>Size: 36,4 x 3,2</p> <p>OM 401 LA M.B. 970/972-975/977-981/984-987/989-991/993/994</p> <p>OM 401 LA M.B. 970,972-975, 977-981, 984-987, 989-991, 993, 994</p> <p>OM 402LA M.B. 970,972-975, 977, 982-987, 989, 990, 995, 996</p> <p>OM421/A up to 532630 M.B. 905-908, 910, 951</p> <p>OM 422 up to 532630 M.B. 905-915, 917-923</p> <p>OM422A/LA M.B. 952-959, 963</p> <p>OM 423/LA up to 532630 M.B. 905-909, 950</p> <p>OM 441 M.B. 920-927, 932, 933 OM 441 up to 532630 M.B. 905, 908, 909, 911-919 OM 441 A/LA M.B. 950/951/953/960/961/980-983/985-999 OM 441 LA M.B. 920-927-929-931, 933-941 OM 442 M.B. 907, 909 OM 442 up to 532630 M.B. 905-911, 914-935, 939 OM 442 A M.B. 940-942, 945 OM 442 A M.B. 941-946, 950, 952, 954, 955, 957-968, 971, 972, 976-978 OM 442 LA M.B. 970-973, 975, 976, 978, 979-991 OM 442 LA M.B. 951, 953, 980, 982, 983, 985, 989, 992-998 OM 442 LA M.B. 920, 922, 924-927, 929-932, 935, 936, 938, 939 OM 443 A M.B. 940, 980</p>
35434	016 997 8248	Size: 30,8 x 3,7 FPM green OM 352 OM 355

● Sealing washer, copper/variou

dph-no.	OEM-no.	application
47840	007603 006106	Size: 6 x 10 x 1
6841		Size: 6 x 12x x 1
109996 47847	007603 008100 007603 008109	Size: 8 x 11,5 x 1
47844	007603 008103	Size: 8 x 12 x 1
47850	007603 010103	Size: 10 x 14 x 1
34545	007603 012111	Size: 12 x 15,5 x 1,5
47858	007603 012110 007603 012113	Size: 12 x 17 x 1,5
34546	007603 014102	Size: 14 x 18 x 1,5
97948 34547	007603 016401 007603 016105	Size: 16 x 20 x 1,5
47887	007603 016103	Size: 16 x 22 x 1,5
47891	007603 017102	Size: 17 x 21 x 1,5
37245	007603 018101	Size: 18 x 22 x 1,5
47899	007603 020103	Size: 20 x 26 x 1,5
47905 32869	007603 022102 007603 22103	Size: 22 x 27 x 1,5
37288		Size: 22 x 28 x 1,5


● Sealing washer, aluminium/variou

dph-no.	OEM-no.	application
93754	007603 006101	Size: 6 x 10 x 1
47843	007603 008101	Size: 8 x 12 x 1
47845	007603 008105	Size: 8 x 14 x 1
47859	007603 012112	Size: 12 x 15,5 x 1,5
33739	007603 014104	Size: 14 x 20 x 1,5
80833	007603 016100	Size: 16 x 20 x 1,5

Sealing washer, aluminium/various

dph-no.	OEM-no.	application
47886	007603 016102	Size: 16 x 22 x 1,5
32870	007603 018100	Size: 18 x 22 x 1,5
109992	007603 020100	Size: 20 x 24 x 1,5
34548	007603 022100	Size: 22 x 27 x 1,5
109993	007603 022104	Size: 22 x 29 x 1,5
34963	007603 024105	Size: 24 x 29 x 1,5
81080	007603 026106	Size: 26 x 31 x 2
109994	007603 026100	Size: 26 x 32 x 2
109995	007603 027101	Size: 27 x 32 x 2

O-ring/seal ring – engine/fuel-/oil filter

dph-no.	OEM-no.	application
4556	000 184 65 80	 <p>For oil filter, Size: 115 x 5,1 NBR 70</p> <p>OM 314 Up to engine -492711 From engine 492711 All engine types 40-63kW Diesel cyl. 97dia.</p> <p>OM 327 914-917/919/921-946 Diesel cyl. 115 dia</p> <p>OM 346 Up to engine 027399 910-919/940-947/951-953 154kW Diesel cyl. 128 All engine types</p> <p>OM 352 A up to engine 760548 OM 352 A from engine 760549 352 all, 353 all 96-127kW Diesel cyl. 97 dia</p> <p>OM 352 up to engine 760548 OM 352 from engine 760548 352 all, 353 all 74-96kW Diesel cyl. 97 dia OM 355, OM 355A/LA All engine types 136-207kW Diesel cyl. 128 dia</p> <p>OM 360 910/914-918/930/931/933/935-944/ 946/948-952/960-973/975/979/980/ 981/983 125-141kW Diesel cyl. 115 dia.</p> <p>OM 360 H 911/912/934/947/954-956/959/974/ 976-978 horizontal engine 125/141kW Diesel cyl. 115 dia.</p> <p>MB Trac 1000 /441,162 - 1100 /441,163 - 1300 / 443,163 - 1400 /443,164 - 1600 /443,166</p> <p>OM 366 M.B. 366: 908/912</p> <p>OM 366 A M.B. 366: 954/958/977 74-115kW Diesel cyl. 97,5 dia.</p> <p>Unimog U900, U1000, U1150, U1200, U1250, U1350, U1400, U1450, U1550, U1600, U1650, U1700, U1750, U2100, U2150</p>

O-ring/seal ring – engine/fuel-/oil filter

dph-no.	OEM-no.	application
6532	006 997 25 48	 <p>For oil filter, Size: 101 x 4,3 NBR 70</p> <p>OM 314 Up to engine -492711 From engine 492711 All engine types 40-63kW Diesel cyl. 97dia.</p> <p>OM 352 A up to engine 760548 OM 352 A from engine 760549 352 all, 353 all 96-127kW Diesel cyl. 97 dia</p> <p>OM 352 up to engine 760548 OM 352 from engine 760548 352 all, 353 all 74-96kW Diesel cyl. 97 dia</p> <p>OM 364 906/907/912/918/919/921 OM 364 A 950/952/957/958 OM 364 LA 981/986 63-100kW Diesel cyl. 97,5 dia.</p> <p>OM 366 M.B. 356: 901/902/904/905/908/910/911/913 M.B. 366: 905-907/909/910/914/917/919/930/ 932/933/936/938/940 OM 366 A M.B. 356: 940/943/944/946/948/951/953 M.B. 366: 941-943/945/946/951-953/957/962/ 965/967-971/973 OM 366 LA M.B. 356: 984/987 M.B. 366: 980/981/983/988/990/993/995-997 95-150kW Diesel cyl. 97,5 OM 366 M.B. 346: 903/909 M.B. 366: 918/931/937 OM 366 A M.B. 356: 941/945/947/952 M.B. 366: 944/966/974/976/978/979 OM 366LA M.B. 356: 985/986/990/992/994/995 M.B.: 366: 992/994 95-150kW Diesel cyl. 97,5 OM 366 LA M.B. 356: 979/983/989/991/996/999 M.B. 366: 901/999</p> <p>MB Trac 65, 70 /440 MB Trac 700, 800, 900 /440 40-63kW Diesel cyl. 97dia.</p> <p>MB Trac 700, 800, 900 /440 50-66kW Diesel cyl. 97,5 dia.</p> <p>MB Trac 65, 70 /440 700, 800, 900 /440 OM 314 up to engine 492711 MB 314: 956/957 OM 314 A up to engine 492711 MB 314: 970 48-63 kW Diesel cyl. 97 dia.</p> <p>MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 from engine 492712 MB: 314: 956/957 OM 314 from engine 492712 MB 314: 970 48-63kW Diesel cy. 97 dia</p> <p>MB Trac 700, 800, 900 / 440 OM 364: 908, 909 OM 364: 951 50-66kW Diesel cyl. 97,5 dia.</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 up to engine 760548 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 from engine 760549 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p> <p>MB Trac 1000 /441,162 1100 /441,163 1300 /443,163 1400 /443,164 1600 /443,166 OM 366 M.B. 366: 908/912 OM 366 A M.B.: 366: 954/958/977 74-115kW Diesel cyl. 97,5 dia.</p> <p>Unimog U900, U1000, U1150, U1200, U1250, U1350, U1400, U1450, U1550, U1600, U1650, U1700, U1750, U2100, U2150</p>

O-ring/seal ring – engine/fuel-/oil filter

dph-no. **OEM-no.**
6513 000 477 31 80
6572 000 477 23 80



Size: 95 x 103 x 3 NBR 80

OM 401

M.B. 401: 900/901/905-909/912-916/918/919/921-928
 6 cyl. V-motor
 129-144kW Diesel cyl. 125 dia

OM 401 LA Euro I

970/972-974/977-981
 6 cyl. V-motor
 213-230kW Diesel cyl. 125 dia

OM 402

900/901/905-907/910-914/916/917/919/921/923-928
 8cyl. V-motor, 2 pcs required
 147-188kW Diesel cyl. 125 dia

OM 402 LA Euro I

970-973/975, 2 pcs. required
 8 cyl. V-motor 280kW Diesel cyl. 125 dia.

OM 403

900/905/906/910/911/915-919/930-935
 10 cyl. V-motor, 2 pcs required
 184-261kW Diesel cyl. 125 dia

OM 421

900/905-908/910
 OM 421 A/LA
 901/951
 6 cyl. V-motor
 159-184kW Diesel cyl. 128 dia.

OM 422

900/905-915/917-923
 8 cyl. V-motor
 184/206kW Diesel cyl. 128 dia.

OM 422 A/LA

900/905-915/917-923
 901/951-959-963
 8 cyl. V-motor
 184-276kW Diesel cyl. 128 dia.
 2 pcs required

OM 423

900/905-909
OM 423 A/LA
 901/950
 10 cyl. V-motor
 261-368kW Diesel cyl. 128 dia
 2 pcs required

OM 441

900/905-909/911-921/923-937
 150-165kW

OM 441 Euro I

900/922/932/933
 151kW
 6 cyl. V-motor Diesel cyl. 128/130 dia.

OM 441 A / OM 441 LA

901/950/951/953/960-962/985
 200-250kW

OM 441 A Euro I, OM 441 LA Euro I

901/980-983/986-990/992/994
 250kW
 6 cyl. V-motor Diesel cyl. 128/130 dia.

OM 442

900/905-911/914-930/932-935/939
 191-218kW

OM 442 Euro I

900/931
 195kW
 8 cyl. V-motor Diesel cyl. 128/130 dia.
 2 pcs required

OM 442 A / OM 442 LA

901/941-946/950-955/957-968/976/978/980/982/
 983/985/989/992-994
 269-362kW

OM 442 A Euro I / OM 442 LA Euro I

940-942/972-973
 250-370kW
 8 cyl. V-motor Diesel cyl. 128/130 dia.
 2 pcs required

OM 443

900/905
 271kW
OM 443A, OM 443 LA
 901/940/980
 340-412kW
OM 443 LA Euro I
 901-504
 10 cyl. V-motor Diesel cyl. 128 dia.

4564 000 477 35 80



Size: 75 x 81,4 x 3 NBR 80

For fuel filter, 2 pcs required

OM 314

Up to engine -492711
 From engine 492711
 All engine types 40-63kW
 Diesel cyl. 97dia.

OM 352 A up to engine 760548

OM 352 A from engine 760549
 352 all, 353 all
 96-127kW Diesel cyl. 97 dia

OM 352 up to engine 760548

OM 352 from engine 760548
 352 all, 353 all
 74-96kW Diesel cyl. 97 dia

OM 360

910/914-918/930/931/933/935-944/
 946/948-952/960-973/975/979/980/
 981/983
 125-141kW Diesel cyl. 115 dia.

OM 360 A

154kW Diesel cyl. 115 dia.

OM 362 LA

906/909/910
 141kW Diesel cyl. 97 dia.

OM 364

906/907/912/918/919/921

OM 364 A

950/952/957/958



OM 364 LA

981/986
 63-100kW Diesel cyl. 97,5 dia.

O-ring/seal ring – engine/fuel-/oil filter

dph-no.	OEM-no.	application
		<p>OM 366 M.B. 356: 901/902/904/905/908/910/911/913 M.B. 366: 905-907/909/910/914/917/919/930/ 932/933/936/938/940</p> <p>OM 366 A M.B. 356: 940/943/944/946/948/951/953 M.B. 366: 941-943/945/946/951-953/957/962/ 965/967-971/973</p> <p>OM 366 LA M.B. 356: 984/987 M.B. 366: 980/981/983/988/990/993/995-997 95-150kW Diesel cyl. 97,5</p> <p>OM 366 M.B. 346: 903/909 M.B. 366: 918/931/937</p> <p>OM 366 A M.B. 356: 941/945/947/952 M.B. 366: 944/966/974/976/978/979</p> <p>OM 366LA M.B. 356: 985/986/990/992/994/995 M.B. 366: 992/994 95-150kW Diesel cyl. 97,5</p> <p>OM 366 LA M.B. 356: 979/983/989/991/996/999 M.B. 366: 901/999</p> <p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/ 921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia</p> <p>OM 402 900/901/905-907/910-914/916/917/919/921/ 923-928 8cyl. V-motor, 2 pcs required 147-188kW Diesel cyl. 125 dia</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor, 2 pcs required 184-261kW Diesel cyl. 125 dia</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor 184/206kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923</p> <p>OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia. 2 pcs required</p> <p>MB Trac 65, 70 /440 MB Trac 700, 800, 900 /440 40-63kW Diesel cyl. 97dia.</p>
		<p>MB Trac 700, 800, 900 /440 50-66kW Diesel cyl. 97,5 dia.</p> <p>MB Trac 65, 70 /440 700, 800, 900 /440 OM 314 up to engine 492711 MB 314: 956/957 OM 314 A up to engine 492711 MB 314: 970 48-63 kW Diesel cyl. 97 dia.</p> <p>MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 from engine 492712 MB: 314: 956/957 OM 314 from engine 492712 MB 314: 970 48-63kW Diesel cy. 97 dia</p> <p>MB Trac 700, 800, 900 / 440 OM 364: 908, 909 OM 364: 951 50-66kW Diesel cyl. 97,5 dia.</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 up to engine 760548 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 from engine 760549 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p> <p>MB Trac 1000 /441,162 1100 /441,163 1300 /443,163 1400 /443,164 1600 /443,166</p> <p>OM 366 M.B. 366: 908/912</p> <p>OM 366 A M.B. 366: 954/958/977 74-115kW Diesel cyl. 97,5 dia.</p> <p>Unimog U900, U1000, U1150, U1200, U1250, U1350, U1400, U1450, U1550, U1600, U1650, U1700, U1750, U2100, U2150</p>
82207	000 184 31 80	 <p>OM 322 910- 919/970/971 Diesel cyl. 97 dia.</p> <p>Size: 126 x 5 NBR 70</p> <p>For oil filter</p>

O-ring/seal ring – engin/fuel-/oil filter

dph-no.	OEM-no.	application
4556	000 184 65 80	 <p>OM 327 914-917/919/921-946 Diesel cyl. 115 dia</p> <p>Size: 115 x 5,1 NBR 70</p>
4560	008 997 70 45	 <p>Size: 134 x 4 NBR 70</p> <p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia</p> <p>OM 401 A 917 6 cyl. V-motor 188kW Diesel cyl. 125 dia.</p> <p>OM 401 LA Euro I 970/972-974/977-981 6 cyl. V-motor 213-230kW Diesel cyl. 125 dia</p> <p>OM 402 900/901/905-907/910-914/916/917/919/921/923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia</p> <p>OM 402 LA Euro I 970-973/975 8 cyl. V-motor 280kW Diesel cyl. 125 dia.</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia</p> <p>OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia.</p> <p>OM 409 901 5 cyl. Diesel in-line engine cyl. 125 dia.</p> <p>OM 421 900/905-908/910 OM 421 A/LA 901/951 6 cyl. V-motor 159-184kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor 184/206kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923 OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia.</p> <p>OM 423 900/905-909 OM 423 A/LA 901/950 10 cyl. V-motor 261-368kW Diesel cyl. 128 dia</p> <p>OM 427, OM 427 H 900/901/905/910/911 OM 427A / LA OM 427 HA 902/903/950/951/952 6 cylinder in-line engine 150-206kW Diesel cyl. 128 dia</p> <p>OM 441 900/905-909/911-921/923-937 150-165kW</p> <p>OM 441 Euro I 900/922/932/933 151kW 6 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 441 A / OM 441 LA 901/950/951/953/960-962/985 200-250kW</p> <p>OM 441 A Euro I, OM 441 LA Euro I 901/980-983/986-990/992/994 250kW 6 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 442 900/905-911/914-930/932-935/939 191-218kW</p> <p>OM 442 Euro I 900/931 195kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/978/980/982/983/ 985/989/992-994 269-362kW</p> <p>OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 443 900/905 271kW</p> <p>OM 443A, OM 443 LA 901/940/980 340-412kW</p> <p>OM 443 LA Euro I 901-504 10 cyl. V-motor Diesel cyl. 128 dia.</p> <p>OM 444 A / OM 444 LA 901 12 cyl. V-motor Diesel cyl. 128 dia.</p>

● O-ring/seal ring – engine/fuel-/oil filter

dph-no.	OEM-no.	application
		OM 447 900 OM 447 Euro I 900-004 OM 447 H 901/905-908, 910-913 150-184kW OM 447 H Euro I 901-04/914 157kW OM 447 A, OM 447 LA 902 OM 447 A Euro I, OM 447 LA Euro I 902-404/902-504
		OM 447 HA, OM 447 HLA 903/950-953 206kW OM 447 HA Euro I / OM 447 HLA Euro I 903-604/903-704/956/957/959/981/982/984/986 184-220kW 6 cyl. In-line engine Diesel cyl. 128 dia.
		OM 457LA 265/280 kW, 6 cyl. Diesel
		OM 449 HLA 155-184 kW, 5 cyl. Diesel dia. 128


● O-ring/seal ring – engine

dph-no.	OEM-no.	application
34880	000 477 33 80	OM 409 901 5 cyl. Diesel in-line engine cyl. 125 dia. 2 pcs required
104091	541 011 00 59	OM 501 LA / OM 501 LA IMO Actros M.B: 521: 940 M.B: 541: 920-928 M.B: 941: 910/920/929/930/940/960/970/990 6 cyl. V-motor Diesel 230-315kW
81999	360 997 92 45	Size: 24,99 x 3,53 NBR 70
95814	422 144 02 80	Turbocharger
84300	422 997 00 40	Turbocharger
61041	346 017 02 60	Engine
33812	346 997 04 45	Engine
33410	000 997 00 40	All engine types
34012	008 997 61 45	Size: 7 x 3 FPM 70 OM 402 OM 403 OM 422/A OM 423
36614	007 997 34 48	OM 422/A
37079	013 997 96 48	OM 401 LA OM 402 LA OM 441 A OM 442 A OM 443 A OM 447 A
34312	006 997 49 48	Size: 60 x 8 MVQ 60 red OM 355 A


O-ring/seal ring – engine

dph-no.	OEM-no.	application
34311	006 997 48 48	Size: 45 x 8 MVQ 60 red OM 442A M.B. 951, 952, 954, 956-958.963 OM 422LA M.B. 953, 955, 959 OM 442A MB : 941-946, 950, 952, 954, 955, 957-959 OM 442 A Euro I MB: 940-942- 945 OM 442 LA MB: 951, 953, 960-968, 971, 972, 976, 980, 982, 983, 985, 989, 992-994 OM 442 LA Euro I MB: 970-973,975, 976, 978-987, 989-991, OM 442 LA Euro II MB: 920, 922, 924-936, 938, 939 OM 492
6733	000 094 26 80	1924/L/LA 26247
34994	000 094 25 80	1924/L/LA 2624


Gasket

dph-no.	OEM-no.	application
95855	442 492 00 80	 <p>OM 424, OM 424 A/LA 900/901 12 cyl. V-motor Diesel cyl. 128 dia. 2 pcs required</p> <p>OM 427, OM 427 H 900/901/905/910/911 OM 427A / LA OM 427 HA 902/903/950/951/952 6 cylinder in-line engine 150-206kW Diesel cyl. 128 dia.</p> <p>OM 441 900/905-909/911-921/923-937 150-165kW OM 441 Euro I 900/922/932/933 151kW 6 cyl. V-motor Diesel cyl. 128/130 dia. OM 441 A / OM 441 LA 901/950/951/953/960-962/985 200-250kW OM 441 A Euro I, OM 441 LA Euro I 901/980-983/986-990/992/994 250kW 6 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 442 900/905-911/914-930/932-935/939 191-218kW OM 442 Euro I 900/931 195kW 8 cyl. V-motor Diesel cyl. 128/130 dia. OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/ 978/980/982/983/985/989/992-994 269-362kW OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 360 910/914-918/930/931/933/935-944/946/948- 952/960-973/975/979/980/981/983 125-141kW Diesel cyl. 115 dia.</p> <p>OM 402 900/901/905-907/910-914/916/917/919/921/ 923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia</p> <p>OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia.</p> <p>OM 421 900/905-908/910 OM 421 A/LA 901/951 6 cyl. V-motor, 2 pcs required 159-184kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor 184/206kW Diesel cyl. 128 dia. OM 422 900/905-915/917-923 OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia., 2 pcs required</p>


Gasket

dph-no.	OEM-no.	application
95087	366 015 00 60	
82263	352 015 01 60	
		<p>OM 366 LA M.B. 356: 984/987 M.B. 366: 980/981/983/988/990/993/ 995-997 95-150kW Diesel cyl. 97,5</p> <p>OM 366 M.B. 346: 903/909 M.B. 366: 918/931/937</p> <p>OM 366 A M.B. 356: 941/945/947/952 M.B. 366: 944/966/974/976/978/979</p> <p>OM 366LA M.B. 356: 985/986/990/992/994/995 M.B. 366: 992/994 95-150kW Diesel cyl. 97,5</p> <p>OM 366 LA M.B. 356: 979/983/989/991/996/999 M.B. 366: 901/999</p>






Gasket set

dph-no.	OEM-no.	application
61053	423 010 48 33	
		<p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/ 921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia</p> <p>OM 401 A 917 6 cyl. V-motor 188kW Diesel cyl. 125 dia.</p> <p>OM 401 LA Euro I 970/972-974/977-981 6 cyl. V-motor 213-230kW Diesel cyl. 125 dia</p> <p>OM 402 900/901/905-907/910-914/916/917/919/921/ 923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia.</p> <p>OM 402 LA Euro I 970-973/975 8 cyl. V-motor 280kW Diesel cyl. 125 dia</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia</p> <p>OM 404, OM 404 A 900/901 12 cyl. V-motor Diesel cyl. 125 dia.</p> <p>OM 421 900/905-908/910 OM 421 A/LA 901/951 6 cyl. V-motor 159-184kW Diesel cyl. 128 dia.</p> <p>OM 422 900/905-915/917-923 8 cyl. V-motor 184/206kW Diesel cyl. 128 dia. OM 422 900/905-915/917-923</p> <p>OM 422 A/LA 901/951-959-963 8 cyl. V-motor 184-276kW Diesel cyl. 128 dia.</p> <p>OM 423 900/905-909 OM 423 A/LA 901/950 10 cyl. V-motor 261-368kW Diesel cyl. 128 dia</p> <p>OM 424, OM 424 A/LA 900/901 12 cyl. V-motor Diesel cyl. 128 dia.</p> <p>OM 441 900/905-909/911-921/923-937 150-165kW</p> <p>OM 441 Euro I 900/922/932/933 151kW 6 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 441 A / OM 441 LA 901/950/951/953/960-962/985 200-250kW</p> <p>OM 441 A Euro I, OM 441 LA Euro I 901/980-983/986-990/992/994 250kW 6 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 442 900/905-911/914-930/932-935/939 191-218kW</p> <p>OM 442 Euro I 900/931 195kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 442 A / OM 442 LA 901/941-946/950-955/957-968/976/ 978/980/982/983/985/989/992-994 269-362kW</p> <p>OM 442 A Euro I / OM 442 LA Euro I 940-942/972-973 250-370kW 8 cyl. V-motor Diesel cyl. 128/130 dia.</p> <p>OM 442 900/905 271kW</p> <p>OM 443A, OM 443 LA 901/940/980 340-412kW</p> <p>OM 443 LA Euro I 901-504 10 cyl. V-motor Diesel cyl. 128 dia.</p> <p>OM 444 A / OM 444 LA 901 12 cyl. V-motor Diesel cyl. 128 dia.</p>







● Gasket for steering

dph-no.	OEM-no.	application	
98705	541 010 09 33		OM 501 LA / OM 501 LA IMO Actros M.B: 521: 940 M.B: 541: 920-928 M.B: 941: 910/920/929/930/940/960/970/990 6 cyl. V-motor Diesel 230-315kW OM 502 LA Actros 8 cyl. V-engine 350-420 kw Diesel

● Gasket/engine

dph-no.	OEM-no.	application	
80038	442 011 00 59		Tomback-ring For cylinder liner
97117	442 011 00 80		Engine
95529	442 011 02 59	For cylinder liner - shim	
95905	442 098 09 80		Material: rubber/metal
95907	442 098 10 80		Material: rubber/metal
68588	442 131 00 80		Engine








Gasket/engine

dph-no.	OEM-no.	application
70274	442 131 01 80	
84782	442 131 09 80	
37561	442 141 04 80	
95908	442 141 09 80	Material: rubber/metal
81775	442 184 04 80	 For oil filter
81776	442 184 05 80	 For oil filter
95817	442 187 00 80	 Engine


Gasket/engine

dph-no.	OEM-no.	application	
95818	442 187 01 80		Engine
61061	442 188 05 80		Oil filter
80783	442 201 10 80		Water pump
37159 4296	442 074 00 59 403 074 00 59		Seal ring, injection pump to crankcase OM 401, 402, 421, 422, 423, 424, 443, 444 A / LA OM 403 OM 404 A OM 441 A/LA Euro I+II OM 442 A/LA Euro I+II
95815	442 018 00 80		
82292	352 076 02 80		Injection
80260	352 997 05 40		Injection Material: rubber






● Gasket/engine

dph-no.	OEM-no.	application	
95252	355 188 00 80		Oil cooler
68591	355 203 00 80		Thermostat
97128	355 997 00 49		Water pump
95909	366 188 08 80		Engine
3993	407 131 05 80		Engine
33745	346 017 01 60		OM 401, OM 402, OM 403, OM 421, OM 422, OM 423, OM 441, OM 442, OM 443
81893	403 016 00 61		

Valve

dph-no.	OEM-no.	application
94069	423 050 00 26	
94070	423 050 04 28	

Valve guide

dph-no.	OEM-no.	application
110774	312 053 02 30	 <p>LP 608, 709, 808 ,809, 811, 911</p> <p>Inner dia. 9,0 mm Outer dia 15,0 mm</p>
109534	352 053 16 30	 <p>Inner dia. 10,0 mm Outer dia. 15,03 mm</p>
109535	352 053 37 30	 <p>Inner dia. 10,0 mm Outer dia. 15,0 mm</p> <p>LK/LN2 1114 (since 03/84), 1117, 1120, 1314, 1317, 1320, 709, 809, 814, 914 NG 1417</p>
109536	360 053 00 30	 <p>Inner dia. 10,0 mm Outer dia. 16,0 mm</p>
109537	422 053 04 30	 <p>Exhaust/intake Inner dia. 12,0 mm Outer dia. 18,0 mm</p>
109538	352 053 22 29	 <p>Inner dia. 9,0 mm Outer dia. 15,0 mm</p>



Valve guide

dph-no.	OEM-no.	application
109539	360 053 00 29	 <p>Inner dia. 10,0 mm Outer dia. 16,04 mm</p>

Oil seal crankshaft

dph-no.	OEM-no.	application
94506	315 030 00 80	 <p>Size: 24 x 25 x 10 OM 327 914-917/919/921-946, Diesel cyl. 115 dia OM 346 up to engine 027399 910-919/940-947/951-953 154kW, Diesel 128 cyl. Dia. OM 355, OM 355A/LA 136-207kW Diesel cyl. 128 dia All engine types, crankshaft rear</p>
37088 36222 47592 47594 47381 47662 47025 47512 47515	014 997 46 47 012 997 74 47 006 997 16 47 006 997 23 47 011 997 13 46 009 997 34 47 005 997 51 46 003 997 07 47 003 997 13 47	 <p>Size: 105 x 130 x 12 FPM AB/BS RD</p> <p>OM 401 M.B. 401: 900/901/905-909/912-916/918/919/921-928 6 cyl. V-motor 129-144kW Diesel cyl. 125 dia</p> <p>OM 401 A 917 6 cyl. V-motor 188kW Diesel cyl. 125 dia.</p> <p>OM 401 LA Euro I 970/972-974/977-981 6 cyl. V-motor 213-230kW Diesel cyl. 125 dia</p> <p>OM 402 900/901/905-907/910-914/916/917/919/921/923-928 8cyl. V-motor 147-188kW Diesel cyl. 125 dia</p> <p>OM 402 LA Euro I 970-973/975 8 cyl. V-motor 280kW Diesel cyl. 125 dia.</p> <p>OM 403 900/905/906/910/911/915-919/930-935 10 cyl. V-motor 184-261kW Diesel cyl. 125 dia</p> <p>OM 407 / OM407 A, LA, H, HA 900/901/905/907-911/913-920/925/951/955 6 cyl. In-line engine 132-206kW Diesel cyl. 125 dia.</p> <p>OM 501 LA / OM 501 LA IMO Actros M.B: 521: 940 M.B: 541: 920-928 M.B: 941: 910/920/929/930/940/960/970/990 6 cyl. V-motor Diesel 230-315kW</p> <p>OM 502 LA Actros 8 cyl. V-engine 350-420 kw Diesel 8 pcs required</p> <p>OM 449 HLA 155-184 kW, 5 cyl. Diesel dia. 128</p> <p>OM 457 LA/LAIII, HLA, HLAIII 6 cyl. 185-335 kW</p>

Oil seal crankshaft

dph-no.	OEM-no.	application
36223	013 997 14 47 optional with 014 997 13 47	 <p>Size: 120 x 140 x 13 FPM AW/BS LD</p> <p>Crankshaft rear OM 501 LA / OM 501 LA IMO Actros M.B: 521: 940 M.B: 541: 920-928 M.B: 941: 910/920/929/930/940/960/970/990 6 cyl. V-motor Diesel 230-315kW</p> <p>OM 502 LA Actros 8 cyl. V-engine 350-420 kw Diesel 8 pcs required</p>
104349	014 997 46 48	
47419	403 997 01 46	
		OM 401 A/LA OM 402 A/LA OM 403 OM 404/a OM 407 H/A/LA/HA OM 421 A/LA OM 422 A/LA OM 423 A/LA OM 424 A/LA OM 427 H/A/LA/HA OM 441 A/LA OM 442 A/LA OM 443 A/LA OM 444 A/LA OM 447 H/A/LA/HA/HLA OM 449 HLA 155-184 kW, 5 cyl. Diesel dia. 128 OM 404, OM 404 A 900/901 12 cyl. V-motor Diesel cyl. 125 dia. OM 457 LA/LAIII, HLA, HLAIII 6 cyl. 185-335 kW
47737	016 997 08 47	 <p>Size: 120 x 140 x 13 AW/BS LD FPM</p> <p>Crankshaft OM 402</p>

Clutch, gearbox

Clutch servo cylinder

dph-no.	OEM-no.	application	
81311	001 295 67 07		<p>Wabco 970 051 1310 Repair kit: dph 82066</p> <p>NG 1628, 1633, 1638, 1922, 1928, 1933, 1935, 1936, 1938, 1944, 2033, 2228, 2233, 2238, 2633</p> <p>SK 1922, 1935</p>
109397	000 295 00 18		<p>Wabco 970 051 13 70 Repair kit: 82067</p> <p>OM 442</p>

Repair kit clutch servo

dph-no.	OEM-no.	application	
82066	000 290 06 67		Wabco 970 051 9032
82067			Wabco 970 051 9102
81894	000 290 32 67		

Transmission

dph-no.	OEM-no.	application
37568	000 586 18 26	 <p>Repair kit Gear shift lever Atego 1/1517, Atego II/2628 Econic 2628 LK/LN2 1517 NG 1624, 1928, 2628</p>
98567	000 267 17 15	





Transmission oil seal

dph-no.	OEM-no.	application
47306	008 997 73 46	 <p>Steering ZF 0634 300 355 Size: 30 x 40 x 7 NBR B blue</p>
47434	000 997 11 47	 <p>Steering ZF 0634 302 460 Size: 32 x 45 x 7 NBR A</p>
47240	006 997 49 46	 <p>Steering ZF 0634 300 302 Size: 25 x 35 x 7 NBR B</p>
47385	011 997 22 46	 <p>Steering ZF 0634 300 020 Size: 25 x 32 x 5 B OF NBR</p>
95501		ZF 0634 301 302 25 x 33 x 6

● Transmission oil seal

dph-no.	OEM-no.	application	
46980	003 997 98 46		ZF 0634 300 185 Size: 10 x 15 x 3 NBR BO
6440	003 997 00 40		ZF 0634 307 405 30x40x7/10

● Transmission seal ring

dph-no.	OEM-no.	application	
80962	0634 314 018		16 S 130 16 S 160 Size: 59 x 2 FPM 80
80963	0634 314 019		16 S 130 16 S 160 Size: 94 x 3 FPM 80
80964	0634 314 020		16 S 130 16 S 160 Size: 8 x 2 FPM 80
95686	0750 112 066		16 S 130 16 S 160 Size: 85 x 5,6

Brake parts

Diaphragm/brake part

dph-no.	OEM-no.	application	
82977	000 421 20 86		Flat type T 24
82978	000 421 29 86		T 16
82979	000 423 12 86		Deep type T 30
81625	897 120 51 64		16"
84630	897 120 52 04		20"
81624	897 120 53 64		24"

● Diaphragm/brake part

dph-no.	OEM-no.	application
81623	897 120 54 64	 <p>30"</p>
81626	897 120 52 64	 <p>20"</p>
82980	000 431 07 28	 <p>T 20</p>

● Washer/rear axle

dph-no.	OEM-no.	application
37646	007603 024106	 <p>Size: 24x29x2 copper</p>
37645	007603 045100	 <p>Size: 45x52x2 ALU</p>

● Oil seal crankshaft

dph-no.	OEM-no.	application
47669	009 997 77 47	 <p>Crankshaft front</p> <p>OM 314 –motor 492711 All engine types 40-63kW Diesel cyl. 97dia.</p> <p>OM 322 910-919/970/971 Diesel cyl. 97 dia</p> <p>OM 352 A up to engine 598249 352 all, 353 all 96-127kW, Diesel cyl. 97 dia</p> <p>OM 352 up to engine 598249 352 all, 353 all 74-96kW, Diesel cyl. 97 dia</p> <p>Size: 65 x 90 x 15 B RD FPM (dph 47957)</p> <p>Size: 65 x 90 x 15 MVQ B RD white (dph 51726)</p>

Oil seal crankshaft

dph-no.	OEM-no.	application
---------	---------	-------------

47604	006 997 85 47	
47669	009 997 77 47	
47673	009 997 94 47	
82131	014 997 16 47	



Size: 65 x 90 x 13 FPM AW/BS RD

Crankshaft front

OM 314 –motor 492711

All engine types 40-63kW
Diesel cyl. 97dia.

OM 322

910-919/970/071

Diesel cyl. 97 dia.

OM 352 A up to engine 760548

352 all, 353 all

96-127kW, Diesel cyl. 97 dia

OM 352 up to engine 598249

352 all, 353 all

74-96kW, Diesel cyl. 97 dia

MB Trac

1000 /441

1100 /442, 443

OM 352 up to engine 760548

M.B. 353: 936/949/985

70-81kW Diesel cyl. 97 dia.

Up to engine 598249

OM 314 –motor 492711

Diesel cyl. 97dia.

Up to engine 369095

OM 352 A up to engine 760548

(from engine 598250]

OM 352 A from engine 760549

352 all, 353 all

96-127kW Diesel cyl. 97 dia

OM 352 up to engine 760548 (from engine 598250)

OM 352 from engine 760548

352 all, 353 all

74-96kW Diesel cyl. 97 dia.

OM 362 LA

906/909/910

141kW Diesel cyl. 97 dia.

OM 364

906/907/912/918/919/921

OM 364 A

950/952/957/958

OM 364 LA

981/986

63-100kW Diesel cyl. 97,5 dia.

OM 366

M.B. 356: 901/902/904/905/908/910/911/913

M.B. 366: 905-907/909/910/914/917/919/930/

932/933/936/938/940

OM 366 A

M.B. 356: 940/943/944/946/948/951/953

MB. 366: 941-943/945/946/951-953/957/962/

965/967-971/973

OM 366 LA

M.B. 356: 984/987

M.B. 366: 980/981/983/988/990/993/

995-997

95-150kW Diesel cyl. 97,5

OM 366

M.B. 346: 903/909

M.B. 366: 918/931/937

OM 366 A

M.B. 356: 941/945/947/952

M.B. 366: 944/966/974/976/978/979

OM 366LA

M.B. 356: 985/986/990/992/994/995

M.B. 366: 992/994

95-150kW Diesel cyl. 97,5

OM 366 LA

M.B. 356: 979/983/989/991/996/999

M.B. 366: 901/999

MB Trac 65, 70 /440

MB Trac 700, 800, 900 /440

40-63kW

Diesel cyl. 97dia.

MB Trac 65, 70 / 440

700, 800, 900 / 440

OM 314 from engine 492712

MB: 314: 956/957

OM 314 from engine 492712

MB 314: 970

48-63kW Diesel cy. 97 dia

MB Trac 700, 800, 900 / 440

OM 364: 908, 909

OM 364: 951

50-66kW Diesel cyl. 97,5 dia.

MB Trac

1000 /441

1100 /442, 443

OM 352 up to engine 760548

M.B. 353: 936/949/985

70-81kW Diesel cyl. 97 dia.

From engine 5982502

MB Trac

1000 /441

1100 /442, 443

OM 352 from engine 760549

M.B. 353: 936/949/985

70-81kW Diesel cyl. 97 dia.

MB Trac

1000 /441,162

1100 /441,163

1300 /443,163

1400 /443,164

1600 /443,166

OM 366

M.B. 366: 908/912

OM 366 A

M.B. 366: 954/958/977

74-115kW Diesel cyl. 97,5 dia.

Unimog

U900, U1000, U1150, U1200, U1250,

U1350, U1400, U1450, U1550, U1600,

U1650, U1700, U1750, U2100, U2150

Oil seal crankshaft

dph-no.	OEM-no.	application
48261	000 997 96 41	 <p>Crankshaft rear, 2 pcs required</p> <p>OM 314 –motor 492711 From engine 369096 Diesel cyl. 97dia.</p> <p>OM 352 A up to engine 760548 OM 352 A from engine 760549 352 all, 353 all 96-127kW Diesel cyl. 97 dia OM 352 up to engine 760548 OM 352 from engine 760548 352 all, 353 all 74-96kW Diesel cyl. 97 dia OM 362 LA 906/909/910 141kW Diesel cyl. 97 dia.</p> <p>OM 366 LA M.B. 356: 979/983/989/991/996/999 M.B. 366: 901/999</p> <p>MB Trac 65, 70 /440 MB Trac 700, 800, 900 /440 40-63kW Diesel cyl. 97dia.</p> <p>MB Trac 65, 70 /440 700, 800, 900 /440 OM 314 up to engine 492711 MB 314: 956/957 OM 314 A up to engine 492711 MB 314: 970 48-64 kW Diesel cyl. 97 dia.</p> <p>MB Trac 65, 70 / 440 700, 800, 900 / 440 OM 314 from engine 492712 MB: 314: 956/957 OM 314 from engine 492712 MB 314: 970 48-63kW Diesel cy. 97 dia</p> <p>MB Trac 1000 /441 1100 /442, 443 OM 352 from engine 760549 M.B. 353: 936/949/985 70-81kW Diesel cyl. 97 dia.</p>
36221 47522	011 997 57 47 003 997 45 47	 <p>Size: 75 x 100 x 12/13 FPM BS RD</p> <p>Crankshaft front - Size:</p> <p>OM 327 914-917/919/921-946 Diesel cyl. 115 dia</p> <p>OM 346 Up to engine 027399 910-919/940-947/951-953 154 kW Diesel cyl. 128 dia. All engine types</p> <p>OM 355, OM 355A/LA All engine types 136-207kW Diesel cyl. 128 dia</p> <p>OM 360 910/914-918/930/931/933/935-944/ 946/948-952/960-973/975/979/980/ 981/983 125-141kW Diesel cyl. 115 dia. OM 360 A 154kW Diesel cyl. 115 dia. OM 360 H 911/912/934/947/954-956/959/974/ 976-978 horizontal engine 125/141kW Diesel cyl. 115 dia.</p>
36216 46971 47335	004 997 93 47 003 997 67 46 009 997 51 46	 <p>Size: 125 x 160 x 18 FPM BS LD</p> <p>OM 327 M.B. 327: 914/915/916/917/919/921-946 Cyl. 115 dia, Diesel</p> <p>OM 360 M.B. 360: 910/914-918, 930/931/933/ 935-944/946/948-952/960-973/975/ 979/980/981/983 125-141kW, Diesel Cyl. 115 dia</p> <p>OM 360 A MB: 982 154kW, Diesel, cyl. 115 dia.</p> <p>OM 360 H M.B. 360: 911/912/934/947/954-956/ 959/974/976-978 Horizontal engine 125/141kW Diesel cyl. 115 dia.</p>

Oil seal crankshaft

dph-no. OEM-no. application

94963 001 997 41 41



OM 364

906/907/912/918/919/921

OM 364 A

950/952/957/958

OM 364 LA

981/986

63-100kW Diesel cyl. 97,5 dia.

2 pcs required

OM 366

M.B. 356: 901/902/904/905/908/910/911/913

M.B. 366: 905-907/909/910/914/917/919/930/

932/933/936/938/940

OM 366 A

M.B. 356: 940/943/944/946/948/951/953

M.B. 366: 941-943/945/946/951-953/957/962/

965/967-971/973

OM 366 LA

M.B. 356: 984/987

M.B. 366: 980/981/983/988/990/993/995-997

95-150kW Diesel cyl. 97,5

OM 366

M.B. 346: 903/909

M.B. 366: 918/931/937

OM 366 A

M.B. 356: 941/945/947/952

M.B. 366: 944/966/974/976/978/979

OM 366LA

M.B. 356: 985/986/990/992/994/995

M.B. 366: 992/994

95-150kW Diesel cyl. 97,5

2 pc required

MB Trac 65, 70 /440

MB Trac 700, 800, 900 /440

40-63kW

Diesel cyl. 97dia.

2 pcs required

MB Trac

65, 70 /440

700, 800, 900 /440

OM 314 up to engine 492711

MB 314: 956/957

OM 314 A up to engine 492711

MB 314: 970

48-64 kW Diesel cyl. 97 dia.

MB Trac 700, 800, 900 / 440

OM 364: 908, 909

OM 364: 951

50-66kW Diesel cyl. 97,5 dia.

MB Trac

1000 /441

1100 /442, 443

OM 352 up to engine 760548

M.B. 353: 936/949/985

70-81kW Diesel cyl. 97 dia.

MB Trac

1000 /441,162

1100 /441,163

1300 /443,163

1400 /443,164

1600 /443,166

OM 366

M.B. 366: 908/912

OM 366 A

M.B. 366: 954/958/977

74-115kW Diesel cyl. 97,5 dia.

Unimog

U900, U1000, U1150, U1200, U1250,

U1350, U1400, U1450, U1550, U1600,

U1650, U1700, U1750, U2100, U2150

Front and rear axle parts, steering

Oil seal rear axle

dph-no.	OEM-no.	application	
47247	006 997 93 46		Size: 100 x 125 x 13/10 C 
47301 35022	008 997 62 46 000 997 74 46		Size: 110 x 140 x 13 NBR C 
47690 47694	010 997 78 47 010 997 84 47		Size: 115 x 140 x 13 NBR A/BS blue 
47691	010 997 79 47		Size: 115 x 140 x 13 NBR green 
47743	303 997 06 47		Size: 115 x 140 x 13 A NBR 
46846 47299	004 997 77 45 008 997 60 46		Size: 115 x 150 x 13 NBR C Rear axle 

Oil seal rear axle

dph-no.	OEM-no.	application	
46887	000 997 54 46		Size: 115 x 150 x 15 NBR CS blue
95130	015 997 93 47		Size: 120 x 145 x 15/12 FPM A/BS F WD
47693 47038 47010	010 997 81 47 006 997 05 46 005 997 03 46		Size: 120 x 145 x 15/12 C blue
94407	015 997 56 47		Size : 125 x 150 x 15/13 NBR A/BS WD
46879 33377	000 997 40 46 002 997 40 46		Size: 125 x 152,4 x 15 NBR CS
47022 47593 47300	005 997 44 46 006 997 21 47 008 997 61 46		Size: 125 x 150 x 15 C blue
47251	007 997 04 46		Size: 135 x 165 x 14/10 BS blue
47311	009 997 03 46	Size: 135 x 165 x 13/15 BS	

Oil seal rear axle

dph-no.	OEM-no.	application	
47493	002 997 32 47		Size: 140 x 160 x 13 BS blue
82049	020 997 05 47		Size: 145 x 175/205 x 18/20 FPM ABS pole wheel outside
80835 36646	013 997 59 47 013 997 94 47		Size: 145 x 175 x 13 AW/B FPM
47389	011 997 31 46		Size: 145 x 175 x 13 FPM C
36407 47377 47710	011 997 12 46 011 997 01 46 011 997 52 47		Size: 145 x175 x13 A/B W NBR blue Rear axle, inner Size: 145 x175 x13 NBR C green (dph 6729)
82394	015 997 49 47		Size: 145 x 175/205 x 9/14 special

Oil seal rear axle

dph-no.	OEM-no.	application	
51230 47376	016 997 56 47 011 997 00 46		Rear axle, outside Size: 145 x175 x14 A /BS W blue NBR
4440 47527	011 997 44 46 003 997 66 47		Size: 145 x175 x14 NBR BS green (dph 4376)
47382 47386	011 997 16 46 011 997 23 46		Size: 148 x 170 x 15 NBR C
47759	335 997 00 47		Size: 150 x 180 x 13 NBR A blue
47758	317 997 00 47		Size: 150 x 180 x 14 NBR AS
4500 47753	304 997 04 47 304 997 11 47		Size: 165 x 190 x 13 A blue
46966	003 997 48 46		Size: 165 x 190 x 13 B
4615	005 997 84 47		Size: 170 x 190 x 8,5 AS K
47309 47348 6477	009 997 00 46 010 997 00 46 304 997 17 47		Size: 185 x 210 x 13 NBR A blue

Gasket for front axle

dph-no.	OEM-no.	application
4276	317 333 11 64	 Engine mount

Oil seal for front axle

dph-no.	OEM-no.	application
35021 46965	000 997 64 47 003 997 45 46	 Size: 105 x 130 x 13 NBR C
47260 47716	007 997 36 46 011 997 71 47	 Size: 100 x 120 x 13/10 front axle
109784	022 997 34 47	Front axle ATEGO Size: 100 x 120 x 11/16,5 BS special blue
47728 47717	012 997 91 47 011 997 72 47	 Size: 100 x 125 x 13 NBR A/BS
46949	002 997 64 46	 Size: 110,3 x 133,3 x 12/10 C blue
46896	001 997 06 46	 Size: 110 x 115 x 15 NBR C

Oil seal for front axle

dph-no.	OEM-no.	application	
47397	011 997 54 46		Size: 115 x 140 x 13 NBR C 
47040	006 997 13 46		Size: 118 x 140 x 13 NBR B 
47488 47489 47490 47541 47542	002 997 18 47 002 997 19 47 002 997 20 47 004 997 17 47 004 997 18 47		Size: 120 x 150 x 15/12 NBR CS 
109592	021 997 69 47	Size : 124 x 150 x 14,3 + 120 x 150 x 14,3 special Front axle Actros	
109470	018 997 33 47		Size: 137 x 165 x 13,5 FPM/NBR Cassette special 
47549 47574 47595 47459	004 997 59 47 005 997 45 47 006 997 31 47 001 997 05 47		Size: 140 x 165 x 12/15 FPM 
47356	010 997 30 46		Size: 160 x 180 x 10 NBR B 

Oil seal for front axle

dph-no.	OEM-no.	application	
47357 47384 47723 47384	010 997 31 46 011 997 18 46 012 997 19 47 011 997 18 46		Size: 160 x 180 x 10/11 BS blue
47383	011 997 17 46		Size: 160 x 180 x 10 A/BS blue
47724	012 997 20 47		Size: 160 x 180 x 10 NBR B blue

Oil seal trailer

dph-no.	OEM-no.	application	
109601	024 997 48 47	Size: 120 x 150 x 14,3/20 FPM SP	

Oil seal front & rear axle

dph-no.	OEM-no.	application	
46760 47388 47391	009 997 67 47 011 997 26 46 011 997 36 46		Size: 100 x 130 x 13 NBR AS blue

Gasket for rear axle

dph-no.	OEM-no.	application	
94626	346 356 01 27		Rear axle
35677	360 586 18 46		Washer / o-ring kit Repair kit Servo pump





Gasket set for steering

dph-no.	OEM-no.	application	
4044	366 586 54 46		Gasket set dph
51740 36885	387 460 26 01 387 586 03 46		Repair kit power steering
98015	1295 298 915		Repair kit manual transmission
61250	1295 298 917		Oil seal kit manual transmission






Repair kit for ABS rear axle

dph-no.	OEM-no.	application	
94500	659 350 00 35 659 350 01 35		<p>1 pc oil seal outside ABS pole wheel DB 020 997 05 47 size: 145x175/205x18/20 FPM</p> <p>1 pc oil seal inner DB 013 997 94 47 size: 145x175x13 FPM</p> <p>1 pc O-ring green DB 016 997 40 48 size: 255x5</p> <p>1 pc paper gasket steel plug 650 356 00 80 (DB 624 356 00 80)</p> <p>1 pc paper gasket cast iron plug DB 650 356 01 80 (346 334 00 80)</p> <p>1 pc washer 007603 024106 size: 24x29x2 CU</p> <p>1 pc washer 007603 045100 size: 45x52x2 ALU</p>
		Combi gasket kit for outside planetary gear with ABS	
		Contents:	
		1 pc lock plate dia 121 DB 355 356 01 73	
		1 pc lock plate dia 106 DB 346 356 00 73	




Repair kit for ABS rear axle

dph-no.	OEM-no.	application
81438	659 350 01 35S	 <p>Combi gasket kit for ABS rear axle</p> <p>Contents:</p> <ul style="list-style-type: none"> 1 pc lock plate dia 121 DB 355 356 01 73 1 pc lock plate dia 106 DB 346 356 00 73
		<ul style="list-style-type: none"> 1 pc oil seal outside ABS pole wheel DB 015 997 49 47 size: 145x175/205x9/14 1 pc oil seal inner DB 013 997 94 47 size: 145x175x13 FPM 1 pc O-ring green DB 016 997 40 48 size: 255x5 1 pc paper gasket steel plug 650 356 00 80 (DB 624 356 00 80) 1 pc paper gasket cast iron plug DB 650 356 01 80 (346 334 00 80) 1 pc washer 007603 024106 size: 24x29x2 CU 1 pc washer 007603 045100 size: 45x52x2 ALU
35850	624 356 00 80S	 <p>Gasket set for outside planetary gear with steel plug</p> <p>Contents:</p> <ul style="list-style-type: none"> 1 pc lock plate dia 121 DB 355 356 01 73 1 pc oil seal outside DB 011 997 0046 size: 145x175x14 NBR
		<ul style="list-style-type: none"> 1 pc oil seal inner DB 011 997 01 46 size: 145x175x13 NBR 1 pc O-ring black DB 002 997 42 48 size: 255x5 1 pc paper gasket steel plug 650 356 00 80 (DB 624 356 00 80) 1 pc washer 007603 024106 size: 24x29x2 CU 1 pc washer 007603 045100 size: 45x52x2 ALU
94501	624 350 00 35	 <p>Combi gasket kit</p> <p>Contents:</p> <ul style="list-style-type: none"> 1 pc lock plate dia 121 DB 355 356 01 73 1 pc lock plate dia 106 DB 346 356 00 73 1 pc oil seal outside DB 016 997 56 47 size: 145x175x14 NBR
		<ul style="list-style-type: none"> 1 pc oil seal inner DB 011 997 12 46 size: 145x175x13 NBR 1 pc O-ring green 016 997 40 48 size: 255x5 FPM 1 pc paper gasket steel plug 650 356 00 80 (DB 624 356 00 80) 1 pc paper gasket cast iron plug DB 650 356 01 80 (346 334 00 80) 1 pc washer 007603 024106 size: 24x29x2 CU 1 pc washer 007603 045100 size: 45x52x2 ALU
80056	624 356 00 80KS	 <p>Combi gasket kit</p> <p>Contents:</p> <ul style="list-style-type: none"> 1 pc lock plate dia 121 DB 355 356 01 73 1 pc lock plate dia 106 DB 346 356 00 73
		<ul style="list-style-type: none"> 1 pc oil seal outside DB 011 997 00 46 size: 145x175x14 NBR 1 pc oil seal inner DB 011 997 01 46 size: 145x175x13 NBR 1 pc O-ring black DB 002 997 42 48 size: 255x5 NBR 1 pc paper gasket steel plug 650 356 00 80 (DB 624 356 00 80) 1 pc paper gasket cast iron plug DB 650 356 01 80 (346 334 00 80) 1 pc washer 007603 024106 size: 24x29x2 CU 1 pc washer 007603 045100 size: 45x52x2 ALU

Repair kit for ABS rear axle

dph-no.	OEM-no.	application	
109852	624 356 00 80SA		<p>size: 145 x 175 x 14 NBR 1 pc oil seal inner DB 011 997 01 46 size: 145 x 175 x 13 NBR 1 pc O-ring black DB 002 997 42 48 size: 255 x 5 NBR 1 pc paper gasket steel plug DB 650 356 00 80 1 pc washer 007603 024106 size: 24 x 29 x 2 CU 1 pc washer 07603 045100 size: 45 x 52 x 2 ALU</p>
		Repair kit rear axle, outside planetary gear	
		Contents:	
		1 pc lock plate dia 106 DB 346 356 00 73	
		1 pc oil seal outside DB 011 997 00 46	
81548	346 334 00 80S		<p>1 pc oil seal inner DB 011 997 01 46 size: 145 x 175 x 13 NBR 1 pc O-ring black DB 002 997 42 48 size: 255 x 5 1 pc paper gasket steel plug DB 346 334 00 80 1 pc washer 007603 024106 size: 24 x 29 x 2 CU 1 pc washer 007603 045100 size: 45 x 52 x 2 ALU</p>
		Gasket set for outside planetary gear with cast iron plug	
		Contents:	
		1 pc lock plate dia 121 DB 355 356 01 73	
		1 pc oil seal outside DB 011 997 00 46 size: 145x175x14 NBR	
81527	APL short set NBR		<p>Contents:</p> <p>1 pc oil seal outside DB 011 997 00 46 size: 145 x 175 x 14 NBR 1 pc oil seal inner DB 011 997 01 46 size: 145 x 175 x 13 NBR 1 pc O-ring black DB 002 997 42 48 size: 255 x 5</p>
81528	APL short set FPM	Contents:	
		1 pc oil seal outside DB 011 997 4446 size: 145 x 175 x 14 NBR BS green	
		1 pc oil seal inner DB 011 997 4346 size: 145 x 175 x 13 NBR C green	
		1 pc O-ring green DB 016 997 4048 size: 255 x 5	
93469	383 350 00 68		<p>Seal kit for rear wheel hub</p> <p>Contents:</p> <p>1 pc oil seal DB 004 997 7745 size: 115 x 150 x 13 NBR C 1 pc DB 327 356 01 80 1 pc DB 322 356 01 79 1 pc DB 322 356 01 73</p>
93470	385 350 00 68		<p>Seal kit for rear wheel hub</p> <p>Contents:</p> <p>1 pc oil seal DB 015 997 5647 size: 125 x 150 x 15/13 NBR A/BS WD 1 pc DB 317 356 00 80 1 pc DB 070952 085102</p>







● Repair kit for ABS rear axle







dph-no.	OEM-no.	application
48174	385 350 02 68	 <p>Seal kit for rear wheel hub</p> <p>Contents: 1 pc oil seal DB 010 997 81 47 (DB 006 997 05 46) size: 120 x 145 x 15/12 NBR C blue 1 pc DB 327 356 01 80 1 pc DB 070952 075103</p>
109823	942 350 39 35	 <p>Seal kit for Hypoid rear axle</p> <p>Contents: 1 pc oil seal DB 020 997 39 47 size: 145 x 175 x 17 1 pc lock washer 942 350 39 35 1 pc ABS seal ring DB 942 356 03 14 size: 150 x 196 x 15 1 pc cover plate DB 346 356 00 27 1 pc thrust ring DB 946 356 00 15</p>
109682	940 350 08 35	 <p>Seal kit for rear axle with ABS, 11,5 tons</p> <p>Contents: 1 pc oil seal DB 013 997 94 47 size: 145 x 175 x 13 FPM 1 pc oil seal DB 016 997 56 47 size: 14 5x 175 x 14 NBR</p>
109683	940 350 06 35	 <p>Seal kit for rear axle with ABS, 13 and 16 tons</p> <p>Contents: 1 pc oil seal DB 013 997 9447 size: 145 x 175 x 13 FPM</p>
		 <p>1 pc oil seal DB 016 997 56 47 size: 145 x 175 x 14 NBR 1 pc seal ring DB 942 356 03 15 size: 150 x 196 x 15 1 pc cover plate DB 346 356 00 27 1 pc paper gasket steel plug DB 650 356 00 80 1 pc seal ring 255 x 5 FPM 75 green 1 pc lock plate dia 106 mm DB 346 356 00 73 1 pc washer DB 007603 045100 size: 45 x 52 x 2 ALU 1 pc washer DB 007603 024106 size: 24 x 29 x 2 CU 1 pc thrust ring wheel hub DB 346 356 14 15</p>

● Repair kit for ABS front axle

dph-no.	OEM-no.	application
81517	355 356 01 73 S	 <p>Repair kit / Outside Planetary Gear</p> <p>Contents: 1 pc lock plate dia 121 DB 355 356 01 73 1 pc oil seal outside DB 015 997 57 47 size: 160 x 180 x 10/11 NBR</p>
		 <p>1 pc oil seal inner DB 011 997 17 46 size: 160 x 180 x 10 NBR 1 pc o-ring black DB 494 334 00 59 size: 270 x 6 NBR 1 pc paper gasket cast iron plug DB 346 334 00 80 1 pc paper gasket steel plug DB 624 356 00 80 1 pc washer 007603 024106 size: 24 x 29 x 2 CU 1 pc washer 007603 045100 size: 45 x 52 x 2 ALU</p>

Overview of most popular oil seal types acc to DIN 3760/3761

Application	Description
 A	rubber version with single lip
 AS	rubber version with sealing and dust lip
 AD	rubber version with 2 lips and 2 springs
 AW	rubber version with sealing lip and corrugated profile
 ASW	rubber version with sealing lip and dust lip and corrugated profile
 A/B	seal with combined elastomer/ metal outer cover

Application	Description
 B	metal cased open
 BS	metal cased open with dust lip
 C	metal cased closed
 CS	metal cased closed with dust lip
 BD	metal cased open with 2 lips
 A/BS	seal with combined elastomer/ metal outer cover with dust lip

Abbreviations at „style“

FL Washer
PR Profile seal
OR O-Ring
WR Oil seal

Complimentary definitions

RD Right hand helix
LD Left hand helix
WD Double helix
SF Special design
OF Without spring
V Reinforced seal lip
LA With sealant film
W Corrugated profile
SP Special

Abbreviations at „mat“ (material)

ACM Polyacryl rubber
FPM Fluor rubber (Viton)
MVQ Silicone rubber
NBR Nitril rubber
EPDM Ethylen-Propylen-Dien-rubber
PTFE Polyterafluorethylen
HNBR Hydrogenated NBR
AL Aluminium
CU Copper
FE Iron
FZ Felt

Standard terms and conditions

Standard Terms and Conditions of Trade and Delivery, as established by Dichtungspartner Hamburg GmbH, Ferdinand-Harten-Str. 15, 22949 Ammersbek, Germany, hereafter referred to as "dph":

Application

The terms and conditions set out below form part of all contracts for services, supplies and quotations by dph. Sales shall be made solely on the basis of the terms and conditions below. Ancillary agreements and amendments shall only be deemed valid if in writing.

If our contracting partner has its own terms and conditions which differ from dph's terms and conditions, we shall only be bound by the aforementioned terms and conditions of the contracting partner if we specifically accept them in writing on conclusion of the contract. We hereby specifically state that we shall not accept a counter-confirmation by the customer with reference to its own terms and conditions.

Quotations

All quotations are subject to change. We shall not be bound by any arrangements made orally, by telegraph or telephone until we have issued a written confirmation. Any details given in brochures, advertisements, etc., including prices, shall not be binding until specifically agreed in writing.

Prices

Our prices are given in euros (EUR) ex works and exclude German VAT. Prices exclude postage/delivery, packing and insurance.

Delivery

1. Prices are given ex works. Unless free delivery has been agreed, the purchaser shall bear the costs associated with dispatch/shipment. It shall also bear costs ex delivery destination. Freight refunds are not granted. The goods shall be insured only if the customer so requests in writing, and insurance shall be at the customer's expense.
2. Collection and dispatch of the goods ex works or distribution warehouse is in all cases at the customer's risk.
3. We reserve the right to charge a minimum-quantity flat rate or a minimum cost-contribution flat rate for small orders.
4. In the case of blanket/call orders, we are entitled to procure the material for the whole order and to manufacture the entire quantity ordered immediately. Any change requests by the customer cannot be accepted after the order has been placed, unless this was specifically agreed.

Payment

1. Our invoices are payable in euro (EUR).
2. Invoiced amounts are payable (free of dispatch costs and other expenses) within 14 days after invoice date less 2% discount, or within 30 days after invoice date without deduction. Default interest is payable at the rate of 8% above the base interest if payment is late.
3. Cheques shall be regarded as cash payments, provided they have been sent to us in sufficient time that they can be cashed within the above payment periods.
4. Only payments made at the place of performance have the effect of discharging obligations. Payments made to employees of our company shall only discharge obligations if such employees have the appropriate collecting power (Inkassovollmacht).
5. If it becomes apparent after conclusion of the contract that our claim to payment may be in jeopardy because the customer is not able to discharge its obligations, then any other debt claims we have shall become due and payable immediately. In this event, we are entitled to make any remaining deliveries subject to payment in cash or the provision of security. This will not affect any further legal claims.
6. The customer may only set off payments against counterclaims which we have accepted or which have the authority of a final court judgment. This also applies to the retention of payments.

Tools and equipment

Tools and equipment which we manufacture or engage a third party to manufacture shall be our property, even if our customer pays part of the manufacturing costs.

Packaging

Paper packaging shall be subject to the lowest-possible charge. Chests, crates, barrels, sacks and other types of packaging shall be invoiced and, if returned freight-paid and in good condition within 4 weeks after receipt of the delivery, a credit note will be issued for 2/3 of the amount charged. In the event that a rail company classifies a delivery as inadequately packed, this may not be used against us.

Periods of delivery

1. The periods of delivery shall begin when all details of the order have been explained, however, not before the purchaser has fulfilled any contractual obligations which must be performed beforehand. The delivery date is deemed to have been met if the goods have left the warehouse by the end of such date or, if the delivery is delayed for reasons not attributable to us, on notification that the goods are ready for dispatch within the agreed period of delivery.
2. The delivery obligation is subject to the condition that dph has been supplied correctly and in due time by its suppliers.
3. Partial deliveries within the agreed time and quantities are permissible and may be invoiced separately.
4. If any acts of force majeure, industrial disputes or their consequences or other events which are outside the scope of our control delay the performance of our delivery obligation, regardless of whether they affect us or our sub-contractors, the period of delivery shall be extended by the length of such delay. Both parties shall have the right to cancel the contract if the delivery later becomes impossible or unreasonable for one of the parties due to an event of the above nature.
5. The purchaser is entitled to terminate the contract, in accordance with the legal provisions, in the event of delay or if delivery is impossible for reasons attributable to us. If the delivery is delayed and if the purchaser thereby suffers loss, it is entitled to demand a lump-sum amount as compensation for the delay. Such compensation shall be, for each full week of delay, 0.5% of the value of that portion of the total delivery which, as a result of the delay, cannot be used on time or in accordance with the contract, up to a maximum of 5% of such value.
6. If delivery is delayed at the purchaser's request, the purchaser shall be charged the costs of storage, commencing 2 weeks after notification that delivery is ready, subject to a minimum charge of 1% of the invoice amount for each week.

Tolerances

Any recommendations we give as to the use of our products are made to the best of our knowledge. The purchaser is at all times under an obligation to satisfy itself by means of its own enquiries that the goods delivered are suitable for the intended purpose. Deviations from samples and earlier deliveries are permissible if they do not affect quality and use. We reserve the right to deviations in quantity of $\pm 10\%$.

Complaints and liability for defects

1. Immediately after receipt, the purchaser must inspect the goods and give written notification promptly, or no later than within 10 days after receipt, of any obvious visible defects, incorrect quantities or incorrect deliveries, specifying the defect. In the case of latent defects, it must do this within 10 days after discovery of the defect.
2. If there are defects, we guarantee as follows: We shall, at our discretion, replace free of charge or repair all parts which prove to be unusable or whose use is not inconsiderably affected as a result of circumstances existing before risk was transferred.

3. The purchaser is entitled to rescission of the contract or to a reduction in price if we allow a reasonable extension of time for post-performance or repairs to elapse without resolving the defect, or if more than one attempt at post-performance or repair does not resolve the defect. If we deliver a defect-free item for the purpose of supplementary performance, or if the purchaser rescinds the contract, then it must pay value-related compensation for the benefit derived. The value of the benefit derived shall be determined by pro rata temporis straight-line depreciation in the ratio between the actual period of use and the estimated useful life.
4. The statutory limitation period of 2 years shall apply to notification of defects under Section 437 BGB (Bürgerliches Gesetzbuch – German Civil Code).
5. The provisions below under "General Liability" shall apply to liability to pay compensatory damages for liability for defects.

General liability

1. Without prejudice to the provisions under point 5 of "Periods for delivery", claims for damages of any kind in connection with and apart from liability for defects are excluded – for delay or impossibility, for breach of other contractual obligations, for mistakes on conclusion of the contract, for tort or for any other legal reason, in particular also for damages which do not occur to the items delivered themselves. There shall only be liability where there is intentional conduct, gross negligence, culpable injury to life, limb or health, defects which we have fraudulently concealed, on assumption of a warranty made regarding the existence of any specific feature or for defects in the items delivered, to the extent that there is liability under product liability laws for material damage to privately used items and for personal injury.
2. We shall also be liable for culpable breach of essential contractual obligations. However, provided there is no gross fault, such liability shall be limited to damage which is deemed typical as regards this type of contract and reasonably foreseeable.

Returns

Returns which are not based on a legal claim shall only be accepted, carriage paid, with our express written consent. As compensation for the costs incurred on any return, we shall retain from the credit note a corresponding reduction in the net invoiced value of the goods, subject to a minimum of 20% of the net invoiced value of the goods.

Reservation of title

1. The goods delivered shall remain our property until all outstanding amounts owed to us in connection with the business relationship, including incidental expenses, have been paid. If operating an open account, the property subject to the reservation of title shall be deemed to be security for our current account.
2. If our goods are combined or mixed with other goods which do not belong to us, we shall have joint ownership in the new object or the mixed item in proportion to the invoice value of the goods subject to the reservation of title compared with the value of the other combined or mixed goods at the time they were combined or mixed. If, as a result of combination, the purchaser acquires sole ownership in the new item, it hereby assigns to us joint ownership in the new item in proportion to the invoice value of our goods subject to the reservation of title compared with the value of the other combined goods remaining at the time they were combined, and shall keep such item in custody for us using the care of a prudent merchant.
3. Resale of the goods delivered, even if combined or mixed, is only permitted to resellers in the usual course of business and subject to the reservation of title and only if the debt claim arising from the resale is assigned to us. The purchaser may not pledge the goods as collateral nor transfer ownership therein by way of security, nor may it agree on a non-assignment clause. The purchaser must notify us immediately if there is any pledge or any other third-party action which may affect our rights.
4. The purchaser hereby assigns to us in advance any outstanding debts owed to it from the resale or for any other legal reason in respect of the goods we have supplied, both existing and arising in future as soon as they come into being. We accept such assignment. The value of the goods subject to the

reservation of title shall be our invoice amount plus a security premium of 10% which shall however not apply if third-party rights present an obstacle to this. If our goods are resold after they have been combined or mixed with other goods, or if the new item which arises through combination is resold, the claim against the purchaser's customer will be assigned in the amount of the invoice value of our processed, combined or mixed item, or up to the amount which corresponds to our share in the joint property, if this is lower.

5. The purchaser is entitled to collect the debt claims assigned provided that it duly fulfils its payment obligations to us.
6. If the value of the security assigned to us exceeds our debt claims by more than 10% in total, we are under an obligation to release the securities of our choice upon request by the purchaser. Ownership in the goods subject to the reservation of title and the assigned debt claims shall pass to the customer on payment of all our debt claims in connection with the business relationship.

Property rights

If we have made our supplies in accordance with drawings, models, samples or other documents provided by the purchaser, the purchaser guarantees that third-party property rights are not breached. If a third party claims in such a case that we are breaching a property right, e.g. through the manufacture or supply of the goods, then we shall be entitled, without further inspection, to discontinue our activity subject to our other rights. The purchaser undertakes to notify us immediately if there are any risks of breach or alleged cases of breach as soon as they become known.

Place of performance, jurisdiction, applicable law, general

1. The place of performance for deliveries and payments is Ammersbek. The courts of Ahrensburg will have jurisdiction for any disputes with traders or with people who do not have a legal domicile within Germany – even in the cases involving bills of exchange and cheques. We are also entitled, at our discretion, to bring an action against the purchaser before the courts which have jurisdiction in the place where the purchaser has its head office.
2. German law will apply to the contractual relationship. The provisions of UN sales of goods law will not apply.
3. The latest version of Incoterms 2000 will apply if clauses defined in the Incoterms are agreed.

Data storage

As required by Section 28 of the Bundesdatenschutzgesetz (Federal Data Protection Act - BDSG), we draw attention to the fact that the data necessary for the purposes of our business will be processed and stored using data processing equipment in accordance with Section 33 of the BDSG. The purchaser agrees that we may use the data obtained from our business relationship with it, in accordance with data privacy provisions, only for our own business purposes.

Severability and concluding provision

If any individual provisions of these Terms and Conditions should be void, this shall not affect the validity of the remaining provisions. Any provision which is void will be replaced by a valid provision which comes as close as possible to the purpose sought by the void provision. This is an English translation of the original Standard Terms and Conditions. In the event of any conflict or inconsistency between the English translation and the German original, the German original shall prevail. Neither the Company nor the Language Professional can accept liability for any direct, indirect, special, consequential or other losses or damages arising out of erroneous translations. Only the German version shall be deemed authoritative.

Date: June 2004

We supply gaskets and other spare parts worldwide



D.E. SIEVERS DESIGN, Hamburg · Fotos: Walter Fey · Development: Alexandra Gilbert

Dichtungspartner Hamburg GmbH

Ferdinand-Harten-Straße 15
D-22949 Ammersbek
Germany

P.O. Box 651144
D-22371 Hamburg
Germany

Phone ++49 (0)40-66 86 13-0
Fax ++49 (0)40-66 86 13-90

E-mail service@dph.de
www.dph.de



Dichtungspartner Hamburg