

**AUTOCARRI E AUTOBUS
TRUCKS AND BUSES**
DAF

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
1003.01	1291233	Silent-Bloc barra stabilizzatrice anteriore Silentblock, front stabilizer bar 2x / 75/85CF - CF75/85 - CF75/85 II - CF75/85 IV 2x / F75/85/95 - FT95 500 2x / 95XF - 95XF 530 - XF 95 - XF95 II - XF105 - YZ95 2x / BUS KD $\varnothing_1 = 43 \text{ mm} - \varnothing_2 = 61.5 \text{ mm}$ $L = 60 \text{ mm}$	
1003.02	0366351	Silent-Bloc barra stabilizzatrice posteriore Silentblock, rear stabilizer bar 2x / LF55 - LF55 IV 2x / 75/85CF - CF65/75/85 - CF65/75/85 II - CF65/75/85 IV 2x / 95XF - 95XF 530 - XF95 - XF95 II - XF105 2x / F65/75/85/95 - FT95 500F2300/2700 2x / BUS SB200 $\varnothing = 63 \text{ mm} - L = 60.5 \text{ mm}$	
1003.03	0558864	Silent-Bloc barra stabilizzatrice posteriore Silentblock, rear stabilizer bar 2x / 65/75/85CF - CF65/75 - CF75/85 II - CF75/85 IV 2x / F1900/2300/2700 - F65/75/85/95 2x / 95XF - XF95 - XF105 $\varnothing = 57 \text{ mm} - L = 60.5 \text{ mm}$	
1003.04	0295726	Silent-Bloc braccio barra stabilizzatrice posteriore Silentblock, rear stabilizer bar rod 2x / 65/75/85CF - CF85 2x / F65/75/85/95 - FT95 500 - F1700/1900/2300/2700 2x / 95XF - 95XF 530 2x / BUS MB230 - SB200/220 - SB2300/3000 - SBG220 $\varnothing_1 = 20 \text{ mm} - \varnothing_2 = 55 \text{ mm}$ $L_1 = 50 \text{ mm} - L_2 = 56 \text{ mm}$	
1003.05	1283618	Silent-Bloc attacco barra stabilizzatrice Silentblock, stabilizer bar fastening 2x / LF55 2x / 65/75/85CF - CF65/75/85 - CF65/75/85 II - CF65/75/85 IV 2x / F1700/1900/2300/2700 - F65/75/85/95 - FT95 500 2x / 95XF - 95XF 530 - XF95 - XF95 II - XF105 2x / BUS CKD - KD - SB200/3000 - TB2175 - TRB2175 $\varnothing_1 = 20 \text{ mm} - \varnothing_2 = 60 \text{ mm}$ $L_1 = 53 \text{ mm} - L_2 = 59.5 \text{ mm}$	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
1003.06	1273279	Silent-Bloc braccio barra stabilizzatrice anteriore Silentblock, front stabilizer bar rod 4x / 65/75/85CF - CF65/75/85 - CF75 II - CF75 IV 4x / F65/75/85/95 - FT95 500 4x / 95XF - 95XF 530 - XF95 - XF95 II - XF105 - YTZ95 4x / BUS CKD - DM - KD - SB120/200/210/230/2100/4000 4x / BUS SBR230/4000 - TB2175 - TBR2175 $\varnothing_1 = 16 \text{ mm} - \varnothing_2 = 46.5 \text{ mm}$ $L_1 = 26 \text{ mm} - L_2 = 50 \text{ mm}$	
1003.07	1290794	Silent-Bloc supporto barra stabilizzatrice cabina Silentblock, cab, stabilizer bar support 2x / F95 - FT95 500 2x / BUS KD $\varnothing_1 = 20 \text{ mm} - \varnothing_2 = 60 \text{ mm}$ $L_1 = 39 \text{ mm} - L_2 = 48 \text{ mm}$	
1003.08	1396202	Silent-Bloc barra stabilizzatrice cabina Silentblock, cab, stabilizer bar 2x / 65/75/85CF - F75/85 2x / BUS CKD - KD $\varnothing_1 = 20 \text{ mm} - \varnothing_2 = 85 \text{ mm}$ $L = 24 \text{ mm}$	
1003.09	1314545	Silent-Bloc leva ribaltamento cabina Silentblock, cab tilting lever 2x / 75/85CF - F95 2x / 95XF - 95XF 530 - XF95 - XF95 II - XF105 $\varnothing_1 = 20 \text{ mm} - \varnothing_2 = 90 \text{ mm}$ $L_1 = 54 \text{ mm} - L_2 = 70 \text{ mm}$	
1003.10	1288000	Silent-Bloc barra stabilizzatrice anteriore e *anter./poster. Silentblock, front and *front/rear stabilizer bar 2x / 65/75/85CF - CF65/75/85 - CF75/85 II - CF75/85 IV 2x / F1700/1900*2500 - F65/75/85/95 2x / 95XF - XF95 2x / BUS CKD - DM - KD - SB200/210/2100 - TB/TBR2175 $\varnothing_1 = 39 \text{ mm} - \varnothing_2 = 69 \text{ mm}$ $L = 60 \text{ mm}$	






LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
1003.11	0293898	<p>Silent-Bloc braccio barra stabilizzatrice anteriore Silentblock, front stabilizer bar rod 2x / 1100/1300 2x / BUS MB230 - MBG200 - SB2300/3000</p> <p>Silent-Bloc attacco barra stabilizzatrice posteriore Silentblock, rear stabilizer bar rod 2x / 1100/1300 - F1100/1300 2x / BUS MB230 - MBG200 - SB230/2300/2700/2750/3000 2x / BUS SBR3000/3015</p> <p>$\varnothing_1 = 20.5 \text{ mm} - \varnothing_2 = 55 \text{ mm}$ $L_1 = 40 \text{ mm} - L_2 = 54.5 \text{ mm}$</p>	
1003.12	0654792	<p>Silent-Bloc balestra posteriore Silentblock, rear leaf spring 2x / 75/85CF - CF75/85 - CF75/85 IV 2x / F2100/2300/2500/2700/2800/2900/3200/3300/3600 2x / F75/85/95 2x / 95XF - XF95 - XF105</p> <p>$\varnothing_1 = 34 \text{ mm} - \varnothing_2 = 50 \text{ mm}$ $L_1 = 97.5 \text{ mm} - L_2 = 144 \text{ mm}$</p>	
1003.13	1357764	<p>Silent-Bloc balestra anteriore Silentblock, front leaf spring 2x / LF55 2x / 65/75/85CF - CF65/75/85 2x / XF95 - XF105 - YTZ95</p> <p>$\varnothing_1 = 24 \text{ mm} - \varnothing_2 = 63 \text{ mm}$ $L_1 = 70 \text{ mm} - L_2 = 86 \text{ mm}$</p>	
1003.14	1368283	<p>Silent-Bloc balestra anteriore, *posteriore e **anter./poster. Silentblock, front, *rear and **front/rear leaf spring 2x / *65/*75/*85CF 2x / *CF65 - **CF75/85 - **CF85 II - **CF75/85 IV 2x / XF95 - XF105 2x / BUS *KD</p> <p>$\varnothing_1 = 24 \text{ mm} - \varnothing_2 = 63 \text{ mm}$ $L_1 = 90 \text{ mm} - L_2 = 106 \text{ mm}$</p>	
1003.15	1284698	<p>Silent-Bloc cambio Silentblock, gearbox F95 BUS KD</p> <p>$\varnothing_1 = 20 \text{ mm} - \varnothing_2 = 38 \text{ mm}$ $L_1 = 28 \text{ mm} - L_2 = 34 \text{ mm}$</p>	






**AUTOCARRI E AUTOBUS
TRUCKS AND BUSES**
DAF

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
1003.16	1402584	Silent-Bloc barra stabilizzatrice posteriore Silentblock, rear stabilizer bar 2x / CF65 - F55 - LF55 - LF55 IV $\varnothing = 64 \text{ mm} - D = 111 \text{ mm} - F = 19 \text{ mm}$	
1003.17	0082522	Silent-Bloc barra stabilizzatrice Silentblock, stabilizer bar 2x / YTZ95 2x / BUS MB230 - SB230/2300/2700/2750/4000 2x / BUS SBR230/3000/3015/4000 $\varnothing = 55 \text{ mm} - D = 100 \text{ mm} - F = 17 \text{ mm}$	
1003.18	1403089	Silent-Bloc supporto cabina Silentblock, cab support 2x / LF45 - LF55 $\varnothing_1 = 11 \text{ mm} - \varnothing_2 = 41,5 \text{ mm}$ $L_1 = 26 \text{ mm} - L_2 = 38 \text{ mm}$	
1003.19	1371070	Silent-Bloc barra stabilizzatrice cabina Silentblock, cab, stabilizer bar 2x / 1260VS - 65/75/85CF 2x / CF65/75/85 - CF65/75/85 II - CF65 III - CF65/75/85 IV 2x / BUS KD - SB4000 $\varnothing_1 = 31 \text{ mm} - \varnothing_2 = 73.5 \text{ mm}$ $L = 26 \text{ mm}$	
1003.20	1405552	Silent-Bloc supporto barra stabilizzatrice cabina Silentblock, cab, stabilizer bar support 2x / LF45 - LF45 II - LF45 IV - LF55 - LF55 IV $\varnothing_1 = 14.5 \text{ mm} - \varnothing_2 = 40 \text{ mm}$ $L_1 = 68.5 \text{ mm} - L_2 = 80.5 \text{ mm}$	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
1003.21	1402564	Silent-Bloc barra stabilizzatrice posteriore Silentblock, rear stabilizer bar 2x / LF45 - LF45 IV $\varnothing = 41.5 \text{ mm} - D = 100 \text{ mm} - F = 10.5/17 \text{ mm}$	
1003.22	1405437	Silent-Bloc supporto barra stabilizzatrice cabina Silentblock, cab, stabilizer bar support 2x / LF45 - LF55 $\varnothing_1 = 29 \text{ mm} - \varnothing_2 = 70 \text{ mm}$ $L_1 = 100 \text{ mm} - L_2 = 117 \text{ mm}$	
1003.23	1703231 (1401465)	Silent-Bloc sospensione posteriore Silentblock, rear suspension Sospensioni pneumatiche / Air spring suspension 2x / LF45 - LF45 II - LF45 IV $\varnothing_1 = 12 \text{ mm} - \varnothing_2 = 52 \text{ mm}$ $L = 74 \text{ mm}$	
1003.24	1400396 (ACHF431)	Silent-Bloc braccio barra stabilizzatrice anteriore Silentblock, front stabilizer bar rod 2x / CF65 - CF65 II - CF65 IV 2x / LF45/55 - LF45 II - LF45/55 IV $\varnothing_1 = 17 \text{ mm} - \varnothing_2 = 36.5 \text{ mm}$ $L = 48 \text{ mm}$	
1154.05	0689748	Kit revisione barra di reazione Axle rod repair kit Sospensioni pneumatiche / Air spring suspension Barra superiore / Upper arm 75/85CF - CF75/85 - CF75/85 II - CF75/85 IV - F75/85/95 95XF - XF95 - XF95 II - XF105 BUS MB230 - SB230/2300/2700/2750/3000/4000 BUS SBR3000/3015 $\varnothing = 75 \text{ mm} - D = 115 \text{ mm} - F = 17 \text{ mm}$	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
1154.10	0689749	Kit revisione barra di reazione Axle rod repair kit Sospensioni pneumatiche / Air spring suspension Barra inferiore / Lower arm BUS MB230 - SB2300/2700/2750/3000/4000 - SBR3000/3015 $\varnothing = 85 \text{ mm} - D = 130 \text{ mm} - F = 19 \text{ mm}$	
1154.18	0067354	Kit revisione barra di reazione Axle rod repair kit BUS MB230 - MBG200 BUS SB230/2300/2700/2750/3000 - SBR3000/3015 $\varnothing = 75 \text{ mm} - D = 130 \text{ mm} - F = 19 \text{ mm}$	
1154.20	0691703	Kit revisione barra di reazione Axle rod repair kit F1600/2100/2300/2500/2700/2800/2900/3200/3300/3600 $\varnothing = 85 \text{ mm} - D = 152 \text{ mm} - F = 21 \text{ mm}$	
1154.21	1445656	Kit revisione barra di reazione asse posteriore (centrale) Repair kit for rear axle, guide rod (middle) LF55 65/75/85CF - CF65/75/85 - CF75/85 II - CF75/85 IV XF95 - XF95 II - XF105 $\varnothing = 108 \text{ mm} - L = 68 \text{ mm}$	
1154.24	1321936	Kit revisione barra di reazione asse posteriore Repair kit for rear axle, guide rod 2x / F75 - 75/85CF - CF75/85 - CF85 II - CF75/85 IV $\varnothing = 67 \text{ mm} - D = 130 \text{ mm} - F = 19 \text{ mm}$	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
1154.25	1252284	Kit revisione barra di reazione Axle rod repair kit 85CF - F2100 BUS DB250 $\varnothing = 75 \text{ mm} - D = 130 \text{ mm} - F = 21 \text{ mm}$	
1154.26	1376729	Kit revisione barra di reazione (laterale) Axle rod repair kit (lateral) Sospensioni pneumatiche / Air spring suspension 65/75/85CF - CF65/75/85 - CF75/85 II - CF75/85 IV LF55 - LF55 IV - F65/75/85/95 - F2300/2700 95XF - 95XF 530 - XF95 - XF95 II - XF105 $\varnothing = 75 \text{ mm} - D = 152 \text{ mm} - F = 23 \text{ mm}$	
1154.27	0698724	Kit revisione barra di reazione (laterale) Axle rod repair kit (lateral) Sospensioni pneumatiche / Air spring suspension 65/75/85CF - CF65/75/85 - CF75/85 II - CF75/85 IV LF55 - LF55 IV - F65/75/85/95 - F2300/2700 95XF - 95XF 530 - XF95 - XF95 II - XF105 $\varnothing = 85 \text{ mm} - D = 152 \text{ mm} - F = 23 \text{ mm}$	
1154.30	0691709	Kit revisione barra di reazione Axle rod repair kit 65/75/85CF - 95XF - 95XF 530 - CF75/85 - CF85 II - CF75/85 IV F1700/1900/2100/2300/2500/2700/2800/2900/3200/3300/3600 F65/75/85/95 - FT95 500 XF95 - XF105 BUS CKD - DB250 - DM - KD BUS SB220/225/3000/4000 - SBG220 $\varnothing = 85 \text{ mm} - D = 130 \text{ mm} - F = 21 \text{ mm}$	
1154.35	0696321	Kit revisione barra di reazione (laterale) Axle rod repair kit (lateral) Sospensione meccanica 1T / Mechanical suspension 1T 75/85CF - CF75/85 - CF85 II - CF75/85 IV - F75/85/95 N2800 - 865 AVM F2100/2300/2500/2700/2800/2900/3200/3300/3600 95XF - 95XF 530 - XF95 - XF105 BUS CKD - DM - KD - SB220/250/3000 - SBG220 - TB2175 $\varnothing = 95 \text{ mm} - D = 152 \text{ mm} - F = 23 \text{ mm}$	






LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
1155.00	0693778	Kit revisione barra di reazione con perno (laterale) Axle rod repair kit with ball bolt (lateral) Sospensioni pneumatiche / Air spring suspension 75CF - CF85 - CF85 II - CF85 IV - F95 95XF - XF95 - XF95 II - XF105 $\varnothing = 80 \text{ mm} - D = 152 \text{ mm} - F = 21 \text{ mm}$	
1155.01		Kit revisione barra di reazione senza perno (laterale) Axle rod repair kit without ball bolt (lateral) Sospensioni pneumatiche / Air spring suspension 75CF - CF85 - CF85 II - CF85 IV - F95 95XF - XF95 - XF95 II - XF105 <i>vedi anche / see also 1155.00</i>	
1155.10	0696320	Kit revisione barra di reazione con perno (centrale) Axle rod repair kit with ball bolt (central) Sospensione meccanica 1T / Mechanical suspension 1T 75/85CF - CF75/85 - CF85 II - CF75/85 IV F75/85/95 - N2800 - 865 AVM F2100/2300/2500/2700/2800/2900/3200/3300/3600 95XF - 95XF 530 - XF95 - XF105 - YTZ95 BUS CKD - DM - KD - SB250/3000 - TB2175 $\varnothing = 90 \text{ mm}$	
1155.13	1271124	Kit revisione barra di reazione (laterale) Axle rod repair kit (lateral) Sospensioni pneumatiche / Air spring suspension 75CF - CF85 - CF85 II - CF85 IV - F95 95XF - XF95 - XF105 $\varnothing = 72 \text{ mm} - D = 130 \text{ mm} - F = 19 \text{ mm}$	
1155.15	0691704 0069600 1398368	Kit revisione barra di reazione con perno (centrale) Axle rod repair kit with ball bolt (central) Sospensioni pneumatiche / Air spring suspension 75/85CF - F75/85/95 - FT95 500 F1900/2300/2700 95XF BUS SB200 $\varnothing = 72 \text{ mm}$	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
1155.18	1376730	<p>Kit revisione barra di reazione con perno (centrale) Axle rod repair kit with ball bolt (central)</p> <p>Sospensioni pneumatiche / Air spring suspension 65/75/85CF - CF85 - F65/75/85/95 F2300/2700 95XF - 95XF 530</p> <p>$\varnothing = 72 \text{ mm}$</p>	
1205.00	0672232	<p>Supporto anteriore motore Engine mounting, front side</p> <p>2x / 620/825/865/1160 AVM 2x / F1900/2100/2300/2500/2700 - TT2100 2x / BUS KD - SB2300/2700 - TB2100</p>	
1205.05	1252280	<p>Supporto posteriore motore Engine mounting, rear side</p> <p>2x / 865/1160 AVM - F75/85/95 2x / BUS CKD - DM - KD - MB230 - SBR3015</p> <p>Parte interna di / Inner side of: DAF 1212816 - 1212817</p>	
1205.10	0742607	<p>Supporto posteriore motore Engine mounting, rear side</p> <p>2x / 920/1160AVM - 920/1260VS - 1260PP 2x / F75/95 - 75/85CF - CF75/85 - CF85 II - CF85 IV 2x / 95XF - XF95 2x / BUS CKD - KD - SB230/4000 2x / BUS SBR230/4000 - TB/TBR2175</p> <p>Parte interna di / Inner side of: DAF 1292417 - 1292418 - 1292419</p>	
1205.15	1664140 (0078015)	<p>Supporto anteriore motore Engine mounting, front side</p> <p>2x / 865/920/1160 AVM - 920/1260VS - 1260PP 2x / 75/85CF - CF75/85 - CF85 II - CF85 IV - F2100 2x / F75/85/95 2x / 95XF - XF95 - YTZ95 2x / BUS CKD - DB250 - DM - KD - MB230 2x / BUS SB230/250/3000/4000 - SBR230/3000/3015/4000 2x / BUS TB2175 - TBR2175</p>	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
1593.59	1290795	Silent-Bloc supporto barra stabilizzatrice cabina Silentblock, cab, stabilizer bar support 4x / F95 - FT95 500 4x / BUS KD $\varnothing_1 = 51 \text{ mm} - \varnothing_2 = 83/85 \text{ mm}$ $L = 8 \text{ mm}$	
1593.60	1425160 (1366868)	Supporto anteriore cabina, barra anti-rollio Rubber mounting, cab, anti-roll bar 2x / 1260VS 2x / 65/75/85CF 2x / CF65/75/85 - CF65/75/85 II - CF65 III - CF65/75/85 IV 2x / BUS KD - SB4000 $\varnothing_1 = 20 \text{ mm} - \varnothing_2 = 74.5 \text{ mm}$ $L_1 = 56 \text{ mm} - L_2 = 62 \text{ mm}$	
1607.21	1628826 (1656439)	Paracolpo fogli balestra anteriore Rubber buffer, front leaf spring 4x / 65/75/85CF 4x / CF65/75/85 - CF85 II - CF75/85 IV 4x / XF95 - XF105	
1607.26	1628828 (1656440)	Paracolpo fogli balestra anteriore Rubber buffer, front leaf spring 4x / CF75/85 - CF85 II - CF75/85 IV 4x / XF95 - XF105	
1690.10	0361477	Paracolpo laterale balestra anteriore Rubber buffer, front leaf spring, lateral side 4x / 65/75/85CF 4x / F1700/1900/2300/2500/2700 - F65/75/85/95 - FT95 500 4x / 95XF - 95XF 530 - XF95 - XF105 4x / TT2100 4x / BUS KD - SB200/201	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
1690.11	0266031	Paracolpo centrale balestra anteriore Rubber buffer, front leaf spring, central side 2x / 65/75/85CF 2x / F1700/1900/2500 - F65/75/85/95 - FT95 500 2x / 95XF - 95XF 530 - XF95 2x / TT2100 2x / BUS KD - SB200	
1690.12	0388486	Paracolpo sospensione posteriore Rubber buffer, rear suspension Sospensioni pneumatiche / Air spring suspension 2x / LF55 - LF55 IV 2x / 65/75/85CF - CF65/75/85 - CF65/75/85 II - CF65/75/85 IV 2x / F1900/2300/2700 - F65/75/85/95 - FT95 500 2x / 95XF - 95XF 530 - XF95 - XF95 II - XF105 2x / BUS SB200	
1696.25	1779767 (1699564)	Supporto balestra posteriore Hollow spring, rear leaf spring 2x / F75/85/95 2x / 75/85CF - CF75/85 - CF75/85 IV 2x / 95XF - 95XF 530 - XF95 - XF105 2x / BUS CKD - DM - KD	
2302.50	1233247	Tirante attacco presa aria cabina Rubber lug, cab, snorkel fastening 65/75/85CF - F65/75/85/95 - 920AVM - 1260VS 95XF - 95XF 530 - XF95 - XF95 II - XF105 - YTZ95 BUS CKD - DM - KD - TB2175	
2302.51	0285530 " " " " ^ ^ ^ ° ° *	Tirante *radiatore, ^presa aria cabina, "tub. scarico e °telaio Rubber lug, *radiator, ^snorkel, "exhaust pipe and °chassis 4x / 1000/1300 - F1100/./3600 - F75/85/95 - 620/825/1160AVM 4x / 85CF - BUS DB250 - KD - KD 1160 4x / BUS MB230 - MBG200 - N2800 - SB210/./4000 - SBG220 4x / BUS SBR3000/3015 - TB2100/2175 - TBR2175 2x / 1160 AVM - F1800/./3600 - F75/95 - XF95 - BUS KD 2x / BUS N2800 - SB200/220/230/3000/4000 - SBR230 2x / 75/85CF - CF85 - CF85 II - CF85 IV - 95XF - 95XF 530 2x / F75/85/95 - FT95 500 - XF95/105 - YTZ95 - BUS SB200 2x / 865AVM - BUS KD D = 41 mm - H = 30 mm - M8x20	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
2302.52	0221342	<p>Tirante *radiatore, ^presa aria cabina e °tubaz. di scarico Rubber lug, *radiator, ^snorkel and °exhaust pipe fastening *620/*825/*865/*1160AVM - *°1260PP - *°920/1260VS °65CF/*75CF/*85CF - °CF65/75 *^F2100/*F2300/*F2500/*F2700/^F2900 °F65/*F75/*F85/*^F95 - *FT95 500 *95XF - *95XF530 - *XF95 - *XF105 - *YTZ95 BUS *^°KD - *MB230 - *SB200/*^SB3000/*^SB4000 BUS *SBR3015 - *TB2175</p>	
2302.54	0088371	<p>Tirante attacco presa aria cabina Rubber lug, cab, snorkel fastening 1160 AVM F2100/2500/2900 - F95 95XF - 95XF 530 BUS KD - MB230 - SB200/3000</p>	
2302.56	0240693	<p>Tirante *radiatore, ^presa aria cabina, "tub. scarico e °telaio Rubber lug, *radiator, ^snorkel, "exhaust pipe and °chassis *825/*1160 AVM "F1700/1900 - °F2700 - *°F2300/2500/2800/2900/3200 *F1600/1800/2100/3300/3600 - °F95 BUS *DM - *CKD - *KD - *KD 1160 - *MB200 BUS *SB120/180/200/210/2100/2300/2700/2750/3000 BUS *"SB230/4000 - *"SBR230/3000/3015/4000 BUS *TB2100/2175</p>	
2545.00	0119140	<p>Boccola ammortizzatore anteriore/posteriore Rubber bush, front/rear shock absorbers 4x / 75/85CF - C75/F85 - CF75/85 IV - F75/85/95 4x / F2100/2300/2500/2700/2800/2900/3200/3300/3600 4x / 95XF - XF95 - XF105 4x / TT2100 4x / BUS MBG200 - SB2300</p> <p>Boccola asta di reazione gruppo di rinvio Rubber bush, idler unit rod 4x / 65/75CF - F65/75 - F1900/2300/2500 Ø = 25 mm - L = 26 mm</p>	
2691.01	0268043	<p>Boccola attacco barra stabiliz. anter./poster. ^e braccio anter. Plastic bush, front/rear stabilizer bar and ^front stabil. bar rod 4x / *65CF - *^F65/75/85/95 - *FT95 500 4x / *F1100/*1300/*^1700/*^1900 4x / *^F2100/*^2300/*^2500/*^2700/^2800/^2900 4x / ^F3200/^3300/*^3600 - ^TT2100 4x / BUS *KD - *SB200/210/2100 - ^TB2100 Ø = 25.5 mm - L = 23 mm</p> <p>*Solo anteriore / Front only</p>	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
2691.02	0538329	<p>Boccola braccio barra stabilizzatrice anteriore Plastic bush, front stabilizer bar rod 2x / 65/75/85CF 2x / F1700/1900/2100/2300/2500/2700 2x / F65/75/85/95 - FT95 500 2x / BUS CKD - DM - KD - SB200/210/2100 - TB2175</p> <p>Ø = 42 mm - L = 60 mm</p>	
2691.03	0268045	<p>Boccola barra stabilizzatrice posteriore e braccio Plastic bush, rear stabilizer bar and rod 4x / 65/75/85CF - CF75/85 - CF75/85 II - CF75/85 IV 4x / 95XF - XF95 - XF105 4x / F1700/1900/2100/2300/2500/2700/2900/3200/3300/3600 4x / F65/75/85/95 4x / BUS CKD - DM - KD - SB3000</p> <p>Ø = 50 mm - L = 75 mm</p>	
2691.04	0268044	<p>Boccola barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar 2x / 65/75/85CF - CF85 - CF85 II - CF85 IV 2x / F1900 - F65/75/85/95 2x / 95XF - XF95 - XF105</p> <p>Boccola barra stabilizzatrice anteriore Plastic bush, front stabilizer bar 2x / CF85 - 95XF</p> <p>Ø = 55 mm - L = 75 mm</p>	
2691.05	0274651	<p>Boccola attacco barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar fastening 4x / 75/85CF - CF85 4x / F65/75/85/95 - FT95 500 4x / F2300/2700 4x / 95XF - 95XF 530 4x / BUS SB200</p> <p>Ø = 50 mm - L = 23.5 mm</p>	
2691.06	0299109	<p>Boccola barra stabilizzatrice anteriore Plastic bush, front stabilizer bar 2x / F1600</p> <p>Ø = 40 mm - L = 81 mm</p>	

**AUTOCARRI E AUTOBUS
TRUCKS AND BUSES**
DAF

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
2691.07	0299110	<p>Boccola barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar 2x / F1600/1800/2100/2300/2500/2700/2800/2900 2x / F3200/3300/3600</p> <p>Boccola barra stabilizzatrice anteriore Plastic bush, front stabilizer bar 2x / F2100/2300/2500/2900/3200/3300/3600 2x / BUS TB2100</p> <p>Ø = 50 mm - L = 90 mm</p>	
2691.08	0299108	<p>Boccola attacco barra stabilizzatrice anteriore Plastic bush, front stabilizer bar fastening 2x / F1600/1700/2100/2300/2500/2700/2800/2900 2x / F3200/3300/3600 2x / F95 2x / BUS MB200 - N2800</p> <p>Boccola attacco barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar fastening 2x / F2300/2500 2x / BUS SB2300</p> <p>Ø = 25.5 mm - L = 49 mm</p>	
2691.09	0299106	<p>Boccola attacco barra stabilizzatrice anteriore Plastic bush, front stabilizer bar fastening 2x / F2100/2300/2500/3300/3600 - F75/85/95</p> <p>Boccola attacco barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar fastening 2x / 65/75/85CF - CF75/85 - CF75/85 IV - F65/75/85/95 2x / F1100/1300/1600/1700/1800/1900 2x / F2100/2300/2500/2700/2800/2900/3200/3300/3600 2x / 95XF - XF95 - XF105 2x / BUS KD - SB3000</p> <p>Ø = 30 mm - L = 56.5 mm</p>	
2691.10	0291280	<p>Boccola barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar 4x / F1100/1300</p> <p>Ø = 36 mm - L = 66 mm</p>	
2691.11	0278040	<p>Boccola barra stabilizzatrice anteriore Plastic bush, front stabilizer bar 2x / F1100/1300</p> <p>Ø = 37.5 mm - L = 52.5 mm</p>	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
2691.12	0010761	<p>Boccola barra stabilizzatrice anteriore Rubber bush, front stabilizer bar 2x / 65CF - F65/95 2x / F1600/1900/2100/2300/2500/2700/2800/2900 2x / F3200/3300/3600 - N2800 - TT2100 2x / BUS DB250 - MB200 - N2800</p> <p>Boccola barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar 2x / F2300/2500</p> <p>Ø = 39.5 mm - L = 80 mm</p>	
2691.13	0298497	<p>Semi-boccola barra stabilizzatrice anteriore Bushing half, front stabilizer bar 4x / BUS MB230 - MBG200 - SBG220 - SBR3000/3015 4x / BUS SB220/230/2300/2700/2750/3000</p> <p>Semi-boccola barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar 4x / F1100/1300 4x / BUS MB230 - MBG200 - SB230/2300/2700/3000 4x / BUS SBR3000</p> <p>Ø = 47 mm - L = 80 mm</p>	
2691.14	0293417	<p>Boccola braccio barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar rod 2x / F2100/2300/2500</p> <p>Ø = 40 mm - L = 37 mm</p>	
2691.15	0096109	<p>Boccola barra stabilizzatrice anteriore Plastic bush, front stabilizer bar suspension 2x / 75/85CF - F2300/2500/2700 2x / F75/85/95 - FT95 500 2x / 95XF - 95XF 530 - XF95 2x / BUS KD</p> <p>Ø = 45 mm - L = 65 mm</p>	
2691.16	0763523	<p>Boccola barra stabilizzatrice anteriore Plastic bush, front stabilizer bar suspension 2x / 75/85CF - CF75/85 - CF65/75/85 II - CF65/75/85 IV 2x / F1700 2x / F75/85/95 2x / 95XF - XF95 - XF95 II - XF105</p> <p>Ø = 51 mm - L = 60 mm</p>	

**AUTOCARRI E AUTOBUS
TRUCKS AND BUSES**
DAF

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
2691.17	0371465	<p>Boccola braccio barra stabilizzatrice anteriore Plastic bush, front stabilizer bar rod 4x / F2100/2500/2800/2900/3200/3300/3600 - TT2100 4x / BUS TB2100</p> <p>Boccola attacco barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar fastening 4x / F2100/2300/2500/2700/2800/2900/3200/3300/3600</p> <p>Ø = 25 mm - L = 25 mm</p>	
2691.18	0377171	<p>Boccola attacco barra stabilizzatrice anteriore Plastic bush, front stabilizer bar fastening 4x / F2900/3200</p> <p>Boccola attacco barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar fastening 4x / F2100/2300/2500/2700/2900/3200/3300/3600</p> <p>Ø = 30 mm - L = 27.5 mm</p>	
2691.19	0274650	<p>Boccola attacco barra stabilizzatrice anteriore Plastic bush, front stabilizer bar fastening 4x / F1700 - F75/85/95</p> <p>Boccola attacco barra stabilizzatrice posteriore Rubber bush, rear stabilizer bar fastening 4x / 65/75/85CF 4x / F1700/1900/2300/2700 - F65/75/85/95 4x / 95XF 4x / BUS TB2100 - TB2175</p> <p>Ø = 40.5 mm - L = 23.5 mm</p>	
2691.20	0281008	<p>Boccola attacco barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar fastening 2x / 865 AVM 2x / BUS KD - SB220/225 - SBG220</p> <p>Ø = 26.5 mm - L = 69.5 mm</p>	
2691.21	0377630	<p>Boccola balestra anteriore Plastic bush, front leaf spring 4x / BUS MB200 - MBG200</p> <p>Boccola balestra posteriore Plastic bush, rear leaf spring 4x / BUS MB200/230 - MBG200 - SB2750/3000</p> <p>Ø = 32.5 mm - L = 98 mm</p>	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
2691.22	0298498	Semi-boccola barra stabilizzatrice Bushing half, stabilizer bar 4x / 75/85CF - F75/85/95 - F1700 4x / TB2100 Semi-boccola barra stabilizzatrice anteriore Plastic bush, rear stabilizer bar 4x / BUS MB230 - SB2300/2700/2750/3000/4000 4x / BUS SBR3000/3015 Ø = 46.5 mm - L = 80 mm	
2691.23	0698429	Boccola ammortizzatore Rubber bush, shock absorbers 2x / 65/75/85CF - CF75/85 - CF75/85 II - CF75/85 IV 2x / F1700/1900/2100/2300/2500/2700/2800/2900 2x / F3200/3300/3600 - F65/75/85/95 - FT95 500 2x / 95XF - 95XF 530 - XF95 - XF95 II - XF105 2x / BUS KD - SB200 Ø = 24.5 mm - L = 43 mm	
2691.24	0699425	Boccola ammortizzatore Rubber bush, shock absorbers 2x / 65/75/85CF - CF75/85 - CF85 IV 2x / F1900/2300/2700 2x / F65/75/85/95 - FT95 500 2x / 95XF - 95XF 530 - XF95 - XF105 2x / BUS SB200 Ø = 34 mm - L = 59 mm	
2691.25	ACHB081	Boccola barra stabilizzatrice posteriore Plastic bush, rear stabilizer bar 2x / F55 Ø = 35.5 mm - L = 51 mm	
2691.26	0109860	Boccola *braccio barra stabilizzatrice e ^ammortizzatore Rubber bush, *stabilizer bar rod and ^shock absorbers 4x / *F1100/1300/2100/2300/2500/2700/2800/2900 4x / *F3200/3300/3600 4x / ^75/85CF - ^CF75/85 - ^CF75/85 IV - ^F75/85/95/2100 4x / ^95XF - ^F75/85/95/2100 4x / BUS ^DB250 - ^SB201/220/225 - ^SBG220 - ^TB2100 4+4x / BUS *^MB230 - *^MBG200 - *^SB2300/2700 4+4x / *^SB2750/3000/4000 - *^SBR3000/3015 Ø = 20 mm - L = 32 mm	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
2691.27	1402590	Semi-boccola barra stabilizzatrice posteriore Bushing half, rear stabilizer bar 4x / LF55 + LF55 IV 4x / CF65 - CF65 II - CF65 IV Ø = 48 mm - L = 93 mm	
2691.28	1402572	Semi-boccola barra stabilizzatrice posteriore Bushing half, rear stabilizer bar 4x / LF45 - LF45 IV Ø = 40 mm - L = 75.5 mm	
2691.29	1402587	Semi-boccola barra stabilizzatrice posteriore Bushing half, rear stabilizer bar 4x / LF55 + LF55 IV 4x / CF65 - CF65 II - CF65 IV Ø = 46 mm - L = 93 mm	
2691.30	1254641	Boccola attacco barra stabilizzatrice cabina Bush, cab, stabilizer bar 4x / 75/85CF 4x / F65/75/85/95 4x / BUS KD Ø = 20 mm - L = 26.5 mm	
2691.31	1402562	Boccola barra stabilizzatrice anteriore Rubber bush, front stabilizer bar 2x / LF45 - LF45 II - LF45 IV Ø = 26 mm - L = 68 mm	

**AUTOCARRI E AUTOBUS
TRUCKS AND BUSES**
DAF

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
2691.32	1400147	Boccola barra stabilizzatrice anteriore Rubber bush, front stabilizer bar 2x / CF65 - CF65 II - CF65 IV 2x / LF55 - LF55 IV Ø = 34 mm - L = 63-66 mm	
2691.33	ACHF846	Boccola attacco barra stabilizzatrice cabina Bush, cab, stabilizer bar 4x / F45 - F55 Ø = 25.5 mm - L = 32 mm	
2700.00	0608924	Supporto albero di trasmissione Propeller shaft carrier BTB F700 - F900 - F1600 - F1800 Ø = 35 mm - P = 17 mm D = 168 mm - H = 60 mm	
2709.10	1298157 (1252249)	Supporto albero di trasmissione Propeller shaft carrier G.W.B. F1700/1900/2100/2300/2500/2700 F65/75/85/95 - 65/75/85CF - CF75 95XF BUS DM - CKD - KD Ø = 55 mm - P = 14 mm D = 200 mm - H = 67 mm	
2712.00	0102204	Supporto albero di trasmissione Propeller shaft carrier G.W.B. F1700/1900/2100/2300/2500/2700/2800/2900/3200/3300/3600 F95 BUS CKD - DM - TB2100 Ø = 60 mm - P = 36 mm D = 200 mm - H = 83 mm	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
2715.00	1288242	Supporto albero di trasmissione Propeller shaft carrier KLEIN 85CF - CF85 - CF75/85 IV F95 - 95XF - XF95 - XF105 Ø = 70 mm - P = 43 mm D = 220 mm - H = 90 mm	
2719.05	1235569	Supporto albero di trasmissione Propeller shaft carrier G.W.B. 85CF - 95XF - 95XF 530 - F3200/3300/3600 - F85/95 BUS CKD - DM - TB2100 Ø = 70 mm - P = 17 mm D = 220 mm - H = 90 mm	
2719.10	1425157 (1364376)	Supporto albero di trasmissione Propeller shaft carrier KLEIN CF75/85 - F85/F95 85CF - 95XF - 95XF 530 - XF95 Ø = 75 mm - P = 15 mm D = 220 mm - H = 86 mm	
2719.15	*1779697 1740904 (1731586)	Supporto albero di trasmissione Propeller shaft carrier KLEIN CF85 - CF75/85 II - CF75/85 IV - XF105 Ø = 74 mm - P = 16 mm D = 220 mm - H = 85 mm * Include: 2 bulloni M14 x 50 (il vecchio tipo era M14 x 40) * Includes 2 studs M14 x 50 (old type was M14 x40)	
2719.20	1404560	Supporto albero di trasmissione Propeller shaft carrier F45 - F55 LF45 - LF55 Ø = 45 mm - P = 23 mm D = 196 mm - H = 69.5 mm	



LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
4438.00	1676184 (1633705)	Manicotto acqua rallentatore (superiore - Silicone rosso) Water hose, retarder piping (upper - Red silicone) 1260PP - 920/1260VS 85CF - CF85 - CF85 II - CF85 IV - F95 95XF - XF95 - XF95 II - XF105 BUS KD - SB4000 Ø = 50/60 mm - L = 120 mm SILICONE ROSSO - RED SILICONE	
4489.10	1650940 (1633704)	Manicotto acqua rallentatore (inferiore - Silicone blu) Water hose, retarder piping (lower - Blue silicone) 85CF - CF75/85 - CF75/85 II - CF75/85 IV - F95 95XF - XF95 - XF95 II - XF105 - YTZ95 BUS KD Ø = 47/57 mm - L = 103 mm	
5650.00	1353428	Manicotto uscita aria intercooler Air hose, intercooler outlet pipe 85CF BUS KD Ø = 100 mm	
5650.05	0260339	Manicotto uscita aria intercooler Air hose, intercooler outlet pipe F2800/2900/3200/3300/3600 BUS CKD - KD - KD1160 Ø = 100 mm	
5650.08	1378391	Manicotto entrata/uscita aria intercooler Air hose, intercooler inlet/outlet pipe 2x / 1160AVM - 1260VS 2x / F95 - 75/85CF 2x / 95XF - XF95 Ø = 100 mm - L = 405 mm SILICONE	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
5650.10	1204236	Manicotto entrata/uscita aria intercooler Air hose, intercooler inlet/outlet pipe 2x / 865/1160AVM - TB2175 2x / F1700/2100/2500/2800/2900/3200/3300/3600 2x / F75/80/85/95 - FT95 500 - 75/85CF 2x / 95XF - 95XF 530 - XF95 2x / BUS CKD - DB250 - DM - KD - KD1160 - MB230 2x / BUS SB200/210/2100/220/225/250/2750/3000/4000 2x / BUS SBR3000/3015/4000 $\varnothing = 100 \text{ mm} - L = 117 \text{ mm}$ SILICONE	
5651.00	0249107	Manicotto entrata aria turbina Air hose, turbocharger inlet pipe 1160 AVM F2100/2800/2900/3200/3300/3600 BUS CKD - DM - KD - KD1160 $\varnothing = 85 \text{ mm}$	
5651.05	1377572	Manicotto uscita aria turbina Air hose, turbocharger outlet pipe 1160 AVM - 1260PP/VS 75/85CF - CF85 - CF85 II - CF85 IV 95XF - XF95 - YTZ95 BUS CKD - KD - SB4000 - SBR4000 $\varnothing = 75 \text{ mm} - L = 75 \text{ mm}$ SILICONE	
6300.00	1294247	Manicotto superiore radiatore (senza intercooler) Water hose, radiator (upper - without intercooler) 1160 AVM - F95 95XF - 95XF 530 BUS KD - MB230 $\varnothing = 61/73 \text{ mm}$	
6300.01	0262277	Manicotto tubazioni pompa acqua Water hose, water pump pipe 1160 AVM F2800/2900/3200/3300/3600 BUS CKD - DM - KD - KD1160 $\varnothing = 30 \text{ mm}$	

**AUTOCARRI E AUTOBUS
TRUCKS AND BUSES**
DAF

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
6300.02	1293809	Manicotto inferiore radiatore (con intercooler) Water hose, radiator (lower - with intercooler) 1160 AVM 75/85CF - 95XF - XF95 - F95 $\varnothing = 61/74 \text{ mm}$	
6300.03	1300784 (0116382)	Manicotto superiore radiatore (con intercooler) Water hose, radiator (upper - with intercooler) 1160 AVM F1900/2300/2700/2800/2900/3200/3300/3600 BUS CKD - DM - KD - KD1160 - SB3000 - TB2100 $\varnothing = 48 \text{ mm}$	
6300.04	1353922	Manicotto superiore radiatore (con intercooler) Water hose, radiator (upper - with intercooler) 1160 AVM 75/85CF - 95XF - F95 $\varnothing = 61/74 \text{ mm}$	
6300.05	1294248	Manicotto inferiore radiatore (senza intercooler) Water hose, radiator (lower - without intercooler) 1160 AVM F95 BUS KD - MB230 $\varnothing = 60/67 \text{ mm}$	
6300.06	1297739	Manicotto inferiore radiatore (senza intercooler) Water hose, radiator (lower - without intercooler) 95XF - 95XF 530 $\varnothing = 60 \text{ mm}$	


**AUTOCARRI E AUTOBUS
TRUCKS AND BUSES**
DAF

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
6300.07	0655644	Manicotto inferiore radiatore (con intercooler) Water hose, radiator (lower - with intercooler) 1160 AVM F2800/2900/3200/3300/3600 BUS KD - KD1160 Ø = 48 mm	
6300.08	1293807	Manicotto infer. vaschetta supplementare (con intercooler) Water hose, additional tank (lower - with intercooler) 1160AVM 75/85CF - F95 95XF - XF95 Ø = 27/32 mm	
6300.09	1350004 (1297991)	Manicotto inferiore radiatore (con intercooler) Water hose, radiator (lower - with intercooler) 85CF - F85 BUS CKD - DM - KD Ø = 60/67 mm	
6300.10	1293808	Manicotto infer. vaschetta supplementare (senza intercooler) Water hose, additional tank (lower - without intercooler) 1160AVM 75/85CF - F95 95XF - XF95 Ø = 21/28 mm	
6300.11	1297734	Manicotto superiore radiatore (con intercooler) Water hose, radiator (upper - with intercooler) F85 BUS DM - CKD - KD Ø = 61/74 mm	

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
6300.12	1338931	Manicotto tubazioni acqua radiatore Water hose, cooling system 95XF - 95XF 530 $\varnothing = 60 \text{ mm}$	
6300.13	0612018	Manicotto tubazioni pompa acqua Water hose, water pump pipe 1160 AVM F2100/2800/2900/3200/3300 - N2800 BUS CKD - DM - KD - KD1160 - SB220/3000 - SBR3000 $\varnothing = 22/28 \text{ mm} - L = 60 \text{ mm}$	
6300.14	1290141	Manicotto tubazioni acqua Water hose, cooling system 95XF - 95XF 530 - FT95 500 BUS KD $\varnothing = 32/44 \text{ mm}$	
6300.15	0516942	Manicotto tubazioni pompa acqua Water hose, water pump pipe 1160 AVM F2800/2900/3200/3300/3600 - N2800 BUS CKD - DM - KD - KD1160 - SB220/3000 - SBR3000 $\varnothing = 20/27 \text{ mm}$	
6300.16	1371353	Manicotto inferiore radiatore (con intercooler) Water hose, radiator (lower - with intercooler) 85CF CF75/85 - CF75/85 II - CF75/85 IV BUS KD - SB4000 $\varnothing = 60 \text{ mm}$	

AUTOCARRI E AUTOBUS
TRUCKS AND BUSES

DAF

LE.MA ref.	adattabile a suitable for	Descrizione / Description	Illustrazione / Illustration
6300.17	1372303	Manicotto superiore radiatore (con intercooler) Water hose, radiator (upper - with intercooler) 85CF CF85 - CF85 II - CF85 IV BUS KD - SB4000 Ø = 60 mm	
9190.00		Serie manicotti acqua motore Engine water hoses full set 1160 AVM 75/85CF - 95XF - F95 (Con intercooler / With intercooler)	
9190.05		Serie manicotti acqua motore Engine water hoses full set 95XF - 95XF 530 (Senza intercooler / Without intercooler)	